Self-Certification on the letter head of the company

15.06.2017, P-45021/2/2017-PP	ic Procurement Order No. P-45021/2/2017-BE-II dt. (BE-II) dated 28.05.2018, P-45021/2/2017-PP (BE-II) 2017-PP (BE-II) dated 16.09.2020, we hereby certify that
(Supplier name) are local suppli defined in as above orders for the	er meeting requirement of minimum local content (50%) material against Enquiry No
Details of location at which local	value addition will be made is as follows:
175(1)(i)(h) of the General Finance	ations will be in breach of the Code of Integrity under Rule ial Rules for which a bidder or its successors can be debarred (iii) of the General Financial Rules along with such other law.
Date: Place:	Signature: Name and Designation: Mobile no: Office Telephone No: Email ID: Office Seal:

ANNEXURE C

R Documents (Type - A): For all Civil & I&C & O&M Sl No.			A	<u>NNEXURE C</u>
No. Documents VES	List of I	Documents to be submitted by Vendors/Subcontractors for SPV Contracts.		DEVIATION OR REMARKS
No. Documents VES	IR Doci	iments (Tyne - A): For all Civil & I&C & O&M		
Wage Sheet (Form 17)				
2 Attendance Register (w.r.t SI No.1) Workman Polisy & Additional Insurance (Automotive Liability, Group Service Insurance Policy etc PF Challam Polisy & Additional Insurance (Automotive Liability, Group Service Insurance Policy etc PF Challam Polisy & Additional Insurance (Automotive Liability, Group Service Insurance) FEST (Effectronic Challan Receipt) PFS			YES	
Workman Policy & Additional Insurance (Automotive Liability, Group Service Insurance Policy etc.				
Insuarnee Policy ete				
PF Challan	5		125	
SER (Employee State Insurance)	4	-	YES	
CER (Electronic Challan Receipt)				
Bank Statement for PF deposit		· • •		
RCS (Remittance Confirmation Slip) Quality Documents (Type - B): For all MMS Civil Works SI No. Documents POA (Field Quality Assuarance) Field Content, Slump Test A Gradiation of Aggregate (10mm, 20mm) Poar Gradiation of Aggregate (10mm, 20mm) Field Content, Slump Test NA To Consumption Register for Steel & Invoice NA Pour Card for Concreting purpose NA Rosisture Contenting purpose NA Rosisture Contenting Department of the Material Test Certificate for Steel & Invoice NA Rosisture Contenting Department of the Material Rosister of Rosister Rosister of Rosister of Rosister R		1 /		
Decements Decements Decements NA		•		
SINO. Documents NA	Ü	Tes (Terminal Community)	125	
SINO. Documents NA	Quality	Documents (Type - B): For all MMS Civil Works		
FQA (Field Quality Assuarance)				
Field Content, Shump Test			NA	
Gradiation of Aggregate (10mm, 20mm) Fine Aggregate Test (for Sand) Fine Aggregate Test (for Sand) Cube Test Registered NA Material Test Certificate for Steel & Cement NA Consumption Register for Steel & Invoice NA Royalty Reports (10mm, 20mm, Sand) NA Sand Soundess Test Reports NA Sand Soundess Test Reports NA Sieve Analysis, Plakiness Index, Elongation Index - Register to be maintained NA Water Test Register of Concrete NA Documents Consumption Register for Steel & Invoice NA NA Sieve Analysis, Plakiness Index, Elongation Index - Register to be maintained NA Water Test Report for Concrete NA Design Mix Report for Concrete NA Documents (Type - B): For all Civil related Works Documents NA Fine Aggregate Test (for Sand) Cube Test Register of Steel & Cement NA Fine Aggregate Test (for Sand) Cobe Test Registered NA Material Test Certificate for Steel & Cement NA Pour Card for Concrete Invoice NA Pour Consumption Register for Steel & Invoice NA Pour Consumption Register for Steel & Invoice NA Pour Consumption Register for Steel & Invoice NA NA Sond Soundess Test Reports NA NA Solution Test Certificates for Seel & Cement NA NA Solution Test Certificates for Seel Seed Seed Seed Seed Seed Seed Seed				
Fine Aggregate Test (for Sand)				
55 Cube Test Registered NA 6 Material Test Certificate for Steel & Cement NA 7 Consumption Register for Steel & Invoice NA 8 Pour Card for Concreting purpose NA 9 Royalty Reports (10mm, 20mm, Sand) NA 10 Sand Soundess Test Reports NA 11 Slump Test Register NA 12 Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained NA 13 Moisture Content Coarse and Fine Aggregate - Register to be maintained NA 14 Water Test Report for Concrete NA 15 Design Mix Report for Concrete NA 16 Design Mix Report for Concrete NA 17 Douments (Type - B): For all Civil related Works NA 18 Douments NA 19 Field Content, Slump Test NA 3 Gradiation of Aggregate (10mm, 20mm) NA 4 Fine Aggregate Test (for Sand) NA 5 Cube Test Register NA 6 Material				
6 Material Test Certificate for Steel & Cement 7 Consumption Register for Steel & Invoice 8 Pour Card for Concreting purpose 9 Royalty Reports (10mm, 20mm, Sand) 10 Sand Soundess Test Reports 11 Slump Test Register 12 Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained 13 Moisture Content Coarse and Fine Aggregate - Register to be maintained 14 Water Test Reports for Concrete 15 Design Mix Report for Concrete 16 NA 17 Design Mix Report for Concrete 18 NA 18 Documents 19 FQA (Field Quality Assuarance) 10 FQA (Field Quality Assuarance) 11 FQA (Field Content, Slump Test 12 Field Content, Slump Test 13 Gradiation of Aggregate (10mm, 20mm) 15 Cube Test Registered 16 Material Test Certificate for Steel & Cement 17 Consumption Register for Steel & Invoice 18 Pour Card for Concreting purpose 19 Royalty Reports (10mm, 20mm, Sand) 10 NA 11 Warpage of Bricks Test Reports 11 Pour Card for Concreting purpose 11 NA 12 Pour Card for Concreting purpose 13 NA 14 Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained 19 NA 10 Sand Soundess Test Reports 10 NA 11 Warpage of Bricks Test Reports 11 NA 12 Core Cutting (Compaction Test) - Roads & Pathways 13 Slump Test Register 14 NA 15 Plastering profile and thickness 16 Pour Certificates for Pathways 17 Plastering profile and thickness 18 Compaction test beneath floor of all buildings - Reports 19 NA 20 Test Certificates for Path, Glan, Glazing, etc. 21 NA 22 Water Test Report for Concrete				
7 Consumption Register for Steel & Invoice 8 Pour Card for Concreting purpose 9 Royalty Reports (10mm, 20mm, Sand) 10 Sand Soundess Test Reports 11 Slump Test Register 12 Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained 13 Moisture Content Coarse and Fine Aggregate - Register to be maintained 14 Water Test Report for Concrete 15 Design Mix Report for Concrete 16 Design Mix Report for Concrete 17 Pied Contents (Type - B): For all Civil related Works 18 Documents 19 FQA (Field Quality Assuarance) 10 FQA (Field Quality Assuarance) 11 FQA (Field Quality Assuarance) 12 Field Content, Slump Test 13 Gradiation of Aggregate (10mm, 20mm) 14 Fine Aggregate Test (for Sand) 15 Cube Test Registered 16 Material Test Certificate for Steel & Cement 17 Consumption Register for Steel & Invoice 18 Pour Card for Concreting purpose 19 Royalty Reports (10mm, 20mm, Sand) 10 Sand Soundess Test Reports 10 Sand Soundess Test Reports 11 Warpage of Bricks Test Reports 12 Core Cutting (Compaction Test) - Roads & Pathways 13 Slump Test Register 14 Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained 15 Moisture Content Coarse and Fine Aggregate - Register to be maintained 16 Brick Test Reports 17 Plastering profile and thickness 18 Compaction test beneath floor of all buildings Reports 18 Compaction test beneath floor of all buildings Reports 19 Test Certificates of Paint, Glaring, etc. 20 Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also) 21 BBS for Buildings 22 Water Test Report for Concrete				
8 Pour Card for Concreting purpose 9 Royalty Reports (10mm, 20mm, Sand) 10 Sand Soundess Test Reports 11 Slump Test Register 11 Slump Test Register 12 Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained 13 Moisture Content Coarse and Fine Aggregate - Register to be maintained 14 Water Test Report for Concrete 15 Design Mix Report for Concrete 16 Documents 17 PQA (Field Quality Assuarance) 18 Field Content, Slump Test 19 Field Content, Slump Test 20 Field Content, Slump Test 30 Gradiation of Aggregate (10mm, 20mm) 40 Fine Aggregate Test (for Sand) 51 Cube Test Registered 52 NA 53 Gradiation of Aggregate (10mm, 20mm) 54 Fine Aggregate Test (for Sand) 55 Cube Test Registered 56 Material Test Certificate for Steel & Cement 57 Consumption Register for Steel & Invoice 58 Pour Card for Concreting purpose 59 Royalty Reports (10mm, 20mm, Sand) 50 Sand Soundess Test Reports 51 NA 52 Core Cutting (Compaction Test) - Roads & Pathways 51 NA 52 Core Cutting (Compaction Test) - Roads & Pathways 53 Slump Test Register 56 NA 57 Plastering Test Register NA 58 Pour Card for Concreting purpose 59 Royalty Reports (10mm, 20mm, Sand) 50 Sand Soundess Test Reports 51 NA 52 NA 53 Slump Test Register 54 NA 55 NA 56 NA 57 Core Cutting (Compaction Test) - Roads & Pathways 57 NA 58 NA 59 Royalty Reports (10mm, 20mm, Sand) 50 Sand Soundess Test Reports 50 NA 51 NA 51 Slump Test Register 51 NA 52 NA 53 Slump Test Register 54 NA 55 NA 56 NA 57 NA 58 NA 58 NA 58 NA 59 NA 59 Royalty Reports (10mm, 20mm, Sand) 50 NA 51 NA 51 NA 51 NA 52 NA 53 Slump Test Register 58 NA 59 NA 50 NA 51 NA 51 NA 51 NA 51 NA 51 NA 52 NA 53 Slump Test Register 58 NA 59 NA 50 NA 51 NA 51 NA 51 NA 51 NA 51 NA 52 NA 53 Slump Test Register 58 NA 59 NA 50 NA 51 NA 51 NA 51 NA 51 NA 51 NA 51 NA 52 NA 53 Slump Test Register 57 NA 58 NA 59 NA 50 NA 50 NA 50 NA 51 NA 51 NA 51 NA 51 NA 51 NA 52 NA 54 NA 55 NA 56 NA 57 NA 58 NA 58 NA 58 NA 59 NA 50 NA 5				
9 Royalty Reports (10mm, 20mm, Sand) 10 Sand Soundess Test Reports 11 Slump Test Register 12 Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained 13 Moisture Content Coarse and Fine Aggregate - Register to be maintained 14 Water Test Report for Concrete 15 Design Mix Report for Concrete 16 NA 17 Plastering profile and thickness 18 Ocuments (Type - B): For all Civil related Works 19 Documents (Type - B): For all Civil related Works 10 FQA (Field Quality Assuarance) 10 FQA (Field Quality Assuarance) 11 FQA (Field Quality Assuarance) 12 Field Content, Slump Test 13 Gradiation of Aggregate (10mm, 20mm) 14 Fine Aggregate Test (for Sand) 15 Cube Test Registered 16 Material Test Certificate for Steel & Cement 17 Consumption Register for Steel & Invoice 18 Pour Card for Concreting purpose 19 Royalty Reports (10mm, 20mm, Sand) 10 Sand Soundess Test Reports 10 NA 11 Warpage of Bricks Test Reports 11 NA 12 Corc Cutting (Compaction Test) - Roads & Pathways 13 Slump Test Register 14 NA 15 NA 16 Brick Test Register 17 Plastering profile and thickness 18 Compaction test beneath floor of all buildings Reports 18 NA 19 Test Certificates For laint, Glazing, etc. 10 NA 10 Test Certificates For Paint, Glan, Glazing, etc. 10 NA 11 Test Certificates For Paint, Glan, Glazing, etc. 11 BBS for Buildings 12 Water Test Report for Concrete				
Sand Soundess Test Reports				
Slump Test Register				
Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained NA	11			
Moisture Content Coarse and Fine Aggregate - Register to be maintained NA Water Test Report for Concrete NA Design Mix Report for Concrete NA Pusitive Documents (Type - B): For all Civil related Works Documents PQA (Field Quality Assuarance) FQA (Field Quality Assuarance) FQA (Field Content, Slump Test FQA (Field Content, Slump Test Field Content, Sl	12			
Water Test Report for Concrete NA	13			
Design Mix Report for Concrete Design Mix Report for Concrete Documents Documents D	14	<u> </u>		
Deality Documents (Type - B): For all Civil related Works SI	15			
SI Documents No Field Quality Assuarance) Field Content, Slump Test Gradiation of Aggregate (10mm, 20mm) Fine Aggregate Test (for Sand) Cube Test Registered Material Test Certificate for Steel & Cement Consumption Register for Steel & Invoice Royalty Reports (10mm, 20mm, Sand) Sand Soundess Test Reports Warpage of Bricks Test Reports Core Cutting (Compaction Test) - Roads & Pathways Slump Test Register NA Slump Test Register NA Slump Test Register NA Sliver Analysis, Flakiness Index, Elongation Index - Register to be maintained NA Moisture Content Coarse and Fine Aggregate - Register to be maintained Royalty Reports NA Test Certificates for Paint, Glan, Glazing, etc. NA Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also) Water Test Report for Concrete NA Water Test Report for Concrete				
SI Documents No Field Quality Assuarance) Field Content, Slump Test Gradiation of Aggregate (10mm, 20mm) Fine Aggregate Test (for Sand) Cube Test Registered Material Test Certificate for Steel & Cement Consumption Register for Steel & Invoice Royalty Reports (10mm, 20mm, Sand) Sand Soundess Test Reports Warpage of Bricks Test Reports Core Cutting (Compaction Test) - Roads & Pathways Slump Test Register NA Slump Test Register NA Slump Test Register NA Sliver Analysis, Flakiness Index, Elongation Index - Register to be maintained NA Moisture Content Coarse and Fine Aggregate - Register to be maintained Royalty Reports NA Test Certificates for Paint, Glan, Glazing, etc. NA Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also) Water Test Report for Concrete NA Water Test Report for Concrete	Quality	Documents (Type - B): For all Civil related Works		
FQA (Field Quality Assuarance) Field Content, Slump Test Gradiation of Aggregate (10mm, 20mm) Fine Aggregate Test (for Sand) Cube Test Registered Material Test Certificate for Steel & Cement Consumption Register for Steel & Invoice NA Pour Card for Concreting purpose NA Royalty Reports (10mm, 20mm, Sand) Sand Soundess Test Reports NA Warpage of Bricks Test Reports NA Core Cutting (Compaction Test) - Roads & Pathways Slump Test Register NA Slump Test Register NA Moisture Content Coarse and Fine Aggregate - Register to be maintained NA Plastering profile and thickness NA Compaction test beneath floor of all buildings Reports NA Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also) BBS for Buildings NA Water Test Report for Concrete				
Field Content, Slump Test Gradiation of Aggregate (10mm, 20mm) Fine Aggregate Test (for Sand) Cube Test Registered NA Material Test Certificate for Steel & Cement Consumption Register for Steel & Invoice Pour Card for Concreting purpose Royalty Reports (10mm, 20mm, Sand) Sand Soundess Test Reports NA Warpage of Bricks Test Reports Core Cutting (Compaction Test) - Roads & Pathways Slump Test Register NA Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained Moisture Content Coarse and Fine Aggregate - Register to be maintained* NA Plastering profile and thickness Compaction test beneath floor of all buildings Reports NA Test Certificates for Paint, Glan, Glazing, etc. NA BBS for Buildings NA Water Test Report for Concrete NA Water Test Report for Concrete	No			
Field Content, Slump Test Gradiation of Aggregate (10mm, 20mm) Fine Aggregate Test (for Sand) Cube Test Registered NA Material Test Certificate for Steel & Cement Consumption Register for Steel & Invoice Pour Card for Concreting purpose Royalty Reports (10mm, 20mm, Sand) Sand Soundess Test Reports NA Warpage of Bricks Test Reports Core Cutting (Compaction Test) - Roads & Pathways Slump Test Register NA Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained Moisture Content Coarse and Fine Aggregate - Register to be maintained* NA Plastering profile and thickness Compaction test beneath floor of all buildings Reports NA Test Certificates for Paint, Glan, Glazing, etc. NA BBS for Buildings NA Water Test Report for Concrete NA Water Test Report for Concrete	1	FQA (Field Quality Assuarance)	NA	
Gradiation of Aggregate (10mm, 20mm) Fine Aggregate Test (for Sand) Cube Test Registered NA Material Test Certificate for Steel & Cement Consumption Register for Steel & Invoice NA Pour Card for Concreting purpose Royalty Reports (10mm, 20mm, Sand) Sand Soundess Test Reports NA Sand Soundess Test Reports NA Core Cutting (Compaction Test) - Roads & Pathways Slump Test Register NA Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained Moisture Content Coarse and Fine Aggregate - Register to be maintained* NA Brick Test Reports NA Plastering profile and thickness NA Test Certificates for Paint, Glan, Glazing, etc. NA BBS for Buildings NA Water Test Report for Concrete NA Water Test Report for Concrete			NA	
Cube Test Registered Material Test Certificate for Steel & Cement NA Consumption Register for Steel & Invoice NA Pour Card for Concreting purpose NA Royalty Reports (10mm, 20mm, Sand) Sand Soundess Test Reports NA Warpage of Bricks Test Reports NA Slump Test Register NA Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained Moisture Content Coarse and Fine Aggregate - Register to be maintained* NA Brick Test Reports NA Plastering profile and thickness Compaction test beneath floor of all buildings Reports NA Test Certificates for Paint, Glan, Glazing, etc. NA BBS for Buildings NA Water Test Report for Concrete NA Water Test Report for Concrete				
Material Test Certificate for Steel & Cement Consumption Register for Steel & Invoice NA Pour Card for Concreting purpose NA Royalty Reports (10mm, 20mm, Sand) Sand Soundess Test Reports NA Warpage of Bricks Test Reports Core Cutting (Compaction Test) - Roads & Pathways Slump Test Register NA Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained NA Moisture Content Coarse and Fine Aggregate - Register to be maintained* NA Plastering profile and thickness Compaction test beneath floor of all buildings Reports Test Certificates for Paint, Glan, Glazing, etc. NA Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also) NA Water Test Report for Concrete	4	Fine Aggregate Test (for Sand)	NA	
7 Consumption Register for Steel & Invoice 8 Pour Card for Concreting purpose 9 Royalty Reports (10mm, 20mm, Sand) 10 Sand Soundess Test Reports 11 Warpage of Bricks Test Reports 12 Core Cutting (Compaction Test) - Roads & Pathways 13 Slump Test Register 14 Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained 15 Moisture Content Coarse and Fine Aggregate - Register to be maintained* 16 Brick Test Reports 17 Plastering profile and thickness 18 Compaction test beneath floor of all buildings Reports 19 Test Certificates for Paint, Glan, Glazing, etc. 20 Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also) 21 BBS for Buildings 22 Water Test Report for Concrete NA	5	Cube Test Registered	NA	
8 Pour Card for Concreting purpose 9 Royalty Reports (10mm, 20mm, Sand) 10 Sand Soundess Test Reports 11 Warpage of Bricks Test Reports 12 Core Cutting (Compaction Test) - Roads & Pathways 13 Slump Test Register 14 Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained 15 Moisture Content Coarse and Fine Aggregate - Register to be maintained* 16 Brick Test Reports 17 Plastering profile and thickness 18 Compaction test beneath floor of all buildings Reports 19 Test Certificates for Paint, Glan, Glazing, etc. 20 Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also) 21 BBS for Buildings 22 Water Test Report for Concrete NA	6	Material Test Certificate for Steel & Cement	NA	
9Royalty Reports (10mm, 20mm, Sand)NA10Sand Soundess Test ReportsNA11Warpage of Bricks Test ReportsNA12Core Cutting (Compaction Test) - Roads & PathwaysNA13Slump Test RegisterNA14Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintainedNA15Moisture Content Coarse and Fine Aggregate - Register to be maintained*NA16Brick Test ReportsNA17Plastering profile and thicknessNA18Compaction test beneath floor of all buildings ReportsNA19Test Certificates for Paint, Glan, Glazing, etc.NA20Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also)NA21BBS for BuildingsNA22Water Test Report for ConcreteNA	7	Consumption Register for Steel & Invoice	NA	
9Royalty Reports (10mm, 20mm, Sand)NA10Sand Soundess Test ReportsNA11Warpage of Bricks Test ReportsNA12Core Cutting (Compaction Test) - Roads & PathwaysNA13Slump Test RegisterNA14Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintainedNA15Moisture Content Coarse and Fine Aggregate - Register to be maintained*NA16Brick Test ReportsNA17Plastering profile and thicknessNA18Compaction test beneath floor of all buildings ReportsNA19Test Certificates for Paint, Glan, Glazing, etc.NA20Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also)NA21BBS for BuildingsNA22Water Test Report for ConcreteNA	8	Pour Card for Concreting purpose	NA	
11 Warpage of Bricks Test Reports	9		NA	
12 Core Cutting (Compaction Test) - Roads & Pathways 13 Slump Test Register NA 14 Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained NA 15 Moisture Content Coarse and Fine Aggregate - Register to be maintained* NA 16 Brick Test Reports NA 17 Plastering profile and thickness NA 18 Compaction test beneath floor of all buildings Reports NA 19 Test Certificates for Paint, Glan, Glazing, etc. NA Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also) NA 20 BBS for Buildings NA NA NA NA NA NA NA NA NA N	10	Sand Soundess Test Reports	NA	
Slump Test Register NA Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained NA Moisture Content Coarse and Fine Aggregate - Register to be maintained* NA Brick Test Reports NA Plastering profile and thickness NA Compaction test beneath floor of all buildings Reports NA Test Certificates for Paint, Glan, Glazing, etc. NA Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also) NA BBS for Buildings NA Water Test Report for Concrete	11	Warpage of Bricks Test Reports	NA	
14 Sieve Analysis, Flakiness Index, Elongation Index - Register to be maintained 15 Moisture Content Coarse and Fine Aggregate - Register to be maintained* 16 Brick Test Reports 17 Plastering profile and thickness 18 Compaction test beneath floor of all buildings Reports 19 Test Certificates for Paint, Glan, Glazing, etc. 10 Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also) 20 BBS for Buildings 21 Water Test Report for Concrete 22 Water Test Report for Concrete	12		NA	
15 Moisture Content Coarse and Fine Aggregate - Register to be maintained* NA 16 Brick Test Reports NA 17 Plastering profile and thickness NA 18 Compaction test beneath floor of all buildings Reports NA 19 Test Certificates for Paint, Glan, Glazing, etc. NA 20 Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also) NA 21 BBS for Buildings NA NA NA NA NA NA NA NA NA N			NA	
16 Brick Test Reports NA 17 Plastering profile and thickness NA 18 Compaction test beneath floor of all buildings Reports NA 19 Test Certificates for Paint, Glan, Glazing, etc. NA 20 Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also) NA 21 BBS for Buildings NA 22 Water Test Report for Concrete NA			NA	
17 Plastering profile and thickness 18 Compaction test beneath floor of all buildings Reports 19 Test Certificates for Paint, Glan, Glazing, etc. 20 Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also) 21 BBS for Buildings NA 22 Water Test Report for Concrete NA				
18 Compaction test beneath floor of all buildings Reports 19 Test Certificates for Paint, Glan, Glazing, etc. 20 Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also) 21 BBS for Buildings NA Water Test Report for Concrete NA	16	Brick Test Reports	NA	
Test Certificates for Paint, Glan, Glazing, etc. NA Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also) NA BBS for Buildings NA Water Test Report for Concrete NA		Plastering profile and thickness	NA	
Test Certificates Aluminium Section for doors and windows (Anodisation Certificates also) NA BBS for Buildings NA Water Test Report for Concrete NA	18	Compaction test beneath floor of all buildings Reports	NA	
also) 21 BBS for Buildings NA 22 Water Test Report for Concrete NA	19	•	NA	
21 BBS for Buildings NA 22 Water Test Report for Concrete NA	20	Test Certificates Aluminium Section for doors and windows (Anodisation Certificates	NA	
22 Water Test Report for Concrete NA		also)		
*	21	BBS for Buildings	NA	
23 Design Mix Report for Concrete NA	22	Water Test Report for Concrete	NA	
	23	Design Mix Report for Concrete	NA	

Quality Documents: for Electrical & Mechanical Installation Works (BOS)			
Sl Documents			
No			
1	FQA (Field Quality Assuarance)	YES	
2	Inspection Reports	YES	
3	Guarantee Certificates	YES	
4	Factory Acceptance Test Reports	YES	
5	Commissioning Reports	YES	_

NOTE:

^{*} This list of documents is indicative and intended towards all Solar Projects.

 $^{^{*}}$ Apart from the above, any other document required by the Customer and which are mandatory for Billing by BHEL to the Customer, the same respective vendors.



GUIDELINES FOR REVERSE AUCTION 2020

(AA:SSP:RA:04) revised as on 04.03.2020

(applicable for all NITs issued on or after 04.06.2020)

Note: Abridged version for information of the bidders

SOURCING STRATEGY & POLICY CORPORATE OPERATIONS MANAGEMENT

BHARAT HEAVY ELECTRICALS LIMITED

Regd. Office: BHEL House, Siri Fort, New Delhi – 110049, India Website: www.bhel.com

CIN: L74899DL1964GOI004281

Doc. No. AA:SSP:RA:04 Dated: 04.03.2020

1.0 Scope

This document describes the guidelines to be followed by each Unit/Division/Region for conducting Reverse Auction (RA) for procurement of material/works/services. These guidelines will be applicable for all purchases/contracts to be awarded under Purchase/Works policy and the RA shall follow the philosophy of English Reverse (No ties).

English Reverse (No ties) is a type of auction where the starting price and bid decrement are announced before start of online reverse auction. The interested bidders can thereupon start bidding in an iterative process wherein the lowest bidder at any given moment can be displaced by an even lower bid of a competing bidder, within a given time frame. The bidding is with reference to the current lowest bid in the reverse auction. All bidders will see the current lowest quoted price and their rank. The term 'No ties' is used since more than one bidder cannot give an identical price, at a given instant, during the reverse auction. In other words, there shall never be a tie in the bids.

3.0 Upfront declaration in NIT

Wherever it is felt that procurement may be done through Reverse Auction, the bids shall be invited in two parts/ three parts or single part bid (Price Bid) where Techno-Commercial MoU already exists. Wherever, the evaluation is done for individual line item, separate sealed envelope price bid for each line item shall be taken.

Decision to go for RA would be taken before floating of the tender. In case it is decided to go for RA, same shall be declared upfront in NIT by inserting the following **clause:**

"BHEL shall be resorting to Reverse Auction (RA) (Guidelines as available on www.bhel.com) for this tender. RA shall be conducted among all the techno-commercially qualified bidders.

Price bids of all techno-commercially qualified bidders shall be opened and same shall be considered as initial bids of bidders in RA. In case any bidder(s) do(es) not participate in online Reverse Auction, their sealed envelope price bid along with applicable loading, if any, shall be considered for ranking."

Doc. No. AA:SSP:RA:04 Dated: 04.03.2020

6.0 Business rules for RA

Model Annexure-I is attached.

7.0 Role of Service Provider

- Acknowledge the receipt of mandate from BHEL.
- Contact the bidders, provide business rules and train them, as required.
- Get the process compliance form signed by all the participating bidders before RA event.
- Conduct the event as per the contract and business rules.
- Submit the Login Reports, Results, History sheet and authorized final bid from the bidders.
- To obtain price breakup from successful bidder and submit the same to BHEL.

10.0 Reverse Auction Process

10.1 Reverse Auction will be conducted if three or more bidders are techno-commercially qualified. In case of more than four techno-commercially qualified bidders, H1 bidder (whose quote is highest in sealed envelope price bid) shall not be allowed to participate in RA. However, there will be no H1 removal in case H1 happens to be MSE or qualifying under PPP-MII, Order 2017 irrespective of the number of bidders qualifying techno-commercially.

In case of multiple H1 bidders, all H1 bidders (excluding MSEs and bidders qualifying under PPP-MII, Order 2017) shall be removed provided minimum three bidders remain in fray, else no H1 removal.

- During RA, all bidders will see their rank and current L1 price and their ranking L1, L2 etc. on the screen. Once the RA is done, the ranking status would be based on the last quoted price of the bidder(s) irrespective of the quote received in RA or sealed envelope price bid.
- 10.3 No bidder shall be allowed to lower its bid below the current L1 by more than 5 decrements at one go.

Doc. No. AA:SSP:RA:04 Dated: 04.03.2020

13.0 Processing of case after RA

- 13.1 Wherever the evaluation is done on total cost basis, after Reverse Auction, prices of individual line items shall be reduced on pro-rata basis.
- 13.2 In case of splitting requirement, H1 bidder(s) who were removed from participation in RA may also be considered for counter offer if the pre-stated (NIT) numbers of suppliers do not accept the counter offer.

15.0 Others

- 15.2 In case of enquiry through e-Procurement, the sealed electronic price bid (e-bid) is to be treated as sealed envelope price bid.
- 15.3 BHEL will inform bidders the details of service provider who will provide business rules, all necessary training and assistance before commencement of online bidding.
- 15.4 Bidders are advised to read the 'Business Rules' indicating details of RA event carefully, before reverse auction event.



Doc. No. AA:SSP:RA:04 Dated: 04.03.2020

Business Rules for Reverse Auction

Annexure - I

This has reference to tender no **{tender number....date...**}. BHEL shall finalise the Rates for the supply of {item name} through Reverse Auction mode. BHEL has made arrangement with M/s. {Service provider}, who shall be BHEL's authorized service provider for the same. Bidders should go through the instructions given below and submit acceptance of the same.

The technical & commercial terms are as per (a) BHEL Tender Enq. No. {...} dated {...}, (b) Bidders' technical & commercial bid (in case of two part bid) and (c) subsequent correspondences between BHEL and the bidders, if any.

1. Procedure of Reverse Auctioning

- i. Price bids of all techno-commercially qualified bidders shall be opened.
- ii. Online Reverse Auction: The 'bid decrement' will be decided by BHEL.
- iv. Bidders by offering a minimum bid decrement or the multiples thereof can displace a standing lowest bid and become "L1" and this continues as an iterative process. However, no bidder shall be allowed to lower its bid below the current L1 by more than 5 decrements at one go.
- v. After the completion of the online reverse auction, the Closing Price (CP) shall be available for further processing.
- vi. Wherever the evaluation is done on total cost basis, after Reverse Auction, prices of individual line items shall be reduced on pro-rata basis.
- **2. Schedule for reverse auction:** The Reverse Auction is tentatively scheduled on {date}: ;{Start time}: ;{Close Time: }.
- 3. Auction extension time: If a bidder places a bid in the last {...} minutes of closing of the Reverse Auction and if that bid gets accepted, then the auction's duration shall get extended automatically for another {...} minutes, for the entire auction (i.e. for all the items in the auction), from the time that bid comes in. Please note that the auto-extension will take place only if a bid comes in those last {...} minutes and if that bid gets accepted as the lowest bid. If the bid does not get accepted as the lowest bid, the auto-extension will not take place even if that bid might have come in the last {...} minutes. In case, there is no bid in the last {...} minutes of closing of Reverse

Doc. No. AA:SSP:RA:04 Dated: 04.03.2020

Business Rules for Reverse Auction

Annexure - I

Auction, the auction shall get closed automatically without any extension. However, bidders are advised not to wait till the last minute or last few seconds to enter their bid during the auto-extension period to avoid complications related with internet connectivity, network problems, system crash down, power failure, etc.

The above process will continue till completion of Reverse Auction.

Complaints/ Grievances, if any, regarding denial of service or any related issue should be given in writing thru e-mail/ fax to M/s. {Service provider} with a copy to BHEL within 15 minutes prior to initial closing time of Online Reverse Auction.

- 5. Bidding currency and unit of measurement: Bidding will be conducted in Indian Rupees per Unit of the material as per the specifications {...}

In case of foreign currency bids, exchange rate (TT selling rate of State Bank of India) as an scheduled date of tender opening (Part-I bid) shall be considered for conversion in Indian Rupees. If the relevant day happens to be a Bank holiday, then the forex rate as on the previous bank (SBI) working day shall be taken.

- **6. Validity of bids:** Price shall be valid for {... days} from the date of reverse auction. These shall not be subjected to any change whatsoever.
- 7. Lowest bid of a bidder: In case the bidder submits more than one bid, the lowest bid at the end of Online Reverse Auction will be considered as the bidder's final offer to execute the work.
- 8. Unique user IDs shall be used by bidders during bidding process. All bids made from the Login ID given to the bidders will be deemed to have been

Doc. No. AA:SSP:RA:04 Dated: 04.03.2020

Business Rules for Reverse Auction

Annexure - I

made by the bidders/ bidders' company.

- **9. Post auction procedure**: BHEL will proceed with the Lowest Bid in the Reverse Auction for further processing.
- 11. Computerized reverse auction shall be conducted by BHEL (through M/s {Service Provider}), on pre-specified date, while the bidders shall be quoting from their own offices/ place of their choice. Internet connectivity shall have to be ensured by bidders themselves.

During the RA process if a bidder is not able to bid and requests for extension of time by FAX/ email/ phone then time extension of additional 15 minutes will be given by the service provider provided such requests come before 5 minutes of auction closing time. However, only one such request per bidder can be entertained.

In order to ward-off contingent situation of connectivity failure bidders are requested to make all the necessary arrangements/ alternatives whatever required so that they are able to circumvent such situation and still be able to participate in the reverse auction successfully. Failure of power or loss of connectivity at the premises of bidders during the Reverse auction cannot be the cause for not participating in the reverse auction. On account of this, the time for the auction cannot be extended and neither BHEL nor M/s. {Service provider} is responsible for such eventualities.

12. Proxy bids: Proxy bidding feature is a pro-bidder feature to safe guard the bidder's interest of any internet failure or to avoid last minute rush. The proxy feature allows bidders to place an automated bid in the system directly in an auction and bid without having to enter a new amount each time a competing bidder submits a new offer. The bid amount that a bidder enters is the minimum that the bidder is willing to offer. Here the software bids on behalf of the bidder. This obviates the need for the bidder participating in the bidding process until the proxy bid amount is decrementally reached by other bidders. When proxy bid amount is reached, the bidder (who has submitted the proxy bid) has an option to start participating in the bidding process.

The proxy amount is the minimum amount that the bidder is willing to offer. During the course of bidding, the bidder cannot delete or change the