

राजस्थान इलैक्ट्रॉनिक्स एण्ड इंस्ट्रूमेंन्ट्स लिमिटेड, जयपुर (आई एस ओ9001 : 2015 & 14001 : 2015"मिनीरत्न" सार्वजनिक क्षेत्र काउपक्रम) 2,कनकपुराऔद्योगिक एरिया, जयपुर- 302034 दुरभाषनं. : 0141-2471083, ईमेल: <u>sr.nirmal@reil.co.in</u>वेबसाइट: www.reiljp.com

"NOTICE INVITING TENDER FOR IMPORT/ EXPORT ENERGY NET METER, SOLAR ENERGY METER AND WHOLE CURRENT METER"

TENDER NO. REIL/MM/21-22/E PROC/BOS-RE/084 DATED 05.03.2022

Important Dates

Last Date & Time for submittinge-tender:

11.03.2022 up to 05.00 PM

Date & Time for opening of e-tenders

12.03.2022 at 05.00 PM

Kindly note that only online bid will be considered against this tender

THIS TENDER DOCUMENT CONTAINS

SrNo	Document	Item Detail
1	NIT	Notice Inviting Tender
2	Annexure -I	Process Compliance Form
3	Annexure -II	Technical Specifications for Energy Meter Net & Energy Meter Solar
5	Annexure - III	Format of Commercial Terms and Conditions
4	Annexure -IV	Format of General Terms and Conditions
6	Annexure-V	Manufacturer Authorization Certificate format
7	Annexure-VI	Certificate for non-blacklisting
8	Annexure-VII	Format of Undertaking by No Near Relative
9	Annexure-VIII	CA Certificate for MSME firms
10	Annexure-IX	Check list

NOTICE INVITING TENDER REIL/MM/21-22/E PROC/BOS-RE/084

This is a Notice Inviting Tender (NIT) for rate contract of **Energy Meter Net & Energy Meter Solar** as per description and terms & conditions specified hereinafter:

LX.1 Item Description & Quantity:

S/No	P/No	Description	Make	Qty (Nos.)
1	AFP	Energy Meter Net (Import / Export) 1 Phase, 2 wire. Whole		100
		Current Type. Meter should be tested & approved by		
		Jaipur DISCOM. Test report is required with meter.		
		(Technical Specification as per enclosed at annexure - II A)		
2	418514	Whole current Solar Meter 1 Phase 2 wire. Meter should		100
		be tested & approved by Jaipur DISCOM. Test report is		
		required with meter.		
		(Technical Specification as per enclosed at annexure -II B)		

1.2 <u>e-Tendering Procedure</u>: The procurement shall be carried out through submission of online tenders only. No offer in physical form will be accepted and any such offer if received by REIL will be out rightly be rejected. Tender documents can be downloaded from our website <u>www.reiljp.com</u> or website of CPPP <u>www.eprocure.gov.in</u>. Final bids are to be submitted on website.<u>www.eprocure.gov.in</u>. Any changes modification in the tender enquiry will be intimated through above Websites only. Tendered are therefore, requested to visit our Websites regularly to keep themselvesupdated.

The bidder should have a valid Digital Signature certificate issued by any of the valid certifying Authorities to participate in the online tender. The bids shall be uploaded in electronic form only through e-tendering system on website <u>www.eprocure.gov.in</u>

1.3 Bid should be submitted as per following instructionsonly:

Documents (duly signed on each page) to be uploaded in the e-tender portal as per checklist. Note: e-Procurement system does not allow submission of documents after due date of tender. Incomplete form or non-submission of documents to verify details may results into rejection of your offer and no Communication shall be done for submission ofdocuments.

Price Bid:- Price Bid i.e. item rate BOQ given with tender is to be uploaded after filling all relevant information like basic prices, GST etc. The priced BOQ should be uploaded strictly as per the format available with the tender failing which the offer is liable for rejection (renaming or changing format of BOQ sheet will not be accepted by thesystem)

Process Compliance Form

(Tenderers are required to print on their company's letter head and signed, stamp beforeuploading_)

То

M/s. Rajasthan Electronics & Instruments Limited 2, Kanakpura Industrial Area, Sirsi Road, Jaipur-302034

Sub:-Acceptance to the process related Terms and Conditions for the e-Tendering

Dear Sir,

This has reference to the Terms & Conditions for e-Tendering mentioned in the tender No.:-<u>REIL/MM/21-22/E PROC/BOS-RE/084</u>

We hereby confirm the following:-

- 1) The undersigned is authorized representative of the company.
- 2) We have carefully gone through the NIT, Tender Documents and the Rules governing the e-tendering as well as thisdocument.
- 3) We will honor the Bid submitted by us during thee-tendering.
- 4) We undertake that if any mistake occurs while submitting the bid from our side, we will honor thesame.
- 5) We are aware that if REIL has to carry out e-tender again due to our mistake, REIL has the right to disqualify us for thistender.
- 6) We confirm that REIL shall not be liable & responsible in any manner whatsoever for my/our failure to access & submit offer on the e-tendering site due to loss of internet connectivity, electricity failure, virus attack, problem with the PC, digital signature certificate or any other unforeseen circumstancesetc.

With regards

Signature with company seal

Name-

Designation

E-mail Id:

TECHNICAL SPECIFICATION

(Note: Bidder has to confirm their acceptance in given sheet and for technical evaluation, this Annexure to be submitted in Technical Specifications in e-Tender)

Nar	ne of Bid	der:-					
S /	D .41			Specify 8 Digit	Qty	Offer Status	
Ν	P/No	Description	Make	HSN		Complied	Deviatio
				Code			n if any
1	AFP	Energy Meter Net (Import / Export) 1 Phase, 2 wire.			100		
		Whole Current Type.					
		Meter should be tested & approved by Jaipur					
		DISCOM. Test report is required with meter.					
		(Technical Specification as per enclosed at annexure - II					
		A)					
2	418514	Whole current Solar Meter 1 Phase 2 wire Meter			100		
		should be tested & approved by Jaipur DISCOM.					
		Test report is required with meter.					
		(Technical Specification as per enclosed at annexure –					
		IIB)					
		SIGNATURE WITH ST	AMP				

RAJASTHAN ELECTRONICS & INSTRUMENTS LIMITED, JAIPUR TECHNICAL SPECIFICATION OF ENERGY METER NET AND WHOLE CURRENT METER

OPERATION AND INSTRUCTION MANUAL

ac, 1Phase, 2Wire, 5-30A, 240V, Static Energy Meter

1. Installation :

a. Connect the meter as per wiring diagram on terminal cover of the meter. b. Ensure that cable connections are properly tightened.



2. Operation : As soon as the meter is powered up, it goes in auto scroll mode of meter display.

- 3. Display : There are three modes of display.
 - Auto Scroil Mode
 Push Button Mode

 - Battery Mode



a. Auto Scroll Mode : The following parameters are displayed during Auto Scroll Mode for 10 seconds.

Typical Screen Shots
22 IMPORT
the net inform
8.50 kW
* BXCRIT 3.58 KW ^{MC}
42 ANTONT 4 20 KVA
* EXPOSIT 154 KVA ND

Note: Parameter 8 & 9 shall be dispayed only it cover open tamper has occurs. " G-Open" icon shall blink alongwith all parameter except cover open tamper snepshot.

8. Meter Cover Open Event Date	* 15.06.16 de
9. Meter Cover Open Event Time	# 14.30 color

Push Button Mode : The parameter in this mode can be viewed in following	a can be viewed in following	Note: loons used for different condition are as follows.
manner	and a start building the	L Earth Tamper : ®
Scroll Mode : The parameter in this mode once pressing une position on auto smoll one after the others with an interval of 10 sec. for each measured	essing me puer menun me	ii. Magnel Tamper
values except the LCD segment check which is displayed for 2 sec	layed for 2 sec.	ii. Mater Cover Open : Blinking of Icon** c - open *
Fast Select Mode : Press "Push Button" to next parameter immediately	arameter immediately.	N. Exporting Energy : +
Following are the parameters displayed during push button mode. Duck Ruiton Morte Datameters	oution mode. Tvoical Screen Shots	v. Neutral Missing : w
		4. Anti Tamper Features: Following anti tamper teatures are available in the meter:
LCD Segment Check	88, 99, 90, 88 19, 10, 10, 10 19, 10, 10, 10 19, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10	a. Neutral Missing Tamper loon displayed on the LCD.
2 Meter Serial Number	12345638	b. External magnetic interference as per CBIP 325.
Real Date	* 1 T C T C	The meter shall be capacie of recording last 40 events each tamper like that Magnet,
	2	Neutral Missing will be logged with date & time stamp atong with snapshots of v. I. Pr
Real Time	15.	& kWn (Import). Occurrence & Restoration of tamper persist time is 5 minute & Logout time is 2 minutes.
Last Month Cumulative Active Energy kWh - Import	AWN Solution	5. Communication: Following parameters are downloaded from meter (Through
6. Last Month Cumulative Active Energy kWh - Export	th second to white	oplical port) using CMRI & can be viewed for further analysis using BCS.
		 Instantaneous Data.
7. Last Month Net Gumulative Active Energy (Import /		2. Events Details.
Expury 8. Last Month kW MD - Import		 History of Last Twelve Months. Load Profile of Last 60 Days.
9. Last Month kW MD - Export		6. Technical Characteristics of Single Phase Meter :
2nd Last Monlh Cumulative Active Energy KWh -		1. Enclosure : Engineering plastic
Import	252	 Display Backlit LCD display, Large digit size 10 x 5 mm
2rd Last Month Cumulative Active Energy kWh -	AWA Nexts 25	3. Protection Index : IP51
Export ord 1 act Nat Crimolative Active Friendy (Import /	C RE NOORI	4. System : ac t Phase, 2 Wire, 50Hz.
Exporti		5. Inputs : a. <u>Current</u>
2 rd Last Month kW MD - Import	* week	Basic Current : 5A, Maximum Current : 30A
2 nd Last Month kW MD - Export	WA CL C	b. Yoltage
	N))))	Rated : 240V
5. Instantaneous Voltage	240.0 *	Variation: -40% to +20%
16. Instantaneous Current	* 5.00 *	: Кое
17. Instantaneous Load in KW (Import / Export)	Ф 1.200 ки	7. Ref. Frequency : 50 Hz ± 5% 8. Starting Current : 0.2%6 lb (i.e. 10mA)
8. High Resolution Display kWh-Impart	* 0125.39 km	9. Power Consumption : Not more than 8VA & 1Watt in Voltage Cricuit
19. High Resolution Display kWh- Export	* 0110.45 × Wh	10. Magnetic Influences : AS Per CBIP 325

Anne xure - II AB

Annexure-IIB

Technical Specifications of Solar Energy Meter.

lechnical	Specification	:	4	ACIU
-----------	---------------	---	---	------

S.No.	Parameter	
		Status
1.	Capacity of Plant	
2.	Type of meter	Upto 5kW
3.	Connectivity	Whole Current Meter
4.	Number of phase & wire	At 240Voltage
5.	Measurement	Single phase, 2 wire
6.		kWh
7.	Standard Voltage and frequency Current rating	240 V 50+5%
8.	Accuracy class	10-60 amp.
9.	Indian standard _ inc	1.0
10.	Indian standard or IEC to which conforming	IS 13779-1999
11.	Import-export feature	Forward Import
	Communication port/ protocol	Optical RS-232/ DLMS

Hunderer Buserve

Note:-

ï

)

1. Meter should be Discom tested/approved with certification.

RAJASTHAN ELECTRONICS & INSTRUMENTS LIMITED, JAIPUR Commercial Terms and Conditions

S.N	Term	Term Status	Description	Complied / Not Complied	Deviation if any
1	Terms of Delivery	Required	F.O.R. Kanakpura, JAIPUR. (Inclusive of Freight, P&F, Insurance & Unloading)		
2	GST	Required	Extra as applicable. Please specify the current rate.		
3	Terms of payment	Required	90 % in 45 days after receipt of material subject to acceptance by REIL and balance against P.B.G of 10%		
4	P.B.G	Required	10% of Invoice value for warranty period.		
5	Delivery Time	Required	20 No. each urgent within 2 weeks . Balance qty. within 2 week after release of delivery clearance against our rate contract.		
6	Contract period	Required	Upto 30.04.2022 & same can be extended if mutually agreed for balance quantity, if any.		
7	Contract qty.	Required	Quantities mentioned are estimated .Rate Contract quantity. Purchase Order/ Delivery Clearance will be released time to time on requirement against rate contract. REIL will not be bound to take full qty of awarded Rate Contract .REIL will be bound to take Purchase order / delivery clearance qty only. As mentioned above.		
8	Rate	Required	Firm rate for contract period.		
9	Rates	Required	L1 rate will be considered item wise and not on the total amount of BOQ		
10	Lot size	Required	Confirm normal lot size which can be delivered on 2 week lead time basis.		
11	Supply	Required	Supply of material will be initiated strictly against our delivery clearance.		
12	Warranty	Required	5 Year against breaking, rejection from DISCOM, burning of meters, error in reading etc.		
13	Warranty Certificate	Required	Warranty Certificate mentioned serial no. of items should be provided by OEM/ Manufacturer along with each invoice.		
14	Marking	Required	Manufacture name, sr. no month of manufacturing should be marked on item. Packing list is to be provided with invoice.		
15	Packing	Required	Supplied items should be packed properly to avoid physical damage / scratches etc.		
16	Offer validity	Required	45 days from due date.		
17	Catalogue	Required	Latest Product catalogue is required		
18	Copy of Authorization Certificate	Required	Required for Dealer. Offer will not be considered without valid authorization from manufacturer.		
19	RoHs Compliance	Required	Confirm product is having RoHs compliance. If YES then supporting is required. Preference will be given to parties having RoHs complied product.		
20	Quantity Variation	Required	Quantity may increase or decrease depending upon the requirement.		
21	GST No:	Required	GST no is essential for participating in this Tender. Kindly provide your GST No:		
22	MSME and Startups Clause	Required	 It is mandatory for MSE bidders to declare their Udhyam Registration/ UdhyogAadhar number on CPP Portal, failing which such bidders will not able to enjoy the benefits of procurement policy for MSE. In case of UdhyogAadharnumber, CA certificate is mandatory for confirmation of MSE status as per recent Government guidelines of Turnover and investment in plant &Machinery. Also confirm that you have applied for Udhyam Registration. Startup bidders should submit valid certification of recognition from department for Promotion of Industry and Internal Trade (formerly DIPP) on CPP Portal failing which such bidders willnot able to enjoy the benefits of Procurement policy forstart ups and also attach the certificate along with this Annexure. 		
23	Udhyam Registration	Preferred	As per recent Government guide line, manufacturer / Service provider has to take Udhyam registration to avail benefit of MSME. Attach your copy of Udhyam Registration with tender. Latest policy of MSME will be applicable.		
24	Rejection	Required	Supplier has to supply material as per specification. In case It is found rejected than supplier will get clear rejection by repair/replacement within 2 week of information or lift the material. After 4 week rejected material will be sent to scrap store.		

25	Delivery	Required	Delivery is the essence of the order. The order of any part of it is liable to be cancelled at our option if not executed according to the delivery schedule. In that case the company reserves the right to procure its requirements from other sources at supplier's cost andrisk and supplier shall be liable for damage suffered by the company.	
26	Submission by Associate Firms	Required	Two associate firms can not submit offer in same tender for same item. If at any stage it is found than offer of both parties will be not considered.	
27	ISO Clause	Preferred	Preference will be given to the suppliers who have ISO standards 9001:2015 and ISO 14001:2015.	
28	Corrigendum and extension	Required	Corrigendum and extension if any will be hoste donthe following website(<u>www.eprocure.gov.in</u>) only. Please check regularly for further information update.	
29	L.D. Clause	Required	If the delivery of the items is not made by the stipulated date, the party shall have to pay liquidated damages @ 0.5% of the value of the itemsperweek,subjecttoamaximumof5%oftheunitdelivered price of each unit so delayed.	
30	Other (BOQ)	Required	While filling BOQ, kindly mention total amount applicable (in number) of GST(in excise column) and Freight in freight column, any other taxes and third party inspection charges corresponding to that item.	
31	Other	Required	 Part-I (Technical and Commercial Offer) to be opened by the REIL committee. Part-II (Price Offer): Only those bidders whose offers are technically and commercially acceptable after evaluation of the technical and commercial offer will be opened & evaluated by the committee. 	
32	Vendor approval	Required	Condition of prior vendor approval for required item is must to accept offer.	
33	New Vendor	Required	In the case of new vendor trial order will be released with condition of 10% PBG or 10% retention payment for 1 year/warranty period whichever is higher.	
34	Registration in REIL	Required	New vendor are required to submit document for vendor registration.	
35	Legal or arbitration issues	Required	Bidders having any legal or arbitrary issues pending with REIL directly or indirectly are not eligible to quote in the tender.	
	•		SIGNATURE WITH STAMP	

Note :- 1. Offer Status is to be mentioned in form of Complied or Not Complied. If it is not complied then please mention deviation in deviation column.

*Note:-2. Loading Factors -

Loading factors as detailed below will be added to the quoted price (basic) to evaluate the lowest quote for non-compliance of REIL Standard terms.

S.No.	Standard Terms and Condition	Deviation Terms	Loading Factor
1.	Payment Terms: x% on y days clean credit	x% on y days credit through Bank or through LC	5% on quoted rate
2.	Payment Terms: x% on y days clean credit	x% on z days clean credit	Interest charges @24% for (y- z) days
3.	Onsite Warranty	Offsite Warranty at nearest service centre	For 1 Year- 5% For >=3 Year - 10%
4.	Deviation on required Delivery Period	Deviation on delivery period be accepted by tendering authority if it does not effect project schedule.	For additional 2 week- 2% For additional 4 week – 5%

If contract is furnished on LC terms, Bank charges shall be to respective accounts. REIL bank charges to REIL account and beneficiary bank charges to beneficiary account.

GENERAL TERMS AND CONDITIONS

1) AMENDMENT

Except as otherwise provided herein, no addition, amendment to or modification of the Contract shall be effective unless it is in writing and signed by and on behalf of both parties.

2) SEVERABREILITY

In the event that any or any part of the terms conditions or provisions contained in the Contract shall be determined invalid, unlawful or unen forceable to any extent such term, condition or provision shall be served from the remaining terms, conditions and provisions that shall continue to be valid and enforceable to the fullest extent permitted by law.

3) CONFIDENTIAL TREATMENT

It is understood and agreed that data, know-how and other such proprietary information that was provided or will be provided by either party, will remain confidential.

4) CONSTITUTION OF THEFIRM

- (1.1)The bidder should be registered under any of the following categories as on date of floating of tender.
 - A. Company
 - B. Sole Proprietorfirm
 - C. Partnershipfirm
 - D. Joint Venture(JV)

(1.2)

6)

- A. In case of company, tender document must be signed and sealed by Chief Executive of Company or any person authorized by CEO or by any
- personauthorized by resolution of board of directors. Memorandum of Association and not arized Power of Attorney should be uploaded with tender.
 - B. In case of Sole Proprietor firm, the bidder must submit (Original / Notarised) affidavit certifying the Sole Proprietorship of firm before date of opening of bid. The bid document must be signed and sealed by authorized person.
- C. In case of Partnership firm this firm should be registered with registrar of firms. The bid document must be sealed and signed by any authorized person. The authorization given in partnership deed or other notarized document must beuploaded.
- D. In case of Joint Ventures, Signed and Sealed bid document by any authorized person duly authorized by all JV members must be uploaded. Original copy or duly notarized copy of JV agreement must beuploaded.

5) RELATIONSHIP OF THEPARTIES

REIL relationship with Supplier will be that of a Business Associate, and nothing in this Contract shall be construed to create a relationship, joint venture, part nership. INDEMNITY

REIL and the Supplier will indemnify, defend, and hold harmless each other and its divisions, successors, subsidiaries and affiliates, the assigned of each and their directors, officers, agents and employees from and against all liabilities, claims, losses, and damages of any nature, including, without limitation, all expenses (including attorney's fees), cost, and judgments incident there to REIL and REIL's obligations under this indemnity will survive the expiration, termination, completion or cancellation of this Contract or an order hereunder.

7) FORCE MAJURE

REIL and the Supplier shall not be under any liability to each other or to any other party in any way whatsoever for the destruction, damage, delay or any other matters of the nature arising out of reasons beyond the control of either party, including but not limited to a war, rebellion, civil commotion, strikes, lock-outs and industrial disputes; fire, explosion, earthquake, Act of God, flood, drought, bad weather, requisitioning or other act or order by any government department, council or other constituted body, and similar other reasons.

8) **RESTRICTIN ON EMPLOYMENT**

Both the parties have agreed that they will not recruit any members of staff of other party directly or indirectly.

9) ARBITRATION

All disputes arising out of this contract and questions relating to its interpretation etc. shall be referred to the contract committee headed by ED/GM and if not resolved shall be referred to the sole arbitration of Managing Director, Rajasthan Electronics & Instruments Ltd., for his decision, which shall be final and binding on both parties. The Venue of Arbitration proceedings shall be at Jaipur.

10) RISK AND COST

In the event of failure on the part of the contractor in the supply, installation and commissioning of goods and services, which is required in view of the pending orders, REIL shall be entitled to cancel the remaining order and procure the outstanding quantity through other sources at risk and costs of the contractor.

11) TERMINATION OFCONTRACT:

REIL shall be entitled to terminate this Contract, in the event of any or all or any of the following events, with a written notice of 15 days with due consent of the supplier:-

- i. has abandoned theContract
- ii. has without valid reason failed to supply the goods in respect of the contract or has suspended the progress of supply ofequi pment
- iii. persistently fails to execute the Contract in accordance with the Contract or persistently neglects to carry out its obligations under the Contract

without just and propercause

12) DURATION OF CONTRACT

This contract shall take effect on the day of execution of this contract and shall endure for the period of 30-04-2022 and renewable as per mutual agreement.

13) GOVERNINGLAW

This contract and its validity, interpretation and performance will take effect and be governed under the laws of India. Venu e in any action in law or equity arising from the terms and conditions of this contract shall be the court of appropriate jurisdiction in Jaipur, Rajasthan (India)

14) SPLITTING OF TENDER QUANTITY BETWEEN BIDDERS

REIL reserve the right to split the quantity and award on two or more vendors as per the production/ project requirement. The following norms would be adopted in case of split ofquantity:

If the lowest quoting vendor is an approved vendor and the second lowest is also approved vendor to REIL, 100% of the tender quantity would be split amongst the approved vendors only in the ratio of 70:30 at the rate and terms applicable in the tender, keeping in view the objective that the per unit landed cost to REIL in case of purchase from L1 or L2 approved vendor remains same. In exceptional cases quantity may be split between L1, L2 and L3 in the ratio as per the requirement on case to case basis.

15) PREFERENCE TOMSE

- 1. 20% of the tendered quantity is earmarked for MSE suppliers in thistender
- 2. Out of the 20% tendered quantity reserved for MSE suppliers, 4% shall be earmarked for procurement from MSE owned by SC1STentrepreneurs.
- 3. In case MSE vendor participating in the tender quotes within the price band of L1+15%, they will be allowed to supply the portion of the requirement subject to acceptance of L1 price by MSE vendor. In case of more than one such MSE, the supply shall be shared proportionately.

16) INDIGENOUSMANUFACTURER

Indigenous manufacturer shall be given preference for promotion of indigenous products to maximum subject to meeting quality standards and specifications.

17) NO NEAR RELATIVECLAUSE:

The bidder should give a certificate that none of his/her near relative is working in REIL as defined below along with their technical bid as per Annexure-. In case of proprietorship firm certificate will be given by the proprietor. For partnership firm certificate will be given by all the partners and in case of limited company by all the Directors of the company excluding Government of India/Financial institution nominees and independent non-Official part time Directors appointed by Govt. of India or the Governor of the state and full time Directors of PSUs both state and central. Due to any breach of these conditions by the company or firm or any other person the tender will be cancelled and Bid Security will be forficited at any stage when ever it is noticed and REIL will not pay any damage to the company or firm or the concerned person. The company or firm or the person will also be debarred for further participation in the REIL Tenders. The near relatives for this purpose are defined as:- (a) Members of a Hindu undivided family. (b) They are husband and wife. (c) The one is related to the other in the manner as fath er, mother, son(s) & Son's wife (daughter in law).

Manufacturer Authorization certificate

То

Date

DGM (MM), Rajasthan Electronics & Instruments Limited, 2, Kanakpura Industrial Area, Jaipur-302034 Rajasthan

Dear Sir,

We M/s. are authorizingMr. to submit tender document in reference to your tender no <u>REIL/MM/21-22/E PROC/BOS-RE/084</u> Dated for supply on our behalf. They are authorize to carry out communication and negotiations on our behalf. Order shall be placed on us / them for supply of material.

On behalf of company

Name and Designation

Signed and sealed (who has signed the tender)

RAJASTHAN ELECTRONICS & INSTRUMENTS LIMITED, JAIPUR TENDER REIL/MM/21-22/E PROC/BOS-RE/084

CERTIFICATE FOR NON BLACK LISTING

То

Date

DGM (MM), Rajasthan Electronics & Instruments Limited, 2, Kanakpura Industrial Area, Jaipur-302034 Rajasthan

Dear Sir,

WeM/s.....confirmthat we are not blacklisted in any PSUs/Government/Semi Government /Quasi Government department in India , as on date of submission of bid. This undertaking is submitted to the best of my knowledge. If at any stage it is found wrong then REIL may take necessary action against us.

On behalf of company

Name and Designation

RAJASTHAN ELECTRONICS & INSTRUMENTS LIMITED, JAIPUR TENDER REIL/MM/21-22/E PROC/BOS-RE/084

"UNDERTAKING OF NO NEAR RELATIVE,,

To,

DGM (MM),

Rajasthan Electronics & Instruments Limited,

2, Kanakpura Industrial Area,

Jaipur-302034

Rajasthan

Dear Sir,

On behalf of company

Name and Designation

CA CERTIFICATE

To,

Date:

DGM (MM), Rajasthan Electronics & Instruments Limited, 2, Kanakpura Industrial Area, Jaipur-302034 Rajasthan

Dear Sir,

> Chartered Accountant Firm name:-Signature with seal

> > UDIN.....

Check List

Sr.	Required Documents	Remark
No.		
1	Sealed and signed process compliance form. (Annexure-I)	
2	Sealed and signed Technical specification of Energy Meter Net & Energy	
	Meter Solar as and commercial conditions (Annexure-II)	
3	Sealed and signed commercial terms & conditions of tender (Annexure-III)	
4	Sealed and signed general terms & conditions of tender (Annexure-IV)	
5	Manufacturing Authorization certificate as per annexure V	
6	Sealed and signed under taking as per annexure-VI from manufacture for	
	nonblack listing.	
7	Sealed and signed Undertaking of No Near Relative (Annexure-VII)	
8	Sealed & signed CA Certificate (Annexure-VIII)	
9	Check list (Annexure-IX)	

For any queries regarding tender, please contact

Name: Mr. Praveen Kumar Designation: Dy. Manager Contact No: 0141-2471083 E-Mail id- praveen.kumar@reil.co.in

For further escalation, please contact Name: Mr. S.R. Nirmal Designation: Deputy General Manager Contact No: 0141-2471083 E-Mail id- sr.nirmal@reil.co.in