



SHORT EXPRESSION OF INTEREST (EOI) FOR SELECTION

OF

EXECUTING AGENCIES FOR "DESIGN, SUPPLY, ERECTION, TESTING AND COMMISSIONING INCLUDING WARRANTY, COMPREHENSIVE OPERATION & MAINTENANCE OF GRID-CONNECTED ROOFTOP SOLAR PLANT of 1 MW (PART-A: 1 KW TO 3 KW) AND 1 MW (PART-B 3 KW TO 10 KW) CAPACITIES UNDER THEPHASE-II OF GRID CONNECTED ROOFTOP SOLAR (GCRTS) SCHEME OF MNRE IN BESCOM JURISDICTION UNDER SOURA GRUHA YOJANE (SGY)"

EOI Enquiry No.: TS/SOLAR /GCRTS/BESCOM/15 date-27.09.2023

Chief Manager- TS ITI Limited, Naini Mirzapur Road, Naini, Prayagraj- 211010 (UP) INDIA, Ph: 6307182604/9450605406

Email: atul_nni@itiltd.co.in Website: http://www.itiltd.in





Short Expression of Interest (EOI)

EOI Enquiry No.: TS/SOLAR /GCRTS/BESCOM/15 Date- 27.09.2023

ITI Limited invites Expression of Interest (EOI) for Selection of executing agencies for "Design, supply, erection, testing and commissioning including warranty, Comprehensive Operation & Maintenance of Grid-Connected Rooftop Solar Plant of 1 MW (1 KW to 3 KW) and 1MW (3 KW to 10 KW) capacities under the Phase-II of Grid Connected Rooftop Solar (GCRTS) Scheme of MNRE in BESCOM jurisdiction under SOURA GRUHA YOJANE (SGY)".

Scope of Work	Selection of executing agencies for "Design, supply, erection, testing and commissioning including warranty, Comprehensive Operation & Maintenance of Grid-Connected Rooftop Solar Plant of 1 MW (1 KW to 3 KW) and 1MW (3 KW to 10 KW) capacities under the Phase-II of Grid Connected Rooftop Solar (GCRTS) Scheme of MNRE in BESCOM jurisdiction under SOURA GRUHA YOJANE (SGY)".		
Tender Fee (Non-Refundable)	Rs. 10000.00 (In the form of DD & through RTGS/NEFT) DD should be in Favor of "ITI Limited" and payable at SBI ITI Complex Naini.		
EMD	2 Lakh		
Project Cost	10.0 Cr		
Project Implementation Area	Bangalore North & South (Comprising only of Bangalore City)		

Interested parties may view and download the document containing the detailed terms & conditions, free ofcost from the website www.eprocure.gov.in and http://www.itiltd-india.com.

The details of ITI's bank account for EMD & Tender Fee amount are as below:

Beneficiary Name : ITI Limited, Naini
 Account Number/IBAN : 10554066331
 IFSC Code : SBIN0003486

 Beneficiary Bank Name
 Beneficiary Bank Address
 ITI Complex, Naini, Mirzapur Road, Naini,

Prayagraj – 211010 (UP) INDIA

For ITI LIMITED Chief Manager – TS

Important dates

Date of Issue/Publishing	27/09/2023 (16:00 Hrs)
Last date of receipt of Clarification	30/09/2023 (17:00 Hrs)
Last Date and Time for Submission of Bid	05/10/2023 (17:00 Hrs)
Date and Time of Opening of Technical Bid	06/10/2023 (11:00 Hrs)
Date and Time of Opening of Financial Bid	Will be intimated to technical qualified bidders

Exemption from submission of EMD & Tender Fees: Micro & Small Enterprise registered with DIC or KVIC or KVIB or Coir Board or NSIC or DHH or any other body specified by Ministry of Micro, Small and Medium Enterprises, Govt. of India are exempted from submission of EMD & Tender Fees subject to submission of valid registration certificate with the technical bid. The exemption is valid only for the participation of bidder in ITI EOI. However, if the EMD exempted bidder stands H1 then the respective bidder has to submit the Security Deposit to ITI within 01 week from the date of opening of the financial bid.

In case of any clarifications on this notification and technical requirement, please contact -

Assistant Manager - TS

ITI Limited, Mirzapur Road, Naini, Prayagraj – 211010 (UP)

M. No.: 6394793179

Email: pradeep_nni@itiltd.co.in Website: http://www.itiltd-india.com

INTRODUCTION

ITI Limited, a Public Sector Undertaking under the Department of Telecommunication, Ministry of Communication and IT, is a leading telecom equipment manufacturer and total solution provider in India. ITI has diversified in to solar project business and has established state of the art solar module manufacturing line of capacity 30 MWp per annum. ITI Limited is an ISO 9001, ISO 14001 and ISO 18001 certified manufacturing unit. Presently major customers of ITI are BBNL, BSNL, MTNL, defense, paramilitary forces and railways. The company has executed various turnkey orders such as Bharat-Net, Telecom Towers, UP Police headquarters. ITI make SPV module are BIS certified for wattage range from 40Wp to 325Wp.

EXECUTION AGENCY DETAILS

Bangalore Electricity Supply Company Limited

Contact Person: General Manager (DSM)

Address: 2nd Block, Ground Floor, Corporate Office, BESCOM, K R Circle, Bangalore-560001

E-mail: gmdsm.work@gmail.com, gmdsm@bescom.co.in

Phone: 080-22340816

SCOPE OF WORK

The purpose of this expression of Interest is for selection of executing agencies for "Design, supply, erection, testing and commissioning including warranty, Comprehensive Operation & Maintenance of Grid-Connected Rooftop Solar Plant of 1 MW (Part-A 1KW to 3KW) and 1MW (Part-B 3KW to 10KW) capacities under the Phase-II of Grid Connected Rooftop Solar (GCRTS) Scheme of MNRE in BESCOM jurisdiction under SOURA GRUHA YOJANE (SGY)".

The scope also covers the identification of rooftops / beneficiaries which include but not limited to submission of project sensation document, EPC agreement between empanel vendor and consumers at approved project cost, Implementation, clearance from BESCOM & Realization of payment from beneficiary as per terms and condition of RFP.

Detail scope of work for empaneled vendor is as following: -

- 1- Identification of beneficiary and providing necessary assistance to beneficiary in submitting online application for installation of RTS project.
- 2- Prepare a DPR for allocated capacity.
- 3- Site Survey and preparation of feasibility report.
- 4- Obtaining approval from BESCOM for providing the grid connectivity.
- 5- Execution of work shall be carried out in an approved manner as per technical specification of this EOI. In case of any dispute, relevant MNRE/BIS/ISI/NABL/ISO/IEC/IS/BESCOM specification shall be followed and work shall be carried out to the reasonable satisfaction of the engineer in charge.

- 6- The vendor shall complete the work of design, supply, civil work, erection, testing and commissioning of SPV grid connected power plant within 180 days from the issuance of the approval letter by BESCOM or the last date of project time line specified by MNRE to BESCOM i.e.,18.01.2024 whichever is earlier. In event to failure to install and commission of RTS system within the mentioned time frame, the entire Performance Bank Guarantee will be forfeited and may also lead to disqualification of the vendor at the sole discretion of ITI. The penalty for non-completion will be on Pro-rata basis.
- 7- The work covers design, supply, erection, testing, commissioning and CMC for 5 years. Entering into Annual Maintenance Contract (AMC) with consumers for 5 years.
- 8- Empaneled vendor shall establish a service center to cater the 5-year CMC. The details of such service centers (Address, and contact no.) shall be provided to ITI.
- 9- All the material required for the installation of solar power plant as per the work approval letter issued by BESCOM shall be kept at site in custody of the vendor. ITI shall not be responsible for any loss or damage of any material during the installation. The vendor shall be responsible and if required take an insurance policy for transit cum storage erect on for all the materials.
- 10- The vendor shall be responsible and if required take an insurance policy for transit cum storage erect on for all the materials. The vendor shall take entire responsibility of electrical safety of the installations including connectivity with the grid and follow all the safety rules and regulations applicable as per Indian Electricity Act 2003 and prevailing CEA guidelines and amendments. It shall be during responsibility of the vendor to take NOC from concerned authority and engage person as per provisions in CEA Rules and Regulations.
 - The Empaneled vendor shall ensure proper safety of all the workmen, material, plants and equipment belonging to the vendor. In case any accident occurs during the construction / erection or guarantee period for work undertaken by Empaneled Vendor thereby causing any minor or major or fatal accident, the entire responsibility will be of the Empaneled Vendor. The empaneled Vendor shall follow and comply with the employer's safety rules, relevant provisions of applicable laws pertaining to the safety of workmen, employees, plant and equipment. The Empaneled vendor shall also arrange all certificates and test reports of the module and inverter and other equipment
- 11- Inverters from Only BESCOM empaneled manufacturer shall be used under this project. The list of empaneled manufacturers for inverter is available in BESCOM website https://bescom.karnataka.gov.in.
- 12- The Empaneled vendor shall assist the Consumer / beneficiary in execution of Power Purchase Agreement (PPA) with BESCOM in the Commission approved standard format as per KERC regulations i.e., the empaneled vendor shall educate the Consumer to execute PPA with BESCOM within stipulated time.
- 13- The Empaneled vendor shall provide Training to the consumer on various aspects of maintenance of the system including Solar Panel cleaning after commissioning of the Solar Rooftop Plant.
- 14- The Empaneled vendor shall provide remote monitoring provisions as per Dashboard Components annexed to this Letter of Empanelment. Remote Monitoring will be done through the inverters provided to the SRTPV Plant.

- 15- Submission of Work Completion Report along with drawings and test reports for Solar PV module and Inverter. BIS/IEC recognized test reports shall be provided.
- 16- Material inspection for physical verification of all materials at their site/Godown/warehouse.
- 17- Transportation of materials to Site, unloading at site, handling, storage, associated civil works, services, permits (material related), insurance at all stages, construction, erection, installation, testing (pre-grid and post grid), commissioning, performance testing, trial run, training to Consumer.
- 18- The timelines for execution of the project is as detailed in below table.

S. No	Activity	Responsibility	Timeline
			(Max Working Days)
1	Submission of online Applications	Consumer	Zero Date
2	Technical feasibility	BESCOM sub division	3 days from date of
		officer	application.
3	Survey of the roof and uploading	EPC Vendor and	5 days from the date of
	survey report	Consumer.	technical feasibility.
4	Verification by DSM Section of	DSM Section, Corporate	2 days from date of
	Corporate Office.	Office,	uploading of survey
_		BESCOM	report.
5	Execution of EPC Agreement	EPC Vendor and	3 days from
	and uploading of the same in	Consumer.	verification by the
_	the online portal.		DSM Section.
6	Submission of DPR for individual	EPC Vendor	3 days from date of
_	locations.		EPC agreement.
7	Intimation to Consumer for	BESCOM sub division	2 days from date of
	PPA execution	officer	uploading of EPC
0	G 1 · · · CDDA C		Agreement.
8	Submission of PPA for	Consumer	3 days from date of
	execution to sub division		intimation by the Sub-division office.
	office by the applicant/consumer.		Sub-division office.
9	Execution of PPA and issue of	BESCOM	2 days from date of
	the Approval Letter	Sub-division officer	submission of the
			PPA by Consumer.
10	Installation of Solar Rooftop	EPC Vendor and	150 days from date of
	Plant in accordance With	Consumer	approval letter.
	KERC Regulations and MNRE		
	technical specifications and		
	guidelines and uploading of		
	work completion certificate in		
	the portal		
11	Commissioning of Solar	BESCOM, EPC Vendor	180 days from date
11	rooftop plants in accordance	and Consumer	of approval letter or
	with KERC guidelines and		24 months from
	uploading of Joint Commissioning		MNRE sanction
	Report and Project completion		date of 19 .01.2022,
	Report in		whichever is earlier.
	accordance with, MNRE -		
	formats.		
12	Submission of all requisite	EPC Vendor	7 days from the
	documents to 'DSM Section of		date of
	Corporate Office for processing the		Commissioning.
	release of CFA from MNRE.		

Documents submission: Bill of materials

Execution of work:

Successful Bidders shall execute the work as detailed below. The equipment's and materials with associated system (Typical) shall include but not be limited to the Supply, Erection, testing & commissioning of the following:

a. Site Survey

- Identification of beneficiaries.
- Analysis of load profile and Preparation of Feasibility report.

b. Civil Works

- Cleaning of Roof.
- Requisite foundation and structures wherever required.
- Requisite cable routings through cable contours/UV resistance Pipes wherever required.
- Civil work for mounting the PV panel structures.
- Fabrication, supply & erection of cable holders, supports, brackets and accessories.
- Galvanized steel rigid Structure /UV resistance flexible conduits and accessories, cable pipes, lugs, glands, terminal blocks, galvanized sheet, steel junction boxes, cable fixing clamps, nuts and bolts etc. to be used.

b. Solar PV Plant System

The system shall consist of (but not limited to) following equipment's:

- Required Nos. of crystalline silicon Solar PV Modules not more than approved proposed capacity (DC capacity and only indigenously manufactured PV panels both cells and modules should be used).
- Mounting Structures
- DC Combiner Boxes / Array Junction boxes / DCDBs
- Inverters should be suitably matched to the total installed capacity of Solar Rooftop PV power plant system. Only BESCOM empaneled grid inverters should be used.

c. Electrical Works

- AC Distribution Boards
- AC & DC Power Cables with accessories
- Earthing System & Lightning Arrestor system (optional) to be provided
- Only BESCOM empaneled meters should be used both for net-meter (bi-directional) and solar Generation side.
- Successful bidder shall make necessary cable interconnection with the existing panels with proper earthing connections.

Security Deposit (SD) -

Successful bidders have to submit the Security Deposit in the form of any legal instruments in the following manner: -

1. Security Deposit for Design, Supply, Installation and Commissioning:

The bidder shall furnish the Security Deposit for Design, Supply, Installation and commissioning based on following details-

Sl. No.	Customer	Category	Capacity	Min. Capacity Quoted (In KW)	Max. Capacity Quoted (In KW)
1	Bangalore North & South (Comprising only for Bangalore City)	Part-A	1KW- 3KW	200	1000
2		Part-B	3KW-10 KW	200	1000

Bidder may intend to bid for single category or both category with desirable capacity. The total value of Security Deposit to be submitted by the successful bidder is the sum of value of Security Deposit for each part.

The value of Security Deposit for the installed capacity for each part shall be calculated as below:

I. Part A:

[Security Deposit (In Rs. Lakhs) = INR (Quoted Price for Part A) X 5% X Cumulative Capacity of Confirm registered customers provided by ITI]

II. Part B:

[Security Deposit (In Rs. Lakhs) = INR (Quoted Price for Part B) X 5% X Cumulative Capacity of Confirm registered customers provided by ITI]

Total Security Deposit = Security Deposit for Part A + Security Deposit for Part B

The Total Security Deposit shall be submitted within 07 days from the date of issue of LOI/LOA/Work Order, whichever is issued first, and be valid for 12 months. The Security Deposit shall be released after completion of the empanelment period with the compliance of entire obligations in the contract.

2. Security Deposit for Operation and Maintenance (O & M):

The bidder shall furnish the Security Deposit for O&M based on the installed capacity. The value of Security Deposit for the installed capacity for each part shall be calculated as below:

I. Part A:

[Security Deposit (In Rs. Lakhs) = INR (Installed Capacity Price for Part A) X 5% X Installed Capacity in KWp]

II. Part B:

[Security Deposit (In Rs. Lakhs) = INR (Installed Capacity Price for Part A) X 5% X Installed Capacity in KWp]

Total Security Deposit = Security Deposit for Part A + Security Deposit for Part B

The Total Security Deposit shall be submitted within 15 days from the end of the empanelment period and be valid for 05 year and 3 months. Bidders should submit Single Security Deposit based on the installed capacity in each category. The Security Deposit shall be released after completion of the O&M period with the compliance of Entire obligations in the contract.

The Security Deposit shall be forfeited as follows without prejudice to the Bidder being liable for any further consequential loss or damage incurred to the Plant.

- If the Empaneled Vendor is not able to commission the projects to the satisfaction of BESCOM, Security Deposit (for Supply & I&C period) amount on pro-rata basis by the empaneled vendor shall be 100% encased.
- In all the above cases corresponding unidentified/non-commission capacity shall stand cancelled.
- If the empaneled vendor is unable to submit the Security Deposit (for O&M period), the Security Deposit (for Supply & I&C period) shall be encased.

Note: The details of ITI's bank account are as per Page 2.

Exemption of Security Deposit: Any bidder shall not be exempted for deposition of Security Deposit.

Taxes & Duties: Relevant Taxes in line with GST i.e., SGST/CGST or IGST to be considered by the bidder.

EOI Type: Two Bid System

Bids are to be submitted in two parts namely:

- (1) Technical Bid and
- (2) Financial Bid.

Both technical and financial bids must be submitted in separate envelopes and clearly marked on each envelope as "Technical Bid" and "Financial Bid" respectively. Thereafter, both the envelopes containing technical & financial bid should be put into a separate envelope which should be super scribed as "Bids for

EoI Ref. No.: TS/SOLAR /GCRTS/BESCOM/07; dated-21.07.2023"

Note: The financial bids will be opened only those bidders who are technically qualified.

1. PRE-QUALIFYING REQUIREMENT: -

QUALIFYING REQUIREMENTS

	Particulars	Valid Documents Requirement	
A.	TECHNICAL CRITERIA:		
1	The bidder shall be System Integrator	A System Integrator shall upload Registration certificate of the company /firm issued by any State/Central Government/ Public sector /ESCOM having installed Solar Rooftop Power plant on any building in India.	
2	The Bidder should be a body corporate, incorporated in India under the Companies Act, 1956 or 2013 and should be into solar business for not less than 5 years prior to the date of bid submission.	A copy of certificate of incorporation should be furnished along with the bid in support of above.	
2	The Bidder shall have successfully completed installation works of at least 100KW (Cumulative) On-Grid Solar Roof Top Solar projects during preceding Three Financial Years (i.e., FY 2020-21, 2021-22 & 2022-23) The work shall be carried out in any DISCOMS/state Govt./Central Govt./ Private sector in India. This shall be in satisfactory service for at least a period of one-year prior to the date of submission of bid.	 The copies of Work Awards/PO's/ Agreement shall be uploaded. Work completion certificates / Performance certificate duly mentioning above details issued by any Competent Authority to be uploaded. 	
3	The bidder shall upload documents of (a) PAN Card & (b) GST Registration certificate	Documents shall be uploaded.	
4	The Bidder shall not have been black listed by any State / Central Government / Public sector under takings from last 05 Years as on the date of submission of bid.	The self-declaration of bidder shall be uploaded	
В	FINANCIAL CRITERIA:		
1	The Minimum Average Annual Turnover (MAAT) of the Bidder shall Amount Rs 1 Crores during preceding Three Financial Years FY 2020-21, 2021-22 & 2022-23.	Bidder should upload mandatorily all Audited Balance sheet, CA certified profit & loss account statements for the last three years (i.e. FY 2019-20, 2020-21 & 2021-22) scanned and uploaded in original.	

Requirements of the Bidders:

5.0 GENERAL CONDITIONS:

- i. Bidder shall have adequate knowledge of the work proposed in the tender, design procedures including quality control and shall have infrastructure and erection facilities and capacity to execute the works.
- ii. ITI reserves the right to offer a specific number of Packages to Technically & Commercially qualified bidders keeping in view of quantitative requirements and the delivery and installation schedule offered by the Bidders.
- iii. If there are any hindrances like building mechanical strength, space constrains etc. at the time of execution, ITI reserves the right to ADD/MODIFY/DELETE any other residential buildings.
- iv. During O & M period, If the successful bidder having been notified and fails to rectify the defect(s) and restore the SPV Modules to good working condition within the period of 7 working days, then a penalty of Rs. 20/- per kw per day of the breakdown period will be levied. This will be deducted from the bills due.
- v. The bidder is at his liberty to conduct preliminary survey of the rooftop of building, where the proposed Solar RTPV panel is proposed to be erected and also LT power supply connections with necessary equipment's.
- vi. The Bidder shall make all arrangements as part of the contract for design, manufacture, and supply, Installation, testing, Commissioning including warranty, operation and maintenance for a period of five years and train the personnel at his own cost.
- vii. The Bidder should be fully and completely responsible to ITI for all the deliveries and deliverables. The bidder shall be responsible for the proper functioning of the finally erected systems.
- viii. The successful bidder shall provide comprehensive operation & maintenance of the plant for a period of Five (5) years from the date of successful commission. Solar Panel cleaning is in the scope of the consumer.
- ix. All the relevant test certificates of various Components as mentioned in the ITI EOI and customers RFP shall be provided along with the bid.
- x. **EOI Acceptance Letter:** Bidder should submit unconditional acceptance of all terms & conditions of the EOI document on company's/firm's letter head duly signed & stamped by the authorized signatory.
- xi. Bidder should Sign & Stamp on each page of EOI.
- xii. No deviation certificate has to be submitted by the party mentioning that "we meet all Technical & commercial Specification of the EOI Too" and there shall be no deviation. Party has to submit the fore mentioned certificate along with the offer.
- xiii. Quotations shall be liable to be rejected if there is/are any deviation(s) from the specifications.
- xiv. Escalation in price (except where price variation clause is applicable), deviation from delivery schedule, terms and conditions will not be permitted in your quotation. Statutory Taxes & Duties should be shown separately from the price.
- xv. Any deviations whether technical or commercial stated anywhere in the bid shall not be taken into account and may render the bid non-responsible and liable to be rejected.

xvi. Vendor Profile should be submitted along with the bid.

xvii.Quotation/offer shall be submitted through hard copy within the bid submission last date.

xviii. During the evaluation of EoI, if ITI requires any clarifications, the Bidder should be ready to give clarifications for any part of the offer against this EoI to ITI to complete the evaluation.

xix. Bidder must submit the signed integrity pact along with the techno commercial bid. (Format Attached at Annexure-B)

Authorized Signatory: All certificates and documents received as part of offer shall be signed by the "Authorized Representative". Power of attorney in the name of person signing the documents is mandatory (On Non-Judicial Stamp paper of appropriate value).

Payment terms:

- Payment to the bidder will be made on back-to-back basis i.e. after realization from end customer. Payment will
 be generally released to the vendor within 15 days after ITI has received the payment after the submission of
 necessary document like Vendor Invoice, receipt of acknowledgement of goods by end user and satisfactory
 installation certificate by end customer.
- No advance payment will be made during the execution of the project.

Guarantee/Warranty- As per BESCOM RFP No: BESCOM/DSM/GM /DGM/AGM-5/2021- 22/RTS-08; dated 17.01.2022.

Contract Period- Bidder shall be empanel against the above said EoI for a period of 1 years.

Extension of Contract

Contract shall be extended as per BESCOM/MNRE guideline

Cost of Bidding:

The Bidder shall bear all costs associated with the preparation and submission of its bid, and the Purchaser will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

If required extra terms & conditions could be added to the existing terms & condition, it has to be complied by the firms (bidder/H1party).

In case of contradiction the general terms & conditions will be superseded by the special terms & conditions.

AMC/COMPREHENSIVE AMC- AMC/O&M will be in the scope of bidder. If the empaneled vendor is unableto complete the O&M period, the PBG (for I&C period) shall be enchased.

CFA- As per BESCOM RFP No: BESCOM/DSM/GM /DGM/AGM-5/2021- 22/RTS-08; dated 17.01.2022.

INSTRUCTIONS TO THE BIDDERS

As per BESCOM RFP No: BESCOM/DSM/GM /DGM/AGM-5/2021- 22/RTS-08; dated 17.01.2022.

CONDITIONS OF CONTRACT

The Bidders shall be obliged to complete the Work as per the articulated detailed Scope of work under.

PROJECT COST

As per BESCOM RFP No: BESCOM/DSM/GM /DGM/AGM-5/2021- 22/RTS-08; dated 17.01.2022.

INSURANCE

The Empaneled Vendor shall be responsible and take an Insurance Policy for all the materials to cover all risks and liabilities for supply and storage of materials at site, installation, testing and commissioning However, this shall not include insurance of commissioned plant after handing over to the beneficiary.

- 1- Before commencement of work, the Empaneled Vendor shall also take insurance for Third Party Liability covering loss of human life, engineers and workmen and also covering the risks of damage to the third party/material/equipment/properties during execution of the Contract. The Empaneled Vendor will ensure that all its employees and representatives are covered by suitable insurance against any damage, loss, injury or death arising out of the execution of the work or in carrying out the Contract. Liquidation, Death, Bankruptcy etc., shall be the responsibility of bidder.
- 2- The bidder shall also take appropriate insurance during O&M period.

WARRANTEES AND GUARANTEES

The Empaneled Vendor shall provide warrantee covering the rectification of any and all defects in the design of equipment, materials and workmanship including spare parts for a period of 5 years from the date of commissioning for projects.

Penalty Provisions

As per BESCOM RFP No: BESCOM/DSM/GM /DGM/AGM-5/2021- 22/RTS-08; dated 17.01.2022.

Technical Specification-

As per BESCOM RFP No: BESCOM/DSM/GM /DGM/AGM-5/2021- 22/RTS-08; dated 17.01.2022.

Validity of Offer: Quoted/Offer shall be valid for 180 days.

Late Offer: Any offer received after the prescribed time line shall be rejected.

Language of offers: the offers submitted by vendor and all the correspondence and documents relating to the offers exchanged by the vendor shall be in English language.

Amendment of EOI: At any time prior to the last date for receipt of offers, ITI may for any reason, whether at its own initiate for in response to a clarification requested by a prospected vendor modified by the EOI document by an amendment. In order to provide prospective vendor reasonable time in which to take the amendment into account in preparing their offers, ITI may, at their discretion extend the last date for the receipt of offers and / or make other changes in the requirements set out in the invitation for EOI.

Disclaimer: ITI and / or its officers employees disclaim all/ any liability from any loss or damage whether foreseeable or not, suffered by any person acting on or refraining from acting because of any information including statements, information, forecasts estimates, or projections contained in this documents or conduct ancillary to it whether or not the loss or damage arises in connection with any omission, negligence, default, lack of care or misrepresentation on the part of ITI and / or any of its officers, employees.

Following documents are to be submitted by the bidder along with the bid-

- 1. Tender Fees & EMD through demand draft/RTGS/NEFT acknowledge the bid.
- 2. Compliances/Approval/registration certificate or any other document required as per eligibility criteria given in the EOI.
- 3. Signed EOI acceptance letter.
- 4. Signed Pre-Integrity Pact.

Other Important Terms & Conditions:

- **1.** Only the successful bidder will be informed of being the H1. All the techno commercial terms & payment terms will be on back-to-back basis.
- **2.** ITI shall have the right to appropriate the outstanding amount, if any, recoverable from the vendor/contractor/bidder, under any other contract, from the payment under this contract, to be made by ITI.
- **3.** ITI reserves the right to waive minor deviations and add minor modifications if they do not materially affect the capability of the bidder to perform the contract.
- **4.** All the financial terms like Payment, taxation, LD & others will be on back-to-back basis as per the above cited EOI Terms &conditions received by ITI in its PO/Work Order form the end customer.
- 5. It will be the responsibility of the contractor to train and educate the ultimate user for handling and operating the equipment free of cost.
- 6. As per attached BESCOM RFP No: BESCOM/DSM/GM/DGM/AGM-5/2021-22/RTS-08; dated 17.01.2022 (attached at Annexure C), the bidder will have liberty to take additional cost from the customers/ beneficiaries apart from the BESCOM discovered price. (Annexure Y of attached EoI at page no. 146 for Agreement between Vendor and beneficiary for additional cost)
- 7. ITI may open Escrow account between parties for fund distribution.

Additional work may be required to carry out according to the actual site conditions. Any item/Work, which is not specifically mentioned and not paid by customer but necessary for making the system functional, shall be deemed to be included in the scope of the work of the vendor and shall be supplied and installed without any extra cost to ITI.

Award of Contract:

As per attached Financial Bid

Financial Bid Format

EOI reference No : TS/SOLAR /GCRT/BESCOM/07

Dated : 25th July 2022

Item Description: Selection of executing agencies for "Design, supply, erection, testing and commissioning including warranty, Comprehensive Operation & Maintenance of Grid- Connected Rooftop Solar Plant of 1 MW (1 KW to 3 KW) and 1MW (3 KW to 10 KW) capacities under the Phase-II of Grid Connected Rooftop Solar (GCRTS) Scheme of MNRE in BESCOM jurisdiction under SOURA GRUHA YOJANE (SGY)".

Quantity : As per EOI

Sl. No.	Description	BESCOM Discovered Price for per KW System in Rupees (Exclusive of Taxes)	Quoted Capacity in KWp	Offered Price (Rs)	Percentage Margin in BESCOM Discovered Price
1	Part-A (1 KW to 3 KW)	46838.00			
2	Part-A (3 KW to 10 KW)	45090.00			

Signature of the Bidder :

Name of the Bidder :

Designation:

Stamp of the Company:

Date of Signing of Bid :

All the financial terms & conditions will be on back-to-back basis.

- 1. Currency of Purchase Order: ITI will place purchase order on bidder in INR only.
- 2. Taxes: As per the customer Tender/EOI.
- 3. The Financial Bid shall be submitted in the sealed envelope.

Evaluation Method: Following Evaluation Method shall be followed for empanelment:

- 1. Price Bid (s) of the Qualified Bidders in each LOT shall be opened offline.
- 2. The evaluation of Price Bid shall be carried out based on the information furnished in Bid.
- 3. The bidders with highest margin shall be declared as H1 bidder.
- 4. Technically Qualified bidders may give option to match H1 bidder margin.
- 5. ITI may distribute confirm customers work orders with H1 bidders.

EOI ACCEPTANCE LETTER (To be given on Company Letter Head)

Annexure-A

	Date:
То,	
Subject: Acceptance of Terms & Conditions of EOI.	
EOI Reference No:	
Name of EOI/Work:	
Dear Sir,	
I (Name)have received the EOI reference no	for mentioned work
from the website/email.	
I hereby certify that I have read the entire terms and conditions of the (Including all documents like annexure(s), schedule(s), amendments an the contract agreement and I shall abide here by the terms/conditions/clau	d reference EOI etc.) which form part of
The corrigendum(s) issued from time to time by your department/or	ganization too has also been taken into
consideration, while submitting this acceptance letter.	
I hereby unconditionally accept the EOI conditions of above mentione totality/entirety.	ed EOI document(s)/corrigendum(s) in its
I hereby unconditionally accept all the EOI conditions of ITI &	(Customer
Name) Tender/EOI document/corrigendum(s) in its totality/entirety.	
In case any provisions of this EOI are found violated, then your department any other right or remedy beat liberty to reject this EOI/bid including the deposit absolutely.	
Yours Faithfully,	
(Signature of the Bidder, with Official Seal)	

PRE-CONTRACT INTEGRITY PACT

(To be executed on plain paper and submitted along with Technical Bid/ RFQ. To be signed by the BIDDER
and same signatory Competent/ Authorized to sign the relevant contract on behalf of the ITI Ltd).

and same signatory competent framonized to sign the following contract on contain of the first zero.
TENDER No
This Integrity Pact is made onday of2023
BETWEEN:
ITI Limited, Naini, Prayagraj having its Registered & corporate office at ITI Bhavan, Dooravaninagar, Bangalore – 560016 India, and established under the Ministry of Communications & IT, Government of India (hereinafter called the Principal), which term shall unless excluded by or is repugnant to the context, be deemed to include its Chairman & Managing Director, Directors, Officers or any of them specified by the Chairman & Managing Director in this behalf and shall include its successors and assigns) ON THE ONE PART
AND:
M/s
<u>Preamble</u>
WHEREAS the Principal intends to award, under laid down organizational procedures, TENDER/contract for(name of the Stores / equipment's / items). The Principal, values full compliance

for......(name of the Stores / equipment's / items). The Principal, values full compliance with all relevant laws of the land, regulations, economic use of resources and of fairness/ transparency in its relations with its BIDDER(s).

In order to achieve these goals, the Principal has appointed an Independent External Monitor (IEM), who will monitor the TENDER process and the execution of the contract for compliance with the principles as mentioned herein this agreement.

WHEREAS, to meet the purpose aforesaid, both the parties have agreed to enter into this Integrity Pact the terms and condITIons of which shall also be read as integral part and parcel of the TENDER and contract between the parties.

NOW THEREFORE, IN CONSIDERATION OF MUTUAL COVENANTS STIPULATED IN THIS PACT THE PARTIES HEREBY AGREE AS FOLLOWS AND THIS PACT WITHNESSETH AS UNDER:

SECTION 1 – COMMITMENTS OF THE PRINCIPAL

The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:

- a. No employee of the Principal, personally or through family members, will in connection with the TENDER for or the execution of the contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the personal is not legally entitled to.
- b. The Principal will, during the TENDER process treat all BIDDER(s) with equity and reason. The Principal will in particular, before and during the TENDER process, provide to all BIDDER(s) the same information and will not provide to any BIDDER(s) confidential/addITIonal information through which the BIDDER(s) could obtain an advantage in relation to the TENDER process or the contract execution.

c. The Principal will exclude from the process all known prejudiced persons. If the principal obtains information on the conduct of any of its employee, which is a criminal offence under IPC/PC Actor if there be a substantive suspicion in this regard, the Principal will inform the Chief Vigilance Officer and in addITIon can inITIate disciplinary action as per its internal laid down Rules/Regulations.

SECTION 2 – COMMITMENTS OF THE IMSP / CONTRACTOR

- 2.1 The BIDDER(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself observe the following principles during the participation in the TENDER process and during the execution of the contract.
- a. The BIDDER(s)/contractor(s) will not, directly or through any other person or firm offer, promise or give to any of the Principal's employees involved in the TENDER process or the execution of the contract or to any third person any material or other benefit which he/ she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever (during the TENDER process or during the execution of the contract.
- b. The BIDDER(s)/contractor(s) will not commit any offence under IPC/PC Act, further the BIDDER(s)/contractor(s) will not use improperly, for purposes of competITIon of personal gain, or pass onto others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- c. The BIDDER(s)/Contractor(s) of foreign original shall disclose the name and address of the agents /representatives in India, if any. Similarly, the BIDDER(s)/Contractor(s) of Indian Nationality shall furnish the name and address of the foreign principals, if any.
- d. The BIDDER(s) f Contractor(s) will, when presenting the bid, disclose any and all payments made, are committed to or intend to make to agents, brokers or any other intermediaries in connection with the award of the contract.
- e. The BIDDER(s)/Contractor(s) will not bring any outside influence and Govt. bodies directly or indirectly on the bidding process in furtherance to his bid.
- f. The BIDDER(s)/Contractor(s) will not instigate third persons to commit offences outlined above or to be an accessory to such offences.

SECTION 3 – DISQUALIFICATION FROM TENDER PROCESS & EXCLUSION FROM FUTURE CONTRACTS

If the BIDDER(s)/Contractor(s), during TENDER process or before the award of the contract or during execution has committed a transgression in violation of Section 2, above or in any other form such as to put his reliability or credibility in question the Principal is entitled to disqualify BIDDER(s)/Contractor(s) from the TENDER process.

If the BIDDER(s)/Contractor(s), has committed a transgression through a violation of Section 2 of the above, such as to put his reliability or credibility into question, the Principal shall be entitled exclude including blacklisting for future TENDER/contract award process. The imposITIon and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the Principal taking into consideration the full facts and circumstances of each case, particularly taking into account the number of transgression, the posITIon of the transgressor within the company hierarchy of the BIDDER(s)/Contractor(s) and the amount of the damage. The exclusion will be imposed for a period of minimum one year.

The BIDDER(s)/Contractor(s) with its free consent and without any influence agrees and undertakes to respect and uphold the Principal's absolute right to resort to and impose such exclusion and further accepts

and undertakes not to challenge or question such exclusion on any ground including the lack of any hearing before the decision to resort to such exclusion is taken. The undertaking is given freely and after obtaining independent legal advice.

A transgression is considered to have occurred if the Principal after due consideration of the available evidence concludes that on the basis of facts available there are no material doubts.

The decision of the Principal to the effect that breach of the provisions of this Integrity Pact has been committed by the BIDDER(s)/Contractor(s) shall be final and binding on the BIDDER(s)/Contractor(s), however the BIDDER(s)/Contractor(s) can approach IEM(s) appointed for the purpose of this Pact.

On occurrence of any sanctions/ disqualifications etc. arising out from violation of integrity pact BIDDER(s)/ Contractor(s) shall not entitled for any compensation on this account.

Subject to full satisfaction of the Principal, the exclusion of the BIDDER(s)/Contractor(s) could be revoked by the Principal if the IMSP (s)/ Contractor(s) can prove that he has restored/ recouped the damage caused by him and has installed a suitable corruption preventative system in his organization.

SECTION 4 – PREVIOUS TRANSGRESSION

- 4.1 The BIDDER(s)/Contractor(s) declares that no previous transgression occurred in the last 3 years immediately before signing of this Integrity Pact with any other company in any country conforming to the anti- corruption/transparency International (TI) approach or with any other Public Sector Enterprises/ Undertaking in India of any Government Department in India that could justify his exclusion from the TENDER process.
- 4.2 If the BIDDER(s)/ Contractor(s) makes incorrect statement on this subject, he can be disqualified from the TENDER process or action for his exclusion can be taken as mentioned under Section-3 of the above for transgressions of Section-2 of the above and shall be liable for compensation for damages as per Section-5 of this Pact.

SECTION 5 – COMPENSATION FOR DAMAGE

- 5.1 If the Principal has disqualified the BIDDER(s)/Contractor(s) from the TENDER process prior to the award according to Section 3 the Principal is entitled to forfeit the Earnest Money Deposit/Bid Security/ or demand and recover the damages equitant to Earnest Money Deposit/Bid Security apart from any other legal that may have accrued to the Principal.
- 5.2 In addITIon to 5.1 above the Principal shall be entitled to take recourse to the relevant provision of the contract related to termination of Contract due to Contractor default. In such case, the Principal shall be entitled to forfeit the Performance Bank Guarantee of the Contractor or demand and recover liquidate and all damages as per the provisions of the contract agreement against termination.

SECTION 6 – EQUAL TREATEMENT OF ALL IMSPS/CONTRACTORS

- 61 The Principal will enter into Integrity Pact on all identical terms with all IMSPs and contractors for identical cases.
- 62 The BIDDER(s)/Contractor(s) undertakes to get this Pact signed by its subcontractor(s)/sub- vendor(s)/ associate(s), if spy, and to submit the same to the Principal along with the TENDER document/contract before signing the contract. The BIDDER(s)/Contractor(s) shall be responsible for any violation(s) of the provisions laid down in the Integrity Pact Agreement by any of its subcontractors/ sub-vendors / associates.
- 63 The Principal will disqualify from the TENDER process all IMSPs who do not sign this Integrity Pact or violate its provisions.

SECTION 7 – CRIMINAL CHARGES AGAINST VIOLATIG BIDDER(S)/CONTRACTORS

7.1 If the Principal receives any information of conduct of an BIDDER(s)/Contractor(s) or sub-contractor/sub- vendor/associates of the BIDDER(s)/Contractor(s) which constitutes corruption or if the principal has substantive suspicion in this regard, the principal will inform the same to the Chief Vigilance Officer of the Principal for appropriate action.

SECTION 8 – INDEPENDENT EXTERNAL MONITOR(S)

- 8.1 The Principal appoints competent and credible Independent External Monitor(s) for this Pact. The task of the Monitor is to review independently and objectively, whether and to what extend the parties comply with the obligations under this pact.
- 8.2 The Monitor is not subject to any instructions by the representatives of the parties and performs his functions neutrally and independently. He will report to the Chairman and Managing Director of the Principal.
- 8.3 The BIDDER(s)/Contractor(s) accepts that the Monitor has the right to access without restriction to all product documentation of the Principal including that provided by the BIDDER(s)/Contractor(s). The BIDDER(s)/Contractor(s) will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and uncondITIonal access to his project documentation. The Monitor is under contractual obligation to treat the information and documents BIDDER(s)/Contractor(s) with confidentiality.
- 8.4 The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the project provided such meeting could have an impact on the contractual relations between the Principal and the BIDDER(s)/Contractor(s). As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or take corrective action, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in specific manner, refrain from action or tolerate action.
- 8.6 If the Monitor has reported to the Chairman & Managing Director of the Principal a substantiated suspicion of an offence under relevant IPC/PC Act, and the Chairman & Managing Director of the principal has not, within the reasonable time taken visible action to proceed against such offence or reported it to the Chief Vigilance Officer, the Monitor may also transmit this information directly to the Central Vigilance Commissioner.
- 8.7 The word 'Monitor' would include both singular and plural.
- 8.8 Details of the Independent External Monitor appointed by Principal at present is furnished below:

SECTION 9 - FACILITATION OF INVESTIGATION

9.1 In case of any allegation of violation of any provisions of this Pact or payment of commission, the Principal or its agencies shall be entitled to examine all the documents including the Books of Accounts of the BIDDER(s)/Contractor(s) and the BIDDER(s)/Contractor(s) shall provide necessary information and documents in English and shall extend all help to the Principal for the purpose of verification of the documents.

SECTION 10 - LAW AND JURISDICTION

10.1 The Pact is subject to the Law as applicable in Indian Territory. The place of performance and jurisdiction shall the seat of the Principal.

10.2 The actions stipulated in this Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the extent law in force relating to any civil or criminal proceedings.

SECTION 11 – PACT DURATION

This Pact begins when both the parties have legally signed it. It expires after 12 months on completion of the warranty/ guarantee period of the project /work awarded, to the fullest satisfaction of the Principal.

If the BIDDER(s)/Contractor(s) is unsuccessful, the Pact will automatically become invalid after three months on evidence of failure on the part of the BIDDER(s)/Contractor(s).

If any claim is lodged/made during the validity of the Pact, the same shall be binding and continue to be valid despite the lapse of the Pact unless it is discharged/determined by the Chairman and Managing Director of the Principal.

SECTION 12 - OTHER PROVISIONS

- 12.1 This pact is subject to Indian Law, place of performance and jurisdiction is the Registered & Corporate office of the Principal at Bengaluru.
- 12.2 Changes and supplements as well as termination notices need to be made in wrITIng by both the parties. Side agreements have not been made.
- 12.3 If the BIDDER(s)/Contractor(s) or a partnership, the pact must be signed by all consortium members and partners.
- 12.4 Should one or several provisions of this pact turn out to be invalid, the remainder of this pact remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
- 12.5 Any disputes/ difference arising between the parties with regard to term of this Pact, any action taken by the Principal in accordance with interpretation thereof shall not be subject to any Arbitration.
- 12. 6 The action stipulates in this Integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the extant law in force relating to any civil or criminal proceedings.

In witness whereof the parties have signed and executed this Pact at the place date first done mentioned in the presence of the witnesses:

For PRINCIPAL	For BIDDER(S)/CONTRACTOR(S)
Name Designation.	Name Designation.
Witness:	
1	1
2	2

<u>ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ</u>

Bidding Document

For

Empanelment of Vendors

For

Design, supply, erection, testing and commissioning including warranty, Comprehensive Operation & Maintenance of Grid-Connected Rooftop Solar Plant of various capacities under the Phase-II of Grid Connected Rooftop Solar Scheme of MNRE in BESCOM jurisdiction under SOURA GRUHA YOJANE (SGY).

Tender Enquiry No. – BESCOM/DSM/GM /DGM/AGM-5/2021- 22/RTS-08



ISSUED BY

General Manager (DSM)

2nd Block, Ground Floor, Corporate Office, BESCOM, K R Circle, Bangalore-560001.

E-mail: gmdsm.work@gmail.com, gmdsm@bescom.co.in

Phone: 080-22340816

Interpretations

- 1. Words comprising the singular shall include the plural & vice versa.
- 2. An applicable law shall be construed as reference to such applicable law including its amendments or re-enactments from time to time.
- 3. A time of day shall save as otherwise provided in any agreement or document be construed as a reference to Indian Standard Time.
- 4. Different parts of this contract are to be taken as mutually explanatory and supplementary to each other and if there is any differentiation between or among the parts of this contract, they shall be interpreted in a harmonious manner so as to give effect to each part.
- 5. The table of contents and any headings or sub-headings in the contract has been inserted for case of reference only & shall not affect the interpretation of this agreement.

Disclaimer

- 1. Though adequate care has been taken while preparing the RFP document, the Bidders shall satisfy themselves that the document is complete in all respects. Intimation of any discrepancy shall be given to this office immediately. If no intimation is received from any Bidder within fifteen (15) days from the date of notification of RFP/ Issue of the RFP document, it shall be considered that the RFP document is complete in all respects and has been received by the Bidder.
- 2. BESCOM reserves the right to modify, amend or supplement this RFP document.
- 3. While this RFP has been prepared in good faith, neither BESCOM nor their employees make any representation or warranty, express or implied, or accept any responsibility or liability, whatsoever, in respect of any statements or omissions herein, or the accuracy, completeness or reliability of information, and shall incur no liability under any law, statute, rules or regulations as to the accuracy, reliability or completeness of this RFP, even if any loss or damage is caused by any act or omission on their part.

Place: Bangalore Date: 17.01.2022

NOTICE INVITING TENDER FOR

EMPANELMENT OF VENDORS FOR DESIGN, SUPPLY, ERECTION, TESTING AND COMMISSIONING INCLUDING WARRANTY, COMPREHENSIVE OPERATION & MAINTENANCE OF GRID-CONNECTED ROOFTOP SOLAR PLANT OF VARIOUS CAPACITIES UNDER PHASE-II OF GCRTS SCHEME OF MNRE BEING IMPLEMNTED BY BESCOM IN ITS JURISDICTION UNDER SOURA GRUHA YOJANE THROUGH STATE E-PROCUREMENT PORTAL (TWO PART BIDDING e-TENDER) - https://eproc.karnataka.gov.in

The Ministry of New and Renewable Energy, Government of India (MNRE) is implementing Phase-II of Grid Connected Rooftop Solar (GCRTS) Programme wherein Central Financial Assistance (CFA) is being provided for installation of rooftop solar (RTS) projects in residential buildings. To implement the RTS activities in respect of the aforesaid programme, respective Power Distribution companies (DISCOMs) have been designated as the implementing agency. Accordingly, BESCOM is the tendering the agency for its jurisdiction and will identify L-1 rates and empanel vendors for implementation of the programme.

BESCOM is implementing the said program in its jurisdiction as **Soura Gruha Yojane.**

BEESCOM invites e-bids from eligible bidders to participate in Request for Selection (RFS) for empanelment of vendors for Site Survey, Design, Installation, Supply, Erection, Testing and Commissioning including Warranty and 5 years of Comprehensive Operation and Maintenance of Roof Top Solar PV Power System for Residential Consumers in BESCOM jurisdiction under **Soura Gruha Yojane.** This RFS shall be governed by terms of sanction received from MNRE dated 05.01.2022 for BESCOM.

For the implementation of above-mentioned work, Bidders should submit their bid proposal online, complete in all aspect, on or before Last date of Bid Submission as mentioned on the Bid Information Sheet.

Bidder shall submit bid proposal along with non-refundable bid processing fee and EMD as per the Bid Information Sheet. Techno-Commercial bids will be opened online as per the Bid Information Sheet in presence of authorized representatives of bidders who wish to be present at the time of opening of technical bids. In the event of any date mentioned in bid information is declared a Holiday, the next working day shall become operative for the respective purpose mentioned herein.

Bid documents which include Eligibility criteria, "*Technical Specifications*", various conditions of contract, formats, etc. can be downloaded from https://eproc.karnataka.gov.in.

Only the documents submitted at the time of Bid Submission shall be used in evaluation process. Bidders are advised to ensure that all supporting documents submitted at the time of Bid Submission as no further are clarification/amendments would be entertained in this regard. Bidders are also encouraged to familiarize themselves with the MNRE scheme available at SPIN portal (solarroofotp.gov.in) for efficient execution.

Any amendment(s)/ corrigendum/ clarifications with respect to this Bid shall be uploaded on web page https://eproc.karnataka.gov.in. The Bidder should regularly follow up for any Amendment/ Corrigendum/ Clarification on the above website.

The bidding process under this Rooftop scheme is for **50 MWp** comprising of CAPEX Model.

S.	Category	Proposed	Aggregate	Min Capacity	Max Capacity
N		Capacity	Capacity	(MW)	(MW)
			(MW)	(for which the Bidder can submit its Bid)	(for which the Bidder can submit its Bid)
1.	Part-A	1 kW to 3 kW	18	Cumulative	18
2.	Part-B	Above 3 kW to 10 kW	18	Minimum Bid Capacity	18
3.	Part-C	Above 10 kW to100 kW	07	General Category – 1 MW MSME – 0.5 MW	07
4.	Part-D	Above 100 kW to 500 kW	07	MISME - 0.3 MW	07

Note:

- 1. The capacities proposed above are the cumulative capacities for entire BESCOM area, comprising of 3 LOTs. The LOT wise capacity is detailed in the subsequent sections of this RFP.
- 2. For common facilities in Group Housing Societies/Residential Welfare Associations (GHS/RWA) etc. the allowed RTS capacity shall be limited up to 500 kWp @ 10 kWp per house), with the upper limit being inclusive of individual rooftop plants already installed by individual residents in that GHS/RWA at the time of installation. Bidders are requested to quote Minimum Capacities in each part as per above table.

BESCOM reserves the right for diversion of capacity from one bidder/ category to another for 100% utilization of capacity sanctioned by MNRE, GoI.

General Manager (DSM)

2nd Block, Ground Floor, Corporate Office, BESCOM, K R Circle, Bangalore-560001

SCOPE OF WORK:

BESCOM invites bids for empanelment of firms for Design, supply, erection, testing and commissioning including warranty, comprehensive operation & maintenance for a period of 05 years of Grid connected Rooftop solar plants of various capacities in its jurisdiction under **CAPEX** (**Consumer Investment**) model.

BESCOM will empanel eligible vendors participating in this empanelment process and wish to provide their services on the price/rate discovered through transparent bidding process. The CFA pattern is as detailed below.

Type of Residential Sector	CFA (as percentage of bench mark cost or cost discovered through competitive process whichever is lower)
Residential sector	40% of bench mark cost
(Maximum upto 3kW capacity)	
Residential sector	40% upto 3kW
(above 3kW capacity and upto 10kW	Plus 20% for RTS system
capacity)	above 3kW and upto 10kW
Group Housing Societies/	20%
Residential Welfare Associations	
(GHS/RWA) etc. for common	
facilities up to 500 kWp @10kWp	
per house), with the upper limit	
being inclusive of individual rooftop	
plants already installed by	
individual residents in that	
GHS/RWA at the time of installation	
of RTS for common activity.	

BESCOM will not be responsible in case any empanelled vendors do not get any work order. The consumers under this scheme shall be free to install their projects from any empanelled vendors subject to the condition that project shall have to be installed/commissioned as per the MNRE Phase-II Guidelines and subsequent amendments.

The empanelled vendors will carry out the design, supply, erection, testing and commissioning including warranty, comprehensive operation & maintenance for a period of 05 years for CAPEX Model of grid interactive rooftop solar PV power plant and shall make all necessary arrangement for evacuation and injection of surplus power to the grid at the interconnection point/ points as agreed with BESCOM.

1. The detailed Scope of Work for empanelled vendors shall essentially cover but not be limited to:

- 1.1. Identification of prospective beneficiaries and providing necessary assistance to the prospective beneficiary in submitting online applications for installation of RTS project.
- 1.2. Preparation of Detailed Project Report (DPR) of the proposed Proposal of Rooftop Solar Power Plant for allocated capacity.
- 1.3. Obtaining approval from BESCOM for providing grid connectivity.
- 1.4. Submission of proposal with all required documents to BESCOM for sanctioning of the project.
- 1.5. Execution of the work shall be carried out in an approved manner as per the technical specification of RFP. In case of any dispute, relevant MNRE/BIS/ ISI/NABL/ISO/IEC/IS/BESCOM specification shall be followed and work shall be carried out to the reasonable satisfaction of the engineer in charge.
- 1.6. The vendor shall complete the work of Design, supply, civil work, erection, testing and commissioning of SPV grid connected Power Plant within 180 days from the issuance of the approval letter or the last date of the project timeline specified by MNRE to BESCOM i.e. 04.01.2024, whichever is earlier. In event of failure to install and commission the RTS system within the mentioned timeframe, the entire Performance Bank Guarantee will be forfeited and may also lead to disqualification of the vendor at the sole discretion of BESCOM. The penalty for noncompletion will be on pro-rata basis.
- 1.7. The work covers Design, supply, installation, commissioning and Comprehensive Maintenance Contract (CMC) for 05 (Five) Years.
- 1.8. Empanelled vendors shall establish a service Centre to cater the 05 Years CMC. In case if it is not economically viable for an individual vendor then Group of vendors can establish a common service Centre. The details of all such service centres (address, contact no. etc.) will be made available on the BESCOM website https://bescom.karnataka.gov.in.
- 1.9. All the material required for the installation of solar power plant as per the work order/award/work approval letter issued shall be kept at site in custody of the vendor, *BESCOM* shall not be responsible for any loss or damage of any material during the installation. The vendor shall be responsible and take an insurance policy for transit-cum-storage-erection for all the materials.
- 1.10. The vendor shall take entire responsibility of electrical safety of the installations including connectivity with the grid and follow all the safety rules and regulations applicable as per Indian Electricity

Act-2003 and prevailing CEA guidelines and amendments, it shall be responsibility of the vendor to take NOC from concerned authority and engage person as per provisions as per in CEA Rules and Regulations.

The Empanelled vendor shall ensure proper safety of all the workmen, material, plants and equipment belonging to him/her. In case any accident occurs during the construction / erection or during guarantee period for work undertaken by Empanelled Vendor thereby causing any minor or major or fatal accident will be the responsibility of the Empanelled Vendor. The successful Vendors shall follow and comply with the employer's safety rules relevant provisions of applicable laws pertaining to the safety of workmen, employees, plant and equipment. The Empanelled vendors shall also arrange all certificates and test reports of the module and inverter and other equipment. The Empanelled Vendors must adhere to the Operation and Maintenance procedure given in **Annexure-C** of this document.

1.11. Inverters from Only BESCOM empanelled manufacturer shall be used under this project. The list of empanelled inverter manufacturers is available in BESCOM website.

- 1.12. Assisting in execution of Power Purchase Agreement (PPA) in the Commission approved standard format as per KERC regulations between Consumer & BESCOM i.e., the empaneled vendor shall educate the Consumer to execute PPA with BESCOM within stipulated time.
- 1.13. Training to the consumer on various aspects of maintenance of the system after commissioning shall be provided by the empaneled vendor.
- 1.14. To provide remote monitoring provisions as per Annexure Q of this RFP.

 Remote Monitoring will be done through the inverters provided to the SRTPV Plant.

1.15. The CFA claims of the systems installed and commissioned shall be processed with following documents:

- 1.15.1. Dated Claim letter from the bidder on its letter head certifying that the SPV Modules and Cells deployed in the systems installed are Indian Made (DCR Undertaking as prescribed MNRE Format as **Annexure-W**), and all the technical specifications of the components supplied and installed are in accordance with the specifications given in this document and adhere to MNRE requirement and all the information / documents provided along with the claim letter are is correct and factual.
- 1.15.2. Invoice of the System billed to the beneficiary.
- 1.15.3. Photograph of the system with placard held by the beneficiary and representative of BESCOM showing the name of the beneficiary, BESCOM's application registration number and system capacity.

- 1.15.4. Certificate of the beneficiary that the system is installed and commissioned in all respect with the date of commissioning, system and invertor capacity, etc. and that he has been provided the 05 (Five) Year Warranty Card and the O&M Manual.
- 1.15.5. Overwritten certificates/ documents shall be out rightly rejected and will not be processed for CFA payment.
- 1.15.6. Self-certified copies of documents will be submitted in support of claims made by the Empanelled Vendors.
- 1.15.7. The CFA shall be released subject to availability and release of funds from MNRE, GoI to BESCOM.
- 1.15.8. Third party Inspection may also be carried for disbursement of CFA. Third party Inspection may be carried out by the Agency nominated by MNRE or BESCOM.

Bid Information Sheet

The bidding process under this Rooftop scheme is for 50 MWp comprising of 3 LOTs and Part A, B, C, D.

S.	Category	Proposed	Aggregate	Min Capacity	Max Capacity
N		Capacity	Capacity	(MW)	(MW)
			(MW)	(for which the Bidder can submit its Bid)	(for which the Bidder can submit its Bid)
1.	Part-A	1 kW to 3 kW	18	Cumulative	18
2.	Part-B	Above 3 kW to 10 kW	18	Minimum Bid Capacity	18
3.	Part-C	Above 10 kW to100 kW	07	General Category - 1 MW	07
4.	Part-D	Above 100 kW to 500 kW	07	MSME - 0.5 MW	07

Note:

The capacities proposed above are the cumulative capacities for entire BESCOM area, comprising of 3 LOTs. The LOT wise capacity is detailed in the subsequent sections of this RFP.

Dunad Corns	Identification of mathematical desired and a second
Broad Scope	Identification of rooftops/ beneficiaries which
	includes but is not limited to submission of project
	sanction documents, EPC agreement between
	Empanelled Vendor and the Consumer(s) at the
	quoted project cost and Clearances from BESCOM
	as per the terms and conditions of RFP for the
	approval of capacity 50 MW for issue of project
	specific consent letter(s).
	Design, Engineering, Manufacture, Supply, Storage,
	Civil work, Erection, Testing & Commissioning of
	the Grid-connected rooftop solar PV project
	including comprehensive Operation and
	Maintenance (O&M) of the project for a period of 05
	years for CAPEX Model after commissioning of
	project.
	Total timeline for the above Scope of Work up to
	Commissioning of project is 180 days from the date
	of the Letter of Allocation (LoA)/Work Award/Work
	approval letter or 24 months from dated of MNRE
	Sanction to BESCOM, whichever is earlier i.e.
	04.01.2024
Downloading of RFP	The Bid Document can be downloaded from the
document	https://eproc.karnataka.gov.in from 17.01.2022 to
	16.02.2022
Pre-Bid	Date: 31.01.2022
Conference/Clarification	Time: 11.30 am
meeting	Venue: Room No.9, Ground Floor, B Block,
	Corporate Office, BESCOM, K R Circle, Bangalore-1
Online Bid Submission	Date: 16.02.2022
Deadline	Time: 17:00 hours.
Date of Techno-	Date and Time: 18.02.2022
Commercial bids opening	
Validity of Bid	Validity of bid shall be minimum 06 months from
	the date of techno-commercial bid opening date.
Validity of Price	12 months after the date of issuance of Letter of
	Allocation (LoA)/ Work Order/work approval letter or
	24 months from date of Sanction [i.e. 05.01.2022],
	whichever is later.

Processing Fee (Non-refundable)	The eligible bidders who wish to participate in the tender shall have to pay the Non-refundable tender processing fee as specified in the e- procurement
	portal https://eproc.karnataka.gov.in
Bid Bond/EMD	Refer EMD Clause in the tender Documents.
Bid Process	Two Part (Techno-Commercial Bid & Price Bid) on https://eproc.karnataka.gov.in .
Name, Designation,	General Manager (DSM),
Address and other	Block-II, Ground Floor, Corporate Office, BESCOM,
details of Tender	K R Circle, Bangalore-560001.
Inviting Authority	

Important Note: Prospective bidders are requested to remain updated for any notices/amendments/clarifications etc. to the RFP document through the website: https://eproc.karnataka.gov.in. No separate notifications will be issued for such notices/ amendments/ clarification etc. in the print media or individually. All the information related to this RFP shall be updated in the e-procurement website.

DEFINITIONS

In this "Bid / RFP Document" the following words and expression will have the meaning as herein defined where the context so admits:

- 1.1 **"Affiliate"** shall mean a company that either directly or indirectly;
 - (a) controls or
 - (b) is controlled by or
 - (c) is under common control with

A Bidding Company and "control" means ownership by one company of at least twenty six percent (26%) of the voting rights of the other company.

- **"Beneficiary"** or **"Customer"** shall mean the residential category Consumers of BESCOM for 1-phase / 3-phase connection of Supply of Electricity
 - **"Bid"** shall mean the Techno Commercial and Price Bid submitted by the Bidder along with all documents/credentials/attachment's annexure etc., in response to this RFP, in accordance with the terms and conditions hereof.
 - **"Bidder"** shall mean Bidding Company/ Bidding consortium submitting the Bid. Any reference to the Bidder includes Bidding Company / Bidding consortium / consortium, members of a bidding consortium including its successors, executors and permitted assigns and lead member of the bidding consortium jointly and severally, as the context may require".
 - **"Bidding Company"** shall refer to such single company that has submitted the response in accordance with the provisions of this RFP.
 - "Bidding consortium or consortium" shall refer to a group of companies that have collectively submitted the

1.2

1.3

1.4

1.5

1.6

	response in accordance with the provisions of this RFP.
1.7	"Bid Bond" shall mean the unconditional and irrevocable bank guarantee to be submitted along with the Bid by the Bidder under Clause of this RFP, in the prescribed Format;
1.8	"Bid Deadline" shall mean the last date and time for submission of Bid in response to this RFP as specified in Bid information Sheet;
1.9	"Bid Capacity" shall means total capacity offered by the bidder in his Bid under invitation.
1.10	"CAPEX" CAPEX (Consumer Investment) Model.
1.11	"CEA" shall mean Central Electricity Authority.
1.12	"Chartered Accountant" shall mean a person practicing in India or a firm whereof all the partners practicing in India as a Chartered Accountant(s) within the meaning of the Chartered Accountants Act, 1949;
1.13	"Competent Authority" shall mean Managing Director (MD) of BESCOM and/or a person or group of persons nominated by MD for the mentioned purpose herein;
1.14	"Contract" shall mean the agreement to be entered into by the BESCOM with the Empanelled Agency upon receiving the Letter of Empanelment from BESCOM for implementation of the Scheme/ Project and shall include the General and commercial terms & condition, scope of work, project requirement, technical conditions, schedules, appendixes, drawings and any other conditions specifically agreed between the parties forming a part of the contract.
1.15	"Commissioning" shall mean successful installation and grid-integration of the Solar Power Project by the Contractor, as defined in RFP.
1.16	"Company" shall mean a body incorporated in India under the Companies Act, 1956 or Companies Act,

Page **13** of **146**

1.17	"Capacity Utilization Factor" (CUF) means the ratio of the annual output of the plant in kWh versus installed plant capacity for number of days.
	CUF = plant output in kWh / (installed plant capacity in kW * 365 * 24).
1.18	"Circle" means Operation and Maintenance Circles of BESCOM
1.19	"DNI" shall means Direct Normal Irradiation.
1.20	"Date of completion of project" shall mean that the date of completion of project with project handed over and accepted by the consumer applicant in all respect provided that the assignees, Guarantee and warranty of 05 years shall be applicable as per the RFP Document terms and condition after the date of completion of Project.
1.21	"Division" Shall mean Operation and Maintenance Division of BESCOM.
1.22	"Eligibility Criteria" shall mean the Eligibility Criteria as set forth in Clause 5.5 of this RFP.
1.23	"EMD" shall mean Earnest Money Deposit which is required to be Paid as per the prevailing terms and conditions of RFP.
1.24	"Empanelled Vendor(s) / Contractor / Project Developers(s)" shall mean the Bidder(s) selected by BESCOM pursuant to this RFP
1.25	"EPC" Shall mean Engineering, Procurement and commissioning of the complete project as per the terms and condition of the RFP Document.
1.26	"Financially Evaluated Entity" shall mean the company which has been evaluated for the satisfaction of the Financial Eligibility Criteria.

2013, including any amendment there to.

1.27	"Financial Year" or "FY" shall mean the Period starting from 1 April of the first calendar year to 31 March of the consecutive calendar year.
1.28	"Inter-connection point / Delivery / Metering Point" shall mean the point at distribution voltage level where the power from the solar power Project is injected. Metering shall be done at this interconnection point where the power is injected into the Distribution System i.e. the Delivery Point. For interconnection with grid and metering, the EPC shall abide by the relevant KERC SRTPV Regulations and their amendments thereof.
1.29	"BESCOM" shall mean Distribution Company responsible for implementation of Phase-II Rooftop Solar Scheme.
1.30	" kWp " shall mean Kilo-Watt Peak and MWp shall mean Mega-Watt Peak.
1.31	" kWh " shall mean Kilo-Watthour.
1.32	"Letter of Intent" or "LOI" shall mean the letter issued BESCOM to the Selected Bidder to secure their Intent for award of the Project.
1.33	"Limited Liability Partnership (LLP)" shall mean Limited Liability Partnership as per Limited Liability Partnership Act 2008.
1.34	"LOA" shall mean the letter issued by BESCOM to the selected Bidder for Award of Work.
1.35	"MNRE" shall mean Ministry of New and Renewable Energy, Government of India.
1.36	"Maximum Bid Capacity" shall mean 50 MW which is the maximum capacity for which the Bidder can submit

its Bid against each Part/ Category/LOT.

1.37	"Model" shall mean CAPEX Model.
1.38	'Net-metering' means an arrangement under which an eligible Consumer supplies the surplus electricity generated from the SRTPV plant to the Distribution Licensee after off-setting the electricity supplied by the Distribution Licensee to such eligible Consumers during the billing period. 'Gross-metering' means an arrangement under which an eligible Consumer supplies the entire electricity generated from the SRRTPV plant to the Distribution Licensee during the billing period.
1.39	"O&M" shall mean Operation & Maintenance of Rooftop Solar PV System for a period of 05 years for CAPEX Model.
1.40	"Project" Shall mean the project of the Design, Supply, Installation, testing & Commissioning of Grid connected Rooftop Solar Systems including five years comprehensive maintenance
1.41	"Project Cost / Project Price" shall mean the price offered by the Bidder for the Scope of work as per RFP document.
1.42	"Project capacity" means Capacity in kW allocated to the Bidder for various locations within BESCOM juridiction.
1.43	"Performance Ratio" (PR) means "Performance Ratio" (PR) means the ratio of plant output versus installed plant capacity at any instance with respect to the radiation measured.
	PR= (Measured output in kW /Installed Plant capacity in kW * (1000 $W/m2/Measured$ radiation intensity in $W/m2$).

1.44	"Parent Company" shall mean a company that holds at least twenty six percent (26%) of the paid-up equity capital directly or indirectly in the Bidding Company as the case may be.
1.45	"Project Sanction Documents" shall mean the documents required for sanction of project.
1.46	"Price Bid" shall mean <i>Price Bid</i> of the Bid, containing the Bidder's quoted Price as per this RFP;
1.47	"Project Cost" shall mean the Cost offered by the bidder for the scope of work as per the RFP document.
1.48	"PV System" or "SPV" or "SPV System or SRTPV system" shall for the purpose of this tender mean the Grid-connected Rooftop Solar Photo-Voltaic (PV) system including the PV modules, grid-connected inverter(s), module mounting structure(s), cables and connectors, safety and Earthing equipment, interconnection equipment, and inverter with remote monitoring with other components for Rooftop Solar System that shall be supplied, installed, commissioned and maintained by the Empanelled Agency.
1.49	"Qualified Bidder" shall mean the Bidder(s) who, after evaluation of their Techno Commercial Bid stand qualified for opening and evaluation of their Price Bid;
1.50	" RFP " shall mean Request for Proposals (RFP) /Bid Document/ Tender Document.
1.51	"Renewable Energy Meter/Solar Generation Meter" refers to a unidirectional energy meter, installed and used solely to record the renewable energy generation from the Renewable Energy System installed at the consumer's premises.
1.52	"Rooftop Owner" shall means owner of roofs at various locations within BESCOM Jurisdiction consisting of single or multiple rooftops.

1.53	"Consent Letter" shall mean the letter provided by BESCOM for a single or group of PV systems after the approval of the project sanction documents submitted by the contractor.
1.54	"Scheme" shall mean Phase-II Grid Connected Rooftop Solar Scheme for Providing Grid-connected Rooftop Solar System for Residential Consumers announced by the Ministry of New and Renewable and Renewable Energy, Government of India.
1.55	"Statutory Auditor" shall mean the auditor of a Company appointed under the provisions of the Companies Act, 1956 or under the provisions of any other applicable governing law.
1.56	"SNA" shall mean State Nodal Agency.
1.57	"Solar Power Developer (SPD)" shall mean Empanelled Vendor(s) to whom the project is/are allocated.
1.58	"Specification" shall mean the RFP Document forming a part of the contract along with Proforma, schedules, appendixes and Annexures.
1.59	"Sub-Division" shall mean Operation and Maintenance Sub-Division of BESCOM.
1.60	"Central Financial Assistance (CFA)" shall mean subsidy to be provided by MNRE under the ambit of Phase-II Rooftop Solar Scheme.
1.61	"System" shall mean the Grid connected Rooftop Solar System as per RFP Document that shall be supplied, installed, commissioned and maintained with all other ancillary required by the vendor for satisfactory operation of the System.
1.61	"Tendered Capacity" shall mean the Total aggregate capacity in kW indicated by the Vendors through this bidding process as per terms and conditions specified

therein.

1.63	Ultimate Parent Company" shall mean a company which directly or indirectly owns at least twenty six percent (26%) paid up equity capital in the Bidding Company) and/or in the Financially Evaluated Entity and such Bidding Company and /or the Financially Evaluated Entity shall be under the direct control or indirectly under the common control of such company.
1.64	" Wp" shall mean Watt Peak.
1.65	"Week" shall mean the continuous period of seven days.
1.66	"Work" shall mean activities of Supply, Installation, testing & commissioning of the RFP Document item for which the offers are invited.
1.67	"Allocated capacity" shall mean the capacity allocated to a bidder by BESCOM based on the procedure defined in this tender document. The allocated capacity will be mentioned in the Letter of Allocation (LoA).
1.68	"Installed Capacity" shall mean the capacity of Grid connected Rooftop Solar Photovoltaic Systems installed and commissioned by the bidder during the empanelment period. Plant capacity' means DC Capacity i.e., total solar total wattage of all of solar panels connected. The plant capacity of the SRTPV Plant installed at the Consumer premises shall be less than or equal to the sanctioned load of the Consumer. Inverters shall be installed equal to or nearer to next higher capacity of the plant as arrived above.

ABBREVIATIONS

Abbreviations	Full Forms
DSC	Digital Signature Certificate
AC	Alternating Current
ACDB	Alternating Current Distribution Board
Ah	Ampere-hour
ALMM	Approved List of Models and Manufacturers
BOQ	Bill of Quantity
BIS	Bureau of Indian Standards
CCA	Controller of Certifying Authorities
CEA	Central Electricity Authority
CFA	Central Financial Assistance
CEI	Chief Electrical Inspector
CMC	Comprehensive Maintenance Contract
EP	Empanelled Partner
CUF	Capacity Utilization Factor
DC	Direct Current
DCDB	DC Distribution Board
DPR	Detailed Project Report
DG	Diesel Generator
DISCOM	Distribution Company
DPB	Distribution Panel Board
DSP	Digital Signal Processor
EMC	Electromagnetic Compatibility
EMD	Earnest Money Deposit
EMI	Electromagnetic Interference
EN	European Norms
EPDM	Ethylene Propylene Diene Monomers
FF	Fill Factor
FOR	Freight on Rail/Road
FRP	Fibre-reinforced plastic
GHI	Global Horizontal Irradiance
GHS	Group Housing Society
GI	Galvanised Iron
GPRS	General Packet Radio Service
GPS	Global Positioning System
GRP	Glass Reinforced Plastic
GST	Goods and Services Tax
HDPE	High Density Polythylene
Hz	Hertz

IEC	International Electrotechnical Commission	
IEEE	Institute of Electrical and Electronics Engineers	
IGBT	Insulated-gate bipolar transistor	
Imp	Peak Power Current	
INR	Indian Rupees	
IP	Ingress Protection	
IS	Indian Standard	
Isc	Short Circuit Current	
ISI	Indian Standards Institute	
ISO	International Standards Organization	
ITB	Instructions to Bidders	
JB	Junction Box	
SERC	State Electricity Regulatory Commission	
JSON	JavaScript Object Notation	
kg	Kilogram	
km/hour	kilometres per hour	
kVA	kilo-volt-ampere	
kW	Kilowatt	
LCD	Liquid Crystal Display	
LED	Light Emitting Diode	
LoA	Letter of Authorization	
LoI	Letter of Intent	
LPSC	Lightning Protection System Components	
LT	Low Tension	
MCB	Miniature Circuit Breaker	
MCCB	Moulded Case Circuit Breaker	
mm	Millimetre	
MNRE	Ministry of New and Renewable Energy	
MMS	Module Mounting Structure	
MOSFET	Metal-Oxide Semiconductor Field-Effect Transistor	
MOV	Metal Oxide Varistor	
MPPT	Maximum Power Point Tracker	
MSME	Micro, Small and Medium Enterprises	
MW	Mega Watt	
NIB	Notice Inviting Bid	
NIT	Notice Inviting Tender	
NOC	No Objection Certificate	
O&M	Operations and Maintenance	
PAN	Permanent Account Number	
PBG	Performance Bank Guarantee	
PCU	Power Conditioning Unit	

PR	Performance Ratio	
PGT	Performance Guarantee Test	
PSU	Public Sector Undertaking	
PV	Photovoltaic	
PVC	Polyvinyl Chloride	
PWM	Pulse width modulation	
RFID	Radio Frequency Identification	
RFP	Request for Proposal	
RFS	Request for Selection	
RTS	Rooftop Solar	
RWA	Residential Welfare Association	
SBD	Standard Bid Document	
SIM	Subscriber Identification Module	
SNA	State Nodal Agency	
SPD	Surge Protection Device	
SPIN	Solar Photovoltaic Installation	
SPV	Solar Photo Voltaic	
sq.m	square meter	
STC	Standard Testing Condition	
TAC	Tariff Advisory Committee	
THD	Total Harmonic Distortion	
TIN	Taxpayer Identification Number	
UV	Ultraviolet	
V	Volt	
VA	Volt Ampere	
Vmp	Peak Power Voltage	
Voc	Open Circuit Voltage	
W	Watt	
XLPE	Cross-linked polyethylene	
XLPO	Cross-linked Polyolefin	
XML	Extensible Mark-up Language	

SECTION-I
A: Introduction, Bid details and instructions to the Bidders
B: Conditions of Contract

A. INTRODUCTION, BID DETAILS AND INSTRUCTIONS TO THE BIDDERS

INTRODUCTION

- 1. The Ministry of New and Renewable Energy, Government of India (MNRE) is implementing Phase-II of Grid Connected Rooftop Solar (GCRTS) Programme wherein central financial assistance (CFA) is being provided for installation of rooftop solar (RTS) projects in residential buildings. To implement the RTS activities in respect of the aforesaid programme, respective Power Distribution companies (DISCOMs) have been designated as the implementing agency. Accordingly, BESCOM is the tendering agency for its jurisdiction and will identify L-1 rates and empanel vendors for implementation of the programme.
 - 1.1 This tender document is in accordance with MNRE Phase II guidelines vide notification 318/331/2017 dated 20.08.2019. The guidelines/scheme documents/amendments for Phase-II of GCRTS programme can be seen on SPIN portal (www.solarrooftop.gov.in).

BESCOM may register interested applicants for RTS installation under the scheme and the same may be shared with empanelled vendors for installation. For identification of applicants/ consumers, BESCOM may assist empanelled vendors. However, the entire responsibility of finding the applicants/ consumers lies with the vendors. BESCOM/MNRE bears no responsibility in this regard.

1.2 This scheme with an aggregate capacity of 50 MWp for BESCOM only envisages installation of grid-connected Rooftop solar projects on the roofs of consumers as specified by MNRE vide Order No. 318/331/2017 - Grid Connected Rooftop Dated 20th August 2019 and their amendments issued from time to time i.e. broadly in following categories:

Sl. No.	Category	Coverage of Buildings
(i)	Residential	All types of Residential buildings and Group
		Housing Societies/Residential Welfare
		Associations (GHS/RWA)

The Ministry of New and Renewable Energy (MNRE), Government of India vide OM No. 32/24/2020-SPV Division dated 27.10.2021 has notified the Benchmark cost for Rooftop Solar Plants for FY 2021-22 as under:

S.No.	Capacity Range*	Benchmark Cost
		(INR/KWp)
		excluding GST
		General Category
		States /UTs
1.	1 kWp	46923
2.	2 kWp	43140
3.	3 kWp	42020
4.	Above 3-10 kWp	40991
5.	Above 10-100 kWp	38236
6.	Above 100-500 kWp	35886

^{*}The project capacity shall be considered as Inverter capacity or the SPV module array capacity, whichever is lower, for the purpose of determining CFA.

Note:

- i. All the above benchmark costs are inclusive of total system cost including Photo-Voltaic solar modules, inverters, balance of systems including cables, Switches/Circuit Breakers /Connectors/ Junction Boxes, mounting structure, earthing, Lightening arrester, cost of meters (if any other than net meter), local connectivity cost, cost of civil works, foundations etc. and its installation, commissioning, transportation, insurance, capital cost of online monitoring, comprehensive maintenance charges for five years, applicable fees etc.
- ii. The above-mentioned benchmark costs are excluding net metering cost and battery back-up costs.
- iii. The above-mentioned benchmark cost is indicative only and rates will be discovered through this bidding process. Prevailing MNRE benchmark cost should NOT be considered as the ceiling rate for any bidding agency.

The CFA structure applicable is as Tabulated below (As per MNRE Guidelines or as applicable at the time of commissioning of the project):

Type of Residential Sector	Central Financial Assistance (CFA) (as percentage of benchmark cost or cost discovered through competitive process, whichever is lower)
Residential sector (maximum up to 3 kW capacity)	40 % of Benchmark Cost/discovered cost, whichever is lower

Residential sector (above 3 kW	40 % up to 3 kW Plus 20% for RTS
capacity and up to 10 kW	system above 3 kW and up to 10 kW.
capacity)	(Percentage of benchmark
	cost/discovered cost, whichever is lower)
Group Housing	
Societies/Residential Welfare	
Associations (GHS/RWA) etc.	
for common facilities up to	
500 kWp (@ 10 kWp per	
house), with the upper limit	20% of Benchmark Cost/discovered cost,
being inclusive of individual	whichever is lower
rooftop plants already	
installed by individual	
residents in that GHS/RWA at	
the time of installation of RTS	
for common activity.	

Note: Central Financial Assistance (CFA) disbursement will be governed as per MNRE Office Memorandum No.318/331/2017-GCRT Dated 3rd September 2019 on "Clarification on applicability of CFA individual residential households for installation of rooftop solar system under Phase-II of Grid-connected Rooftop Solar Programme".

- 1.3 On behalf of BESCOM, the General Manager (Ele), DSM Section, Corporate Office, which expression shall also include its successors and permitted assigns, hereby invites interested vendors to participate in the bidding process for the selection of Empanelment of vendors for implementation of Grid-connected Rooftop Solar Projects for 50 MWp aggregate capacity as per RFP.
- 1.4 The bidders, who are techno-commercially qualified wish to provide their services on the project cost discovered through transparent E-bidding process, shall be empanelled for implementation of the said project. The CFA shall be calculated as indicated in the above table on the basis of discovered price or MNRE benchmark cost, whichever is lower. The tenure of empanelment shall be 24 Months (the time period shall not be more than MNRE sanction timeline) from the date of empanelment letter issued by BESCOM or upto the last date of the sanction period allocated by MNRE to BESCOM i.e. 04.01.2024, whichever is earlier. Depending on requirement and with approval of MNRE, BESCOM may extend the tenure of empanelled vendors for implementation of the project.

- 1.5 The Bidders are advised to read carefully all instructions and conditions appearing in this document and understand them fully. All information and documents required as per the bid document must be furnished. Failure to provide the information and/ or documents as required may render the bid technically nonresponsive.
- 1.6 The bidder shall be deemed to have examined the bid document and MNRE scheme, to have obtained own information in all matters whatsoever that might affect carrying out the works in line with the scope of work specified elsewhere in the document at the offered rates and to have satisfied to the level of sufficiency. The bidder shall be deemed to be in knowledge of the scope, nature and magnitude of the works and requirement of materials, equipment, tools and labour involved, wage structures and as to what all works, bidder has to complete in accordance with the bid documents irrespective of any defects, omissions or errors that may be found in the bid documents.

2. SIZE OF THE PROJECTS AND BID DETAILS:

2.1 The size of each project shall be in the range for each part as under:

Part-A: 1 kWp to 3 kWp.

Part-B : Above 3 kWp to 10 kWp.
Part-C : Above 10 kWp to 100 kWp.
Part-D : Above 100 kWp to 500 kWp.

One part may however comprise of several rooftop units. Each Rooftop unit can separately connect with the grid and may have separate meters.

2.2 Entire allocated capacity is bifurcated into different parts, bidders may quote one or more than one part:

Aggregate Capacity 50 MWp (04 Different Parts and 3 LOTs)

S. N	Category/ Proposed Capacity	Aggregate Capacity (MW)		Min Capacity (MW) (for which the Bidder can submit its Bid)	Max Capacity (MW) (for which the Bidder can submit its Bid)	
		LOT-	LOT-	LOT-		
		1	2	3		
1.	Part-A / 1 kW to 3 kW	10	4	4	For each LOT:	LOT1 – 30 MW
2.	Part-B / Above 3 kW to 10 kW	10	3	4	1 MW for General	LOT2 - 10 MW LOT3 - 10 MW
3.	Part-C / Above 10 kW to100 kW	5	2	1	Category Bidders and 0.5 MW for MSME	
4.	Part-D / Above 100 kW to 500 kW	5	1	1	INIOINIE	

The bids are invited from the prospective bidders for the tendered capacity based on the Project Cost. In this part, bidders are required to quote the Project Cost for the capacity proposed by the bidder (in between the minimum and maximum range). CFA shall be provided to the successful bidders as per the provisions laid down in the MNRE scheme.

However, MNRE vide Office Memorandum No. 318/331/2017- Grid Connected Rooftop Dated 19th February 2021 has kept a provision of minimum 10% of the total allocated capacity under the tender to L1 bidder and in the case L1 vendor does not execute the allocated capacity, as a penalty his/her bank guarantee will be encashed and he/she shall be blacklisted for 5 years from all Government Tenders.

- 2.3 Bids not in conformity with above provisions & sub-clauses will not be considered and shall be treated as nonresponsive/incomplete, and will be summarily rejected by BESCOM.
- 2.4 Further, Empanelled Vendors to whom letter of allocation have been issued will be allowed to submit single proposal for approval and issue of consent

letter by BESCOM for RTS installation, as under:

S. No	Cotogogo	LOT wise / Part wise Bid Capacity in MWp			Total Minimum Capacity for
•	Category	LOT-1	LOT-2	LOT-3	Project sanction
					in MWp
1.	Part-A				
2.	Part-B				
3.	Part-C				
4.	Part-D				

Single consent letter will be issued for the minimum capacity submitted by the bidder for approval as per above.

2.5 Offer of the Vendors who will quote less than the minimum tendered capacity in respective category will be treated as non-responsive and shall be summarily rejected. However, Offer of the Vendors who have quoted more than the maximum tendered capacity in respective category will be limited to the maximum category wise tendered capacity subject to fulfilment of qualifying requirements specified in this RFP.

3. Components/Package of Grid Connected Rooftop Solar PV System:

The bidders shall quote price of the complete package essentially covering "design, supply, erection, testing and commissioning including warranty and 05 years of comprehensive operation & maintenance of grid-connected rooftop solar PV plant. For the purpose of this tender, the components of a Grid Connected Rooftop Solar PV System shall essentially comprise but not be limited to crystalline solar PV Panels/modules of required number, Inverters/PCU, module mounting structures of minimum 300mm ground clearance at the lowest point from the roof surface, total Cable/wiring up to 30 m in length, cable conduits, required array junction boxes, DC distribution box, AC distribution box, various connectors, nut- bolts, civil and mechanical works, Protection-Earthing, lightning, surges, drawling & manual and other miscellaneous works. The price shall also be inclusive of all taxes, duties and transit insurance of all components as mentioned in the benchmark cost of MNRE. However, the price quoted by the bidders shall be inclusive of GST (Goods and Services Tax).

The empanelled vendor shall not be allowed to charge any extra amount other than the L-1 price for the package of Grid Connected Rooftop Solar PV system as indicated above. However, in case of any customization desired by the beneficiary/consumer, the vendor is allowed to charge extra amount to the

beneficiary/consumer, on actual basis, subject to signing of a declaration in this regard in the format attached at Annexure-Y.

4. INSTRUCTIONS TO THE BIDDERS

4.1. Procedure proposed to be adopted by BESCOM for implementation of the scheme:

a. The MNRE has allocated a capacity of 50 MW for BESCOM. To encourage installation of Solar Rooftop Plants across all areas in BESCOM jurisdiction, the capacity allocation of 50 MW is proposed to be divided **among 3 LOTS** as detailed below.

Sl. No.	LOT	Name of the O&M Zone	Proposed capacity Allocation
1	LOT-1	Bangalore North & South (Comprising only of Bangalore City)	30 MW
2	LOT-2	Bangalore Rural (Comprising of Bangalore Rural, Ramanagar, Chikkaballapura & Kolar Districts)	10 MW
3	LOT-3	Chitradurga (Comprising of Tumkur, Chitradurga & Davanagere Districts)	10 MW

Applications from the Consumers will be received till the proposed capacity allocation as shown in above table is reached for that particular LOT. The applications will be processed on first come first serve basis.

Entire allocated capacity is bifurcated into different parts, bidders may quote one or more than one part and in one or more than one LOT. The details are as listed in below table.

S. N	Category/ Proposed Capacity	Aggregate Capacity (MW)		Min Capacity (MW) (for which the Bidder can submit its Bid)	Max Capacity (MW) (for which the Bidder can submit its Bid)	
		LOT-	LOT-	LOT-		
		1	2	3		
1.	Part-A / 1 kW to 3 kW	10	4	4	Cumulative capacity For each LOT:	LOT1 – 30 MW
2.	Part-B / Above 3 kW to 10 kW	10	3	4	1 MW for General	LOT2 - 10 MW LOT3 - 10 MW
3.	Part-C / Above 10 kW to100 kW	5	2	1	Category Bidders and 0.5 MW for	
4.	Part-D / Above 100 kW to 500 kW	5	1	1	MSME	

- **b.** Bidders are required quote their capacities LOT wise for one or more/all parts (PART A, PART B, PART C, PART D) as detailed in clause 2.0, limiting the maximum capacity to that LOT capacity and ensuring that the quoted capacity is not less than the minimum bid capacity as listed in above table. **A bidder can participate in more than one LOT and can quote different rates for different LOTs.**
- **c.** BESCOM has developed simplified and user-friendly online portal for implementation of the SRTPV scheme wherein all the stages of implementation i.e., from application registration to commissioning can be tracked online. The bidders can visit BESCOM online portal at https://bescom.karnataka.gov.in. (Solar rooftop menu on the Home Screen)
- **d.** Interested Consumers for this scheme are required to apply online through BESCOM web portal. Only online applications will be accepted under this scheme and there is no scope for offline application.
- **e.** Identification and Survey of prospective beneficiaries and facilitating/assisting registration of the SRTPV project through BESCOM online portal is in the scope of the successful bidder.

f. BESCOM, through its online portal will provide option for SRTPV applicants to select any one of the empanelled agencies among the agencies empanelled by BESCOM for carrying of installation of their SRTPV plant. This option would be enabled for the applicants preferably at the time of execution of Power Purchase Agreement or at any stage as desired by BESCOM.

g. Payments:

The Consumer has to make the following payments.

Application & Facilitation fees: (To BESCOM)

Sl	Capacity of the	Registration	Facilitation	Total Amount
No	proposed SRTPV Plant	Fee in Rs.	Fee in Rs.	in Rs.
1	From 1kWP upto and	500	1000	1500 plus
	inclusive of 5 kWP			applicable GST.
2	Above 5kWP upto to	2000	3000	5000 plus
	and inclusive of 50 kWp			applicable GST.
3	Above 50 kWP and upto	5000	10000	15000 plus
	500 kWp			applicable GST.

Cost of Installation & Commissioning: (To Empanelled agency)

Consumer has to pay the amount exclusive of CFA amount for the registered capacity towards the cost of installation directly to the empanelled vendor. The cost per kW will be the cost discovered through this RFP for that capacity category and for that LOT.

Cost of Metering:

Consumer has to pay the cost of the bi-directional meter and the related necessary components of metring system.

- **h. Technical Feasibility:** Technical feasibility for the applications will be provided by the concerned sub divisional officers of BESCOM. The applications will be rejected if they are not technically feasible.
- i. The **Power Purchase Agreement (PPA)** will be executed with the registered applicants, if the installation of SRTPV plant is found to be technically feasible. The PPA will be executed in accordance with KERC SRTPV regulations on Non-Judicial stamp paper of Rs. 200. The cost of the stamp paper shall be borne by the Consumer.
- **j.** The empanelled agency has to install and commission the SRTPV plant within 180 days from date of issue of Work award/work approval letter or within 24 months from date of sanction to BESCOM i.e. 05.01.2022, whichever is earlier.

k. Consumer has to co-ordinate with empanelled agency and BESCOM at all stages of implementation i.e., from application to registration to commissioning to enable installation of SRTPV plant in accordance with KERC /BESCOM guidelines.

4.2. Capacity Allocation to the bidder:

BESCOM reserves the right to release the allocated capacity in batches based on the number of applications received for the agencies empanelled and allotment of successive batches after completion of previous allotted batches.

If the aggregated demand for an empanelled agency is more than the eligible capacity as per Qualifying Requirements mentioned in this RFP, then the capacity allocation will be limited to the eligible capacity as per qualifying requirements of this RFP. The balance capacity will be allocated to the other empanelled agencies.

The decision of the BESCOM in capacity allocation is final.

Capacity allocation to the bidder will be done in accordance with MNRE guidelines and circulars and the detailed procedure to be adopted by BESCOM for capacity allocation is brought out in the subsequent sections of this RFP.

- 4.3. Bidders should not be blacklisted from any of the agency with direct or indirect control of Central Government Ministries/ Departments/ Public Sector Units (PSUs)/ Institutions, State Government Departments/ Organizations /Institutions etc.
- 4.4. Bidder should have valid PAN & GST Registration Numbers as per statutory requirement.
- 4.5. Bidder must meet the eligibility criteria independently as Bidding Company or as a Bidding Consortium with one of the members acting as the Lead Member of the Bidding Consortium. Bidder will be declared as a Qualified Bidder based on meeting the eligibility criteria (Technical and Financial) and as demonstrated based on documentary evidence submitted by the Bidder during the bidding process.
- 4.6. In case of a Bidding Consortium, the Financial Eligibility criteria like Annual turnover or Net worth as indicated in **Clause 5.5.**, shall be fulfilled by the Lead Member or Parent Company of the Lead Member while the Technical Eligibility Criteria shall be fulfilled by consortium members. In case bidder is a consortium, a Consortium Agreement along with Resolution shall be furnished as per the **Format-10**.

- 4.7. Financial Consortium is not allowed in this Bidding Process. Consortium is only permitted for Technical partnership as per **Format- 10**. Further in-case where the bidding company has used the financial eligibility criteria of its parent company then it needs to be ensured that no change in the controlling equity of the Bidding Company is done before 2 years from the date of commissioning of the sanctioned capacity, requires prior approval of BESCOM. All members of the consortium should be registered under the Company Act.
- 4.8. Bidder including its member of the consortium can submit only one bid against RFP.
- 4.9. Bidder can however use the technical and financial strength of its Parent Company to fulfil the Technical and/or Financial Eligibility criteria. In such case, Bidders shall submit an Undertaking from the Parent Company as per Format 9 and also furnish a certificate of relationship of Parent Company or Affiliate with the Bidding Company as per Format-8, Company Secretary certificate towards shareholding pattern of the Parent Company and the Bidding Company along with a Board resolution from the Parent Company.

5. E-TENDER

SPECIAL INSTRUCTIONS TO BIDDERS FOR E- TENDERING GENERAL

E-Tendering is a new methodology for conducting Public Procurement in a transparent and secured manner. For conducting electronic tendering, BESCOM has decided to use the designated State e-procurement portal https://eproc.karnataka.gov.in for e-tendering process.

To participate in bidding process, bidders must have 'Digital Signature Certificate (DSC)' as per Information Technology Act-2000 to participate in online bidding. This certificate will be required for digitally signing the bid. Bidders can get above mention digital signature certificate from any approved vendors (CCA). Bidders, who already possess valid Digital Signature Certificates, need not to procure new Digital Signature Certificate.

5.1. SUBMISSION OF BID-PARTS

TECHNO - COMMERCIAL DOCUMENTS

All the documents to be submitted through online mode only i.e. through e-procurement portal https://eproc.karnataka.gov.in

No offline documents would be accepted.

All the documents in support of qualifying requirements shall be scanned and uploaded in the e-procurement portal. **Failure to furnish the documentary**

evidences/supports electronically would result in outright rejection of their offers.

The bids will be uploaded in two parts, one technical bid and the price bid.

Note: The Bidder should also upload the scanned copies of all original documents along with other requisite form and formats as Bid Annexure during Online Bid-Submission.

5.2. Special Note on Security and Transparency of Bids

Security related functionality has been rigorously implemented in eprocurement portal in a multidimensional manner. Starting with 'Acceptance of Registration by the Service Provider', provision for security has been made at various stages in Electronic Tender's software.

In such cases, if the information/declaration/details contained in the electronic forms is found to be false, forged, incomplete or in-eligible, the bid shall be summarily rejected and the tendering authority may initiate blacklisting/criminal/legal proceedings depending on the severity of the case.

5.3. In case of any discrepancy between the values mentioned in figures and in words, the value mentioned in words shall prevail.

5.4. Other Instructions

It shall be the sole responsibility of the bidders to regularly visit the website/tender portal/state portal/SPIN portal for any amendment or update on the tender process of project.

5.5. ELIGIBILITY CRITERIA/ PRE QUALIFYING REQUIREMENTS

The MNRE has allocated a capacity of 50 MW for BESCOM.

To encourage installation of Solar Rooftop Plants across all areas in BESCOM jurisdiction, the capacity allocation of 50 MW is proposed to be divided among 3 lots as detailed below.

Sl. No.	LOT	Name of the O&M Zone	Proposed capacity Allocation
1	LOT-1	Bangalore North & South	30 MW
3	LOT-2	Bangalore Rural	10 MW
4	LOT-3	Chitradurga	10 MW

Applications from the Consumers will be received till the proposed capacity allocation as shown in above table is reached for that particular lot. The applications will be processed on first come first serve basis.

Bid Capacity for each LOT:

- Minimum bid capacity for General Category bidder is 1000kWp
- Minimum bid capacity for MSME bidder is 500kWp

For the pre-qualifying requirements defined below the following terminology is applicable:

"Bidder" shall mean Bidding Company/ Bidding consortium submitting the Bid. Any reference to the Bidder includes Bidding Company / Bidding consortium / consortium, members of a bidding consortium including its successors, executors and permitted assigns and lead member of the bidding consortium jointly and severally, as the context may require".

"Bidding Company" shall refer to such single company that has submitted the response in accordance with the provisions of the tender documents.

"Bidding consortium or consortium" shall refer to a group of companies that have collectively submitted the response in accordance with the provisions of the tender documents.

Bidder must meet the eligibility criteria independently as Bidding Company or as a Bidding Consortium with one of the members acting as the Lead Member of the Bidding Consortium.

In case of a Bidding Consortium the Financial Eligibility criteria like Annual turnover shall be fulfilled by the Lead Member or Parent Company of the Lead Member while the Technical Eligibility Criteria shall be fulfilled by consortium members.

The Pre-Qualifying Requirements are stipulated in below table:

S1 No.	Requirement Description	Documents to be uploaded	
	Technical Requirements:		
1	The bidder should be a registered company in India under relevant act(s).	Valid Registration certificate (Company /LLP /Partnership /Pvt. Ltd / Public Ltd /Proprietorship /MSME).	
2	The Bidder should be a System Integrator or a Solar Module Manufacturer and should be in Solar EPC (Engineering Procurement & Construction)/ Panel Manufacturing	a. Solar Module Manufacturer shall upload the Registration certificate for	

S1 No.	Requirement Description	Documents to be uploaded
	business for at least a period of 03 years as on date of bid submission.	Manufacturing of PV Module issued by any State/ Central Government Department.
		b. A System Integrator shall upload copies of work orders /POs/certificate of installation from the clients for proof of installation of solar rooftop plants along with commissioning report issued by any DISCOM/ State Nodal Agency / Any Government department in India.
3	The Bidder should have successfully completed the following quantity of works as an EPC, during previous five years as on date of bid submission, For General Category bidders: a. For System Integrator: At least 30% of the bid minimum capacity i.e., 300 kWp of ON-Grid connected Solar Rooftop PV projects. b. For Solar Module Manufacturer: At least 20% of the bid minimum capacity i.e., 200 kWp of ON-Grid connected Solar Rooftop PV projects. c. For MSME: At least 20% of the bid minimum capacity i.e., 100 kWp of ON-Grid connected Solar Rooftop PV projects.	Copies of the Work Orders/PO's/ Certificates of installation from the client along with commissioning report/ certificate issued by any DISCOM/ State Nodal Agency / Any Government department in India.
4	The bidder, during previous 05 years as on date of bid submission should have executed,	Copies of work orders /POs/certificate of installation from the clients.

S1 No.	Requirement Description	Documents to be uploaded
110.	For General Category Bidders	
	a. For System Integrator: Solar EPC works not less than Rs. 1 Crore.	
	b. For Solar Module Manufacturer: Solar Panel Manufacturing / Solar EPC works not less than Rs. 0.70 Crore.	
	c. For MSME: Solar Panel Manufacturing / Solar EPC works not less than Rs. 0.35 Crore.	
5	The Bidder should not have been Defaulted against any Work/Service against any of the previous Orders placed by any State /Central Government/ Public sector undertakings/ Private Sector as on the date of submission of bid.	
6	The Bidder should not be Blacklisted by any State /Central Government / Public sector undertakings/ Private Sector as on the date of submission of bid.	letter by Authorized
Fina	ancial Requirements	
7	The Annual turnover of the Bidder should not be less than Rs.1.5 Crores in any one of the financial years 2015-16, 2016-17, 2017-18, 2018-19 and 2019-20. In respect of MSME, the Annual turnover of the Bidder should not be less than Rs.0.75 Crores in any one of the financial years 2015-16, 2016-17, 2017-18, 2018-19 and 2019-20.	Audited Annual Reports of Balance Sheet and Profit & Loss accounts for the years 2015-16, 2016-17, 2017-18, 2018-19 and 2019-20.
8	The liquid assets of the bidder as on 31.08.2021 or at later date, but before the date of bid submission shall not be less than Rs 18.75 lakhs Liquid asset shall include the following	The cash at bank and term deposits and availability of fund based credit facility as on 30.11.2021 or at later date, but before the date of bid submission shall be supported by certificates

S1 No.	Requirement Description	Documents to be uploaded
	 Cash at Bank. Term deposits. Availability of fund based credit facility 	issued from the Nationalized/ Scheduled Commercial Bank. In case of fund based credit facility, certificate shall include amount sanctioned, amount utilized /available and balance available.
Gen	eral Requirements	
9	Any Bidder from a country which shares a land with India will be eligible to bid in this tender only if the Bidder is registered with the Competent Authority.	Registration certificate issued by the competent authority shall be uploaded.
10	As per the Government Order No. FD 908 EXP-12/2019 Bengaluru dated: 21.07.2020. A certificate for having read the clauses is required to be submitted/uploaded by the tenderer separately in the following format: "I have read the clause regarding restrictions on procurement from a Bidder of a country which shares a land border with India; I certify that this Bidder is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that this Bidder fulfils all requirements in this regard and is eligible to be considered. (Where applicable, evidence of valid registration by the Competent Authority shall be attached.)"	Self-declaration certificate

Note:

If the bidder intends to quote more than the minimum bid capacity in single or multiple lots, then the financial requirements defined above shall be in commensurate to the total bid capacity (Addition of capacities in MW quoted for all lots) quoted in MW.

For example:

Bidder	Total Capacity quoted by bidder in	Nos. of LOTS participated	Required Turnover as conditions Crores	_	Required liquid assets as per PQR
	MW (Inclusive of all Parts)	by the bidder	General Category	MESME	conditions in Rs. lakhs
Bidder-1	01	01	1.5	0.75	18.75
Bidder-2	02	01	3.0	1.5	37.5
Bidder-3	03	02	4.5	2.25	56.25

6. BID SUBMISSION BY THE BIDDER

- 6.1 Bids are required to be submitted their bids through e-procurement portal only.
- 6.2 Strict adherence to the formats wherever specified, is required. Wherever, information has been sought in specified formats, the Bidder shall refrain from referring to brochures /pamphlets. Non-adherence to formats and / or submission of incomplete information may be a ground for declaring the Bid as non-responsive. Each format has to be duly signed and stamped by the authorized signatory of the Bidder then scanned and uploaded in the Techno- Commercial Bid Part.
- 6.3 The Bidder shall furnish documentary evidence in support of meeting Eligibility Criteria as indicated in the RFP.

7. BID SUBMITTED BY A BIDDING COMPANY

The Bidding Company should designate one person to represent the Bidding Company in its dealings with BESCOM. The person should be authorized to perform all tasks including, but not limited to providing information, responding to enquires, signing of Bid etc. The Bidding Company should also upload, along with Bid, a Power of Attorney (as per Format-6), authorizing the signatory of the Bid.

8. CLARIFICATIONS AND PRE-BID MEETING

8.1 BESCOM will not enter into any correspondence with the Bidders, except to furnish clarifications on RFP Documents, if necessary. The Bidders may seek clarifications or suggest amendments to RFP online, through e-mail to reach the designated officials of BESCOM i.e. the General Manager (DSM) at gmdsm@bescom.co.in before the date and time mentioned for pre bid queries in the e-procurement portal

- <u>https://eproc.karnataka.gov.in</u>. However, any amendment in the RFP shall be at the sole discretion of the BESCOM and in accordance with the MNRE scheme.
- 8.2 The Bidder(s) or their authorized representative(s) is /are invited to attend pre-bid meeting(s), which will take place on date(s) as specified in the e-procurement portal.
- 8.3 The purpose of the pre-bid meeting will be to clarify any issues regarding the RFP including in particular, issues raised in writing and submitted by the Bidders.
- 8.4 BESCOM is not under any obligation to entertain/ respond to suggestions made or to incorporate modifications sought for.

9. AMENDMENTS TO RFP BY BESCOM

- 9.1. At any time prior to the deadline for submission of Bids, BESCOM may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder, modify the RFP document by issuing clarification(s) and/or amendment(s). However, any amendment to the RFP shall be at the sole discretion of the tendering authority and in accordance with the MNRE scheme.
- 9.2. The clarification(s)/ amendment(s) (if any) shall be notified on e-procurement website and no separate communication in this regard would be sent to the bidders.
- 9.3. BESCOM will not bear any responsibility or liability arising out of non-receipt of the information regarding Amendments in time or otherwise. Bidders must check the website for any such amendment before submitting their Bid.
- 9.4. In case any amendment is notified after submission of the Bid (prior to the opening of Techno-Commercial Bid), due date /time may be extended and it will be for the Bidders to submit fresh Bids/supplementary bids by the revised date any, if notified by the BESCOM for the purpose.
- 9.5. All the notices related to RFP, which are required to be publicized shall be uploaded on https://eproc.karnataka.gov.in

10. BIDDING PROCESS

10.1 **BID FORMATS – For each part**

The Bidders are advised to submit bids against each Four Parts i.e. for Part A, Part B, Part C and Part D for one or more LOTs as in the manner

provided in **Clause 6 of Section-I** and submit requisite document as per **Clause 5.5**.

PRICE BID(S): The Bidder shall submit online Price Bid for Part-A, Part-B, Part-C and Part-D separately against each part and for each participating LOT. Only online price bids shall be considered for evaluation, any offline submission shall be treated as non-responsive and shall be summarily rejected. Bidders are allowed to participate in multiple LOTs.

In order to avoid a situation wherein the bidders are reluctant to implement projects in particular area (s) or LOT (s) due to low L-1 rates, the bidders have the flexibility to quote separate L-1 prices for different LOTs.

In case bids are not received for a particular districts/locality/area/region, depending on the mode of implementation, re-tendering would be done to identify L-1 price for such cases. In the re-tendering, the bidders who have already participated in the tender will not be allowed to participate. In case L-1 price is not discovered for such areas through re-tendering, L-1 price for such areas would be identified by MNRE & implementing agencies from among the prices already discovered through first tender. All firms willing to match the L-1 price thus identified would be allowed to implement projects in such areas and for such cases the condition for 10% capacity implementation by L-1 would not be applicable.

10.2 VALIDITY OF BID

- 10.2.1. The bid and the Price Schedule included shall remain valid for the validity of MNRE sanction i.e. for a period of 24 months from date of sanction of 05.01.2022 or timeline specified in the work order, whichever is later. The bidders shall have no right to withdraw, revoke or cancel their offer or unilaterally vary the offer submitted or any terms thereof during the entire process. Bidders are not allowed to revoke or cancel offer or vary any term & conditions in regard thereof. Confirmation regarding the Bid offer validity shall be clearly mentioned in the covering letter.
- 10.2.2. In exceptional circumstances when letter of allocation is not issued, BESCOM may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing.

10.3 **COST OF BIDDING**

The bidder shall bear all the costs associated with the preparation and submission of their offer, and the implementing agency will not be responsible or liable for those costs, under any conditions. The Bidder shall not be entitled to claim any costs, charges and expenses of and incidental to, or incurred by bidder, through or in connection with submission of bid even though BESCOM may elect to modify/withdraw the invitation of Bid.

10.4 **BID BOND/EMD**

Bidders shall pay Tender Processing Fee and EMD through online e-payment modes as provided in e-Procurement portal. EMD shall be paid within the due date.

Based on the total Bid capacity proposed by the bidder in the bid, Bid Bond / EMD shall be furnished.

Bid bond/EMD amount = (INR 554) x Bid Capacity in kWp

EMD upto Rs.5,54,000 i.e. for 1 MW bid capacity shall be paid through e-procurement portal and if the bidder wishes to quote more than 1 MW Capacity, then the balance EMD shall be paid by way of Bank Guarantee in favor of the General Manager, DSM, BESCOM, Bangalore, issued from Scheduled Bank and shall be submitted at the Office of General Manager (Ele), DSM Section, Ground Floor, Block-II, Corporate Office, BESCOM before the last date of submission of bids.

The scanned copies of Bank Guarantee shall be uploaded along with technical bids.

The bidders are required to submit single EMD for all the participated category and LOTs and furnish the same as described above. For arriving at EMD, the bidders are required to sum up all the capacities of the participated category and LOT.

If the EMD furnished by the bidder is less than the quoted capacity of the bidder, then the bids of such bidder will be rejected.

EMD in the form of Bank Guarantee covering 30 days after the Validity Period of the Bid including Period of Extension, if any required by the BESCOM shall be furnished & scanned copy shall be uploaded along with technical bid documents.

Bids without accompanying the EMD will be rejected. No correspondence will be entertained in this regard. EMD is payable irrespective of any other permanent or other EMD already paid by the Bidder for any other purpose. Postal Orders or Cheques will not be accepted. Any request for adjustment of amount due from BESCOM towards the EMD will not be entertained.

The Earnest Money so deposited will be liable for forfeiture: -

a) If the Bid which it covers, is withdrawn before the Bidder received formal intimation as to the BESCOM's decision in regard to the tender

within validity of the Bid, OR

b) If the successful Bidder fails to deposit the security deposit.

Earnest Money Deposit of the successful Bidder will be refunded after furnishing Performance guarantee & after execution of Contract Agreement. The EMD of the unsuccessful bidders shall be returned after the successful Bidders execute the contract agreement or if the enquiry initiated is dropped or closed.

Micro and Small Enterprises registered with NSIC under a single point vendor registration scheme are exempted from payment of EMD.

10.5 PERFORMANCE BANK GUARANTEE (PBG)

Performance Bank Guarantee:

The bidder has to submit the PBG in the following manner:

Performance Bank Guarantee for Installation and Commissioning (I&C): The bidder shall furnish the performance bank guarantee for installation and commissioning based on the allocated capacity.

The value of PBG for the allocated capacity for each part shall be calculated as below:

PBG Value (In Rs. Lakhs) = INR [(cost discovered/kW)] X 5% X Allocated Capacity in KWp.

The total value of PBG to be submitted by the successful bidder is the sum of value of PBG for each part and LOT.

The PBG shall be submitted within 15 days from the date of issue of LOI/LOA/Work Order, whichever is issues first, and be valid for 24 months. Bidders should submit Single PBG for each LOT based on the total allocated capacity in each category. The Performance Bank Guarantee shall be released after completion of the empanelment period with the compliance of entire obligations in the contract.

Further, any delay in submission of PBG for I & C period beyond 15 days, BESCOM at its sole discretion may cancel the allocated capacity. Such Vendors (who have not submitted PBG) shall be debarred from participating in BESCOM's future tenders for a period as decided by Competent Authority. Part PBG shall not be accepted.

Performance Bank Guarantee for Operation and Maintenance: The bidder shall furnish the performance bank guarantee for O&M based on the installed capacity.

The value of PBG for the installed capacity for each part shall be calculated as below:

PBG Value (In Rs. Lakhs) = INR $[(cost\ discovered/kW)]$ X 5% X installed Capacity in KWp.

The total value of PBG to be submitted by the successful bidder for O&M is the sum of value of PBG for each part and LOT.

The PBG shall be submitted within 30 days from the end of the empanelment period and be valid for 05 year + 3 months. Bidders should submit Single PBG based on the installed capacity in each category. The Performance Bank Guarantee shall be released after completion of the O&M period with the compliance of entire obligations in the contract.

Further, any delay in submission of PBG for O&M period beyond 30 days, BESCOM at its sole discretion may forfeit 100% of PBG for the I&C period. Such Vendors (who have not submitted PBG) shall be debarred from participating in BESCOM's future tenders for a period as decided by Competent Authority. Part PBG shall not be accepted.

The Performance Bank Guarantee shall be denominated in Indian Rupees and shall be in the following forms: Bank guarantee from the List of banks as given in **Annexure-B**.

The PBG shall be forfeited as follows without prejudice to the Bidder being liable for any further consequential loss or damage incurred to the Plant.

- 10.5.1. If the Empanelled Vendor is not able to commission the projects to the satisfaction of BESCOM, PBG (for I&C period) amount on pro-rata basis by the empanelled vendor shall be 100% encashed.
- 10.5.2. In all the above cases corresponding unidentified/non-commissioned capacity shall stand cancelled.
- 10.5.3. If the empanelled vendor is unable to submit the PBG (for O&M period), the PBG (for I&C period) shall be encashed.

11. OPENING OF BIDS

The Techno-Commercial Bid will be opened on 18.02.2022, 11:30 hrs as mentioned in the e-procurement portal. However, Price Bids of Techno-Commercially responsive Bidders will be opened in e-procurement portal after completion of Techno-Commercial evaluation. Separate intimation regarding date of opening of Price Bid will not be issued.

- a) General Manager (DSM) will open the bids on the specified date & time.
- b) The bidder's representatives who are present shall sign in a register.

c) General Manager (DSM) will examine the Bids to determine whether they are complete whether the Bidder satisfies the eligibility criteria; whether required sureties have been furnished; whether the documents have been properly signed and whether the Bids are generally in order.

12. RIGHT TO WITHDRAW THE RFP AND TO REJECT ANY BID

- 12.1.1 This RFP may be withdrawn or cancelled by the BESCOM at any time without assigning any reasons thereof. BESCOM further reserves the right, at its complete discretion, to reject any or all of the Bids without assigning any reasons whatsoever and without incurring any liability on any account.
- 12.1.2 BESCOM reserve the right to interpret the Bid submitted by the Bidder in accordance with the provisions of the RFP and make its own judgment regarding the interpretation of the same. In this regard BESCOM shall have no liability towards any Bidder and no Bidder shall have any recourse to BESCOM with respect to the selection process. BESCOM shall evaluate the Bids using the evaluation process specified in Section -I, at its sole discretion. BESCOM decision in this regard shall be final and binding on the Bidders.
- 12.1.3 BESCOM reserves its right to vary, modify, revise, amend or change any of the terms and conditions of the Bid before submission. The decision regarding acceptance of bid by BESCOM will be full and final.

13. ZERO DEVIATION

This is a ZERO Deviation Bidding Process. Bidder is to ensure compliance of all provisions of the Bid Document and submit their Bid accordingly. Tenders with any deviation to the bid conditions shall be liable for rejection.

14. EXAMINATION OF BID DOCUMENT

- 14.1 The Bidder is required to carefully examine the Technical Specification, Terms and Conditions of Contract, and other details relating to supplies as given in the Bid Document.
- 14.2 The Bidder shall be deemed to have examined the bid document including the agreement/ contract, to have obtained information on all matters whatsoever that might affect to execute the project activity and to have satisfied as to the adequacy of their bids. The bidder shall be deemed to have known the scope, nature and magnitude of the supplies and the requirements of material and labour involved etc. and as to all supplies, the bidder has to complete in accordance with the Bid document.

- 14.3 Bidder is advised to submit the bid on the basis of conditions stipulated in the Bid Document. Bidder's standard terms and conditions if any will not be considered. The cancellation / alteration / amendment / modification in Bid documents shall not be accepted by BESCOM.
- 14.4 Bid not submitted as per the instructions to bidders is liable to be rejected. Bid shall confirm in all respects with requirements and conditions referred in this bid document.

B. CONDITIONS OF CONTRACT

1.0. SCOPE OF WORK

1.1. The Bidders shall be obliged to complete the Work as per the articulated detailed Scope of work under Clause No. 1 and in accordance with the package of Grid Connected Rooftop Solar PV project defined above.

2.0. PROJECT COST

- 2.1 The Project cost shall include all the costs related to above Scope of Work. Bidder shall quote for the entire facilities on a "single responsibility" basis such that the total Bid Price covers all the obligations mentioned in the Bidding Documents in respect of Design, Supply, Erection, Testing and Commissioning including Warranty, Operation & Maintenance (for a period of 5 years), goods and services including spares required if any during O&M period. The Bidder has to take all permits, approvals and licenses, insurance etc., provide training and such other items and services required to complete the scope of work as mentioned above.
- 2.2 The Project cost is on lump sum turnkey basis and the bidder is responsible for the entire Scope of work as per RFP.
- 2.3 The Project cost shall remain firm and fixed and shall be binding on the Successful Bidder till completion of work for payment of CFA amount irrespective of the actual cost of execution of the project. No escalation will be granted on any reason whatsoever. The bidder shall not be entitled to claim any additional charges, even though it may be necessary to extend the completion period for any reasons whatsoever.
- 2.4 The Project cost shall be **inclusive of all duties, taxes and transit insurance** etc. The prices quoted by the firm shall be complete in all respect and no price variation /adjustment shall be payable by BESCOM.
- 2.5 Operation & Maintenance of Solar PV Power Plant would include wear, tear, overhauling, machine breakdown, insurance, and replacement of defective modules, invertors / Power Conditioning Unit (PCU) spares, consumables & other parts for a period of 05 years projects.
- 2.6 The Project cost shall be specified in consent letter based on Empanelled Vendor's quote for each part. The project cost shall be in accordance with all terms, conditions, specifications and other conditions of the Contract as accepted by BESCOM and incorporated into the consent letter.

2.7 The Bidder shall complete the Price Bid as per applicable **Formats** online only.

3.0. INSURANCE

- 3.1. The Empanelled Vendor shall be responsible and take an Insurance Policy for all the materials to cover all risks and liabilities for supply and storage of materials at site, installation, testing and commissioning. However, this shall not include insurance of commissioned plant after handing over to the beneficiary.
- Before commencement of work, the Empanelled Vendor shall also take 3.2. insurance for Third Party Liability covering loss of human life, engineers and third workmen and also covering the risks of damage to the party/material/equipment/properties during execution of the Contract. The Empanelled Vendor will ensure that all its employees and representatives are covered by suitable insurance against any damage, loss, injury or death arising out of the execution of the work or in carrying out the Contract. Liquidation, Death, Bankruptcy etc., shall be the responsibility of bidder.
- 3.3. The bidder shall also take appropriate insurance during O&M period.
- 3.4. The Insurance covers as mentioned in **clause No 3.1** is mandatory and in case of any violation of not taking Insurance Cover may result in imposition of Penalty. Penalty shall be deducted from the Vendors claim for CFA as under and the CFA, in such cases shall be released only on submission of Indemnity Bond as per the format attached as per **Annexure N**. The provision of penalty for not taking insurance is one time only, on repetition of the same, the sanctioned of the particular site will be waived-Off.

4.0. WARRANTEES AND GUARANTEES

The Empanelled Vendor shall provide warrantee covering the rectification of any and all defects in the design of equipment, materials and workmanship including spare parts for a period of 5 years from the date of commissioning for projects.

5.0. Penalty Provisions

- 5.1. Penalty will be imposed on bidder by BESCOM if following conditions are encountered. The Bank Guarantee submitted by the bidder will be encashed and the bidder shall be blacklisted for 5 years from all Government tenders if:
 - i. If bidders demand for additional amount/remuneration against the installation of work on and above the discovered L1 rate for the identified package.
 - ii. If bidders are defaulting in submission of Bank Guarantee/Required Relevant Documents during the bidding/empanelment process.

- iii. If bidders denied implementing projects in allocated districts/regions/clusters etc.
- iv. Non- performance of the RTS plant based on PR as mentioned in the clause No. 9 of conditions of contract.
- v. If bidders are failed to comply with DCR, ALMM and other mandatory requirements of Phase-II Guidelines and issued Amendments.
- vi. Penalties may lead to the encashment of Partial/full Performance Bank Guarantee and subsequently debarring or blacklisting from the future State/Central Government Tender.
- vii. To ensure the performance of the empanelled vendors, and declaration to take the liabilities of paying /submitting 5% CPG apart from other penal provisions of the tender in the event of non-performance of failure to fulfilment of contract obligations or terms and conditions of RFP required to be submitted on appropriate value of non-judicial stamp paper.

6.0. TYPE AND QUALITY OF MATERIALS AND WORKMANSHIP

- 6.1. The design, engineering, manufacture, supply, installation, testing and performance of the equipment shall be in accordance with latest appropriate IEC/ Indian Standards as detailed in the **Section- III (Technical specifications)** of the bid document.
- 6.2. The specifications of the components should meet the technical specifications mentioned in **Section III**.
- 6.3. Any supplies which have not been specifically mentioned in this Contract but which are necessary for the design, engineering, manufacture, supply & performance or completeness of the project shall be provided by the Bidder without any extra cost and within the time schedule for efficient and smooth operation and maintenance of the SPV plant.

7.0. OPERATION & MAINTENANCE (O&M) GUIDELINES TO BE MANDATORILY FOLLOWED BY BIDDERS.

The bidder shall be responsible for all the required activities for successful operation and maintenance of the Rooftop Solar PV system for a period of 5 years from the date of commissioning of the plant.

- 7.1. Below mentioned guidelines, shall be followed for O&M practices, which is not limited to **Annexure-C.**
 - i. O&M of Solar Power Plant shall be compliant with grid requirements to achieve committed energy generation.
 - ii. Deputation of qualified and experienced engineer/ technicians till the

- O&M period at project site as & when required.
- iii. Quarterly checks of the Modules, PCUs and BoS shall be carried out as a part of routine preventive and breakdown maintenance.
- iv. Immediate replacement of defective Modules, Invertors/PCUs and other equipment as and when required.
- v. Supply of all spares, consumables and fixtures as required. Such stock shall be maintained for all associated equipment and materials as per manufacturer/ supplier's recommendations.
- vi. All the equipment testing instrument required for Testing, Commissioning and O&M for the healthy operation of the Plant shall be maintained by the Bidder. The testing equipment must be calibrated once every 2 years from NABL accredited labs and the certificate of calibration must be kept for reference as required.
- vii. If negligence/ mal-operation on part of the Bidder's operator results in failure of equipment, such equipment should be repaired/ replaced by the Bidder free of cost.
- viii. Co-ordination with Owner / BESCOM / CEIG as per the requirement for Joint Metering Report (JMR). The person in charge present at site from bidder's side shall take a joint meter reading in the presence of rooftop owner as per billing cycle. Furnishing generation data each month to BESCOM positively by 1st week of every month for the previous month. Failure to adhere may result in non-disbursal of CFA.
- 7.2. maintenance maintained record register is to be by the operator/technician/bidder with effect from Commissioning to record the generation, regular maintenance work carried out as well as any preventive and breakdown maintenance along with the date of maintenance, reasons for the breakdown, duration of the breakdown, steps taken to attend the breakdown, etc. Failure to adhere to above shall result in non-disbursal of CFA/ Encashment (Partial/Complete) of Performance Bank Guarantee/ any other penal action subject to the decision of BESCOM.
- 7.3. If any jobs covered in O&M Scope as per RFP are not carried out by the contractor/ Bidders during the O&M period, the designated Official shall take appropriate action as deemed fit. BESCOM reserves the right to make surprise checks/ inspection visits at its own or through authorized representative to verify the O&M activities being carried out by the Bidder. Failure to adhere to above guidelines will result in penal action including debarring from participation in next tender.
- 7.4. The Bidders should have their service network in BESCOM jurisdiction (In the area of the LOT participated by the bidder), within a radius of 50 Kms and shall provide address of service centre in O&M manual. A copy of the same shall also be provided to BESCOM.

- 7.5. The bidder shall use the original parts in case of any fault in the PCU/Inverter during the AMC period of 5 years. In case the original part/parts are not available with the manufacturer of the PCU/Inverter (Based on certificate from the manufacturer), the bidder shall use the new parts of other standard brands available in the market or will use the repaired parts.
- 7.6. If Bidder fails to comply with the O&M guidelines, it may lead to the encashment of Performance Bank Guarantee and subsequently debarring or blacklisting from the future State/Central Government Tenders.

8.0. METERING AND GRID CONNECTIVITY

Metering and grid connectivity of the Solar Rooftop Plants under this scheme would be the responsibility of the Empanelled Vendor in accordance with the terms and conditions laid down in bid document and prevailing guidelines/regulation of Karnataka State Electricity Regulatory Commission (KERC)/ Central Electricity Authority (CEA) and issued amendments.

9.0. PLANT PERFORMANCE EVALUATION

The Empanelled Vendor shall be required to meet minimum guaranteed generation with Performance Ratio (PR) at the time of commissioning as per the radiation levels of the location during the O&M period. PR should be shown minimum of 75% at the time of inspection for initial commissioning acceptance to qualify for release of CFA. The PR will be measured at Inverter output level during peak radiation conditions. It will be the responsibility of the bidder to make necessary arrangements, including required instruments for measurement of Ratio.

10.0. PROGRESS REPORT

The bidder shall submit the monthly progress report to BESCOM in Prescribed Performa during the period of installation. BESCOM will have the right to depute its representatives to ascertain the progress of contract at the premises of works of the empanelled vendors.

11.0. Submission of Project Completion Report (PCR)

The Empanelled Vendor shall submit the Project Completion Report in (soft copy and signed copy) after commissioning of the project as per the Scope of RFP to BESCOM as per the Format given in Annexure J. Non submission of the report shall be considered as "Breach of Contract" and shall attract punitive actions as per the relevant provisions of the Contract including non-release of CFA. However, the decision of Engineer–in -charge shall be final in this regard.

12.0. Submission of O&M Report (OMR)

The bidder shall submit the quarterly O&M Report mandatorily to BESCOM as per the Format enclosed at **Annexure H**. Non submission of the report shall be considered as "Breach of Contract" and shall attract punitive actions as per the relevant provisions of the Contract including non-release of CFA. However, the decision of Engineer–in -charge shall be final in this regard.

13.0. INVOICE TO CONSUMER

The selected bidders shall raise the Tax invoice to the consumers after completion of the project as per the **Annexure I**. The tax invoice should contain all invoice able items with the applicable tax as per GoI GST slabs. The net invoice amount shall not exceed per kW discovered rate.

14.0. CHANGE IN LAW

In the event a Change in Law results in any adverse financial loss/ gain to the Empanelled Vendor then, in order to ensure that the Empanelled Vendor is placed in the same financial position as it would have been had it not been for the occurrence of the Change in Law, the Empanelled Vendor/ BESCOMs on behalf of residential consumer shall be entitled to compensation by the other party, as the case may be, subject to the condition that the quantum and mechanism of compensation payment shall be determined and shall be effective from such date as decided by BESCOM.

In these Guidelines, the term Change in Law shall refer to the occurrence of any of the following events after the last date of the bid submission, including (i) the enactment of any new law; or (ii) an amendment, modification or repeal of an existing law; or (iii) the requirement to obtain a new consent, permit or license; or (iv) any modification to the prevailing conditions prescribed for obtaining an consent, permit or license, not owing to any default of the empanelled vendor; or (v) any change in the rates of any Taxes which have a direct effect on the Project. However, Change in Law shall not include any change in taxes on corporate income or any change in any withholding tax on income or dividends.

The bidders are required to study carefully the conditions of the tender document, the enclosed specifications and the relevant provision of the relevant BIS/IS/MNRE specifications wherever necessary before submitting the proposal. Technical particulars of the material offered must comply with the enclosed specifications and the relevant provisions of the BIS/IS/MNRE as far as possible.

Any changes in the constitution of the firm/company shall be notified forth with by the Empanelled Vendor in writing to the Company and such change shall not relieve the tenderer from any liability under the contract. Bidder will have to submit GST registration certificate number and GST clearance certificate from the competent authority concerned along with the proposal without which proposals may not be considered provided that the purchasing authority has reason to believe (to be recorded in writing) that the bidder has not been able to submit clearance certificate of GST on bona-fide grounds, the authority may consider the tender asking the bidder to furnish the certificate later on but in any case before the execution of the agreement by the successful bidder.

The bidder shall sign on each page at the end in token of acceptance of all the terms and it would be attached /uploaded with the proposal along with the declaration. He should also sign at the bottom of each of the pages of his tender.

The authorisation for installing SPV system can be repudiated at any time by BESCOM if the systems are not supplied and installed to its satisfaction. The reasons for repudiation shall be recorded by the BESCOM. In case of non-performance in any form and shape of the terms & conditions of the agreement, BESCOM has power to cancel the authorisation pertaining to the supply and installation of systems.

If a bidder imposes conditions, which are in addition to/or in contravention with the conditions mentioned herein, then the submitted tender is liable to be summarily rejected. In any case none of such conditions will be deemed to have been accepted unless specifically mentioned in the letter of authorisation issued by BESCOM.

If any question is raised or issue arises between the consumer and Empanelled Vendor and matter is taken to a consumer court, BESCOM shall not be responsible in any manner and shall not be made a party in it.

15.0. PROJECT INSPECTION

All project progress will be monitored by BESCOM and the projects can be inspected for quality at any time during commissioning or after the completion of the project by officer(s) from MNRE and/or BESCOM and/or any agency/ experts designated / authorized by MNRE and/or BESCOM from time to time. BESCOM shall depute a technical person from its office or from list of empanelled experts/ agencies updated from time to time for inspection/ third party verification, monitoring of system installed to oversee the implementation as per required standards. The cost of inspection at the time of commissioning shall be borne by the implementing agency. However, if the project is not found to be installed in an appropriate manner, all arrangement for the next visit of the authorized representative of the implementing agency shall be made by the vendor. There shall be no separate charges/fees for the inspections. The inspection shall be

broadly governed by the following mechanism:

- 15.1 After complete installation of the system, the Bidders shall immediately intimate to BESCOM in writing for such inspections. BESCOM will complete the inspection of the PV system within 30 days of the receipt of the intimation. Visual inspection shall be carried for 100% of SPV systems. All cost pertaining to this inspection shall be borne by the implementing agency.
- 15.2 The material/installation found sub-standard or faulty is to be replaced by the bidder with new material as per the specifications. The systems shall be offered for inspection again after necessary rectification. Expenses for such reinspection shall be borne by the Bidders. BESCOM at its discretion may also pick up samples from the lot of systems being supplied by the vendor at random from the warehouse for quality check only. The samples picked up will be tested for acceptance test as decided by BESCOM at MNRE/ Government approved laboratory in presence of representatives of supplier and BESCOM as per relevant IEC/IS/BIS/ BESCOM specifications.
- 15.3 The test results will be binding on the suppliers and BESCOM, in general will not allow re-sampling. If the material fails in any of the acceptance tests carried out, those components that fail the test shall be rejected, and the Bidder shall have to supply and install the new component as per the specifications. The loss of generation during such time when the system is taken away for testing shall be at the cost of the Bidder, who shall compensate the Beneficiary for such loss of generation as per the pro-rata PR as per this RFP.
- 15.4 The Bidders will offer Solar PV Systems for inspection at their site/warehouse by MNRE or BESCOM or its authorized quality inspection agency.

 MNRE/BESCOM may carry out random testing/inspection of SPV systems at the site. However, all costs towards such inspection shall be borne by MNRE/BESCOM.
- 15.5 BESCOM reserves the right to inspect any number of SPV systems, at the addresses of the beneficiaries given by the Bidders. Pre-dispatch inspection of the components is not mandatory as 100% visual inspection is being carried out BESCOM and declaration for DCR modules is being furnished by the bidder. However, pre-dispatch inspection may be carried out by BESCOM at the works of OEM (Original Equipment Manufacturer), where SPV (Solar Photovoltaic) panels are being manufactured. Any cost towards pre-dispatch inspection shall be solely borne by BESCOM.

15.6 **Cost of inspection:** All the expenses related to inspection team like lodging, boarding, travelling, air tickets to be borne by BESCOM.

16.0. SETTLEMENT OF DISPUTE

- a) A Party claiming that a Dispute has arisen under this Agreement must give the other Party a written notice of the particulars of the Dispute.
- b) Any dispute(s) or difference(s) arising out of or in connection with the Contract shall, to the extent possible, be settled amicably between the parties.
- c) If the party fails to resolve such a dispute or difference by mutual consultancy within thirty (30) days from the commencement of such dispute and difference, either party may require that the dispute be referred to arbitration under the Arbitration and Conciliation Act, 1996 (Indian) and Subsequent Amendments made thereon, to be adjudicated by a sole arbitrator to be appointed by mutual agreement of both the parties and the award of the arbitrator shall be final and conclusive and binding upon both the parties. (The date of commencement of the dispute shall be taken from the date when this clause reference is quoted by either party in a formal communication clearly mentioning existence of dispute or as mutually agreed).
- d) The place of arbitration shall be in Bangalore. The arbitral procedure shall be conducted in English language.
- e) The cost of arbitration including the fees of arbitrator shall be borne by both the parties equally.
- f) During the settlement of disputes and Arbitration proceedings, both parties shall be obliged to carry out their respective obligations under the contract.
- g) The courts of Bangalore only shall have the jurisdiction.

17.0. FORCE MAJEURE

- 17.1. Notwithstanding the provisions of clauses contained in this RFP document; the contractor shall not be liable to forfeit (a) PBG for delay and (b) termination of contract; if the Contractor is unable to fulfil his obligation under this contract due to force majeure conditions.
- 17.2. For purpose of this clause, "Force Majeure" means an event beyond the control of the contractor and not involving the contractor's fault or negligence and not foreseeable, either in its sovereign or contractual capacity. Such events may include but are not restricted to Acts of God, wars or revolutions, fires, floods, epidemics, quarantine restrictions, Grid Problems/ shutdowns and fright embargoes etc. Whether a "Force majeure" situation exists or not, shall be decided by BESCOM and MNRE and this decision shall be final and binding on the contractor and all other concerned.

- 17.3. In the event that the contractor is not able to perform his obligations under this contract on account of force majeure, then the Contractor will be relieved of the obligations during the force majeure period. In the event that such force majeure extends beyond Six (06) months, BESCOM has the right to terminate the contract in which case, the PBG shall be refunded to the vendor.
- 17.4. If a force majeure situation arises, the contractor shall notify BESCOM in writing promptly, not later than 14 days from the date such situation arises. The contractor shall notify BESCOM not later than 3 days of cessation of force majeure conditions. After examining the cases, BESCOM shall decide and grant suitable additional time for the completion of the work, if required.

18.0. LANGUAGE

All documents, drawings, instructions, design data, calculations, operation, maintenance and safety manuals, reports, labels and any other date shall be in English Language only. The contract agreement and all correspondence between BESCOM and the bidder shall be in English language. O&M manual and warranty card should be in English & Kannada languages.

19.0. OTHER CONDITIONS

- 19.1. The Empanelled Vendor shall not transfer, assign or sublet the work under this contract or any substantial part thereof to any other party without the prior consent of BESCOM in writing.
- 19.2. The Empanelled Vendor or its subcontractors shall not display the photographs of the work and not take advantage through publicity of the work without written permission of BESCOM / consumer.
- 19.3. The Empanelled Vendor or its subcontractors shall not make any other use of any of the documents or information of this contract, except for the purposes of performing the contract.
- 19.4. BESCOM will not be bound by any Power of Attorney granted/ issued by the Empanelled Vendor or its subcontractors or by any change in the composition of the firm made during or subsequent to the execution of the contract. However, recognition to such Power of Attorney and change (if any) may be given by BESCOM after obtaining proper legal advice, the cost of which will be chargeable to the Empanelled Vendor concerned.

19.5. SUCCESSORS AND ASSIGNEES:

In case BESCOM or Empanelled Vendor may undergo any merger or amalgamation or a scheme of arrangement or similar re-organization & this

contract is assigned to any entity(ies) partly or wholly, the contract shall be binding mutatis mutandis upon the successor entities & shall continue to remain valid with respect to obligation of the successor entities.

20.0. SEVERABILITY:

It is stated that each paragraph, clause, sub-clause, schedule or annexure of this contract shall be deemed severable & in the event of the unenforceability of any paragraph, clause sub-clause, schedule or the remaining part of the paragraph, clause, sub-clause, schedule annexure & rest of the contract shall continue to be in full force & effect.

21.0. COUNTERPARTS:

This contract may be executed in one or more counterparts, each of which shall be deemed an original & all of which collectively shall be deemed one of the same instruments.

22.0. RIGHTS & REMEDIES UNDER THE CONTRACT ONLY FOR THE PARTIES

This contract is not intended & shall not be construed to confer on any person other than the BESCOM & Empanelled Vendor hereto, any rights and / or remedies herein.

23.0. CORRESPONDENCE

Bidder requiring any Techno-Commercial clarification of the bid documents may contact in writing or by E Mail.

	Contact Number	
Name & Designation		Email id
The General Manager	9449844861	Gmdsm.work@gmail.com
(DSM),BESCOM		gmdsm@bescom.co.in

Verbal clarifications and information given by BESCOM or its employees or its Representatives shall not be in any way entertained.

BESCOM's role is limited to selection of vendors and disbursement of CFA after successful installation of the solar PV plant. The vendor will be solely responsible for plant performance and maintenance and any liability arising on this account shall lie solely with the vendors, provided the beneficiary has given proper access and facilitation to the vendor for regular O&M and there has not been alteration in solar irradiance due to alteration in building or its surrounding over which the vendor has no control.

SECTION - II	
[Bid Evaluation Criteria and CFA Disbursement]	

1. EVALUATION CRITERIA AND CFA DISBURSEMENT

1.1 BID EVALUATION AND CFA DISBURSEMENT

BID EVALUATION

The evaluation process comprises the following four steps:

Step I	Responsiveness check of Techno Commercial Bid
Step II	Evaluation of Bidder's fulfilment of Techno-
	Financial Eligibility Criteria as per Qualifying
	Requirements
Step III	Evaluation of Price Bid for all Techno-Commercial Qualified Bidders
Step IV	Successful Bidders(s) selection /empanelment

1.2 RESPONSIVENESS CHECK OF TECHNO COMMERCIAL BID

The Techno-Commercial Bid submitted by Bidders shall be scrutinized to establish responsiveness to the qualifying requirements laid down in this RFP. Any of the following may cause the Bid to be considered "*Non-responsive*", at the sole discretion of BESCOM:

- i. Bids that are incomplete, i.e. Not accompanied by any of the applicable formats inter alia covering letter, EMD etc.
- ii. Bid not signed by authorized signatory and /or stamped in the manner indicated in this RFP.
- iii. Material inconsistencies in the information /documents submitted by the Bidder, affecting the Eligibility Criteria.
- iv. Information not submitted in the formats specified in this RFP.
- v. Bid being conditional in nature.
- vi. Bid not received by the Bid Deadline.
- vii. Bid having Conflict of Interest.
- viii. More than one Member of a Bidding Company using the credentials of the same Parent Company /Affiliate.
- ix. Bidder delaying in submission of additional information or clarifications sought by BESCOM as applicable.
- x. Bidder makes any misrepresentation.

Each Bid shall be checked for compliance with the submission requirements set forth in this RFP before the evaluation of Bidder's fulfilment of Eligibility Criteria is taken up. **Clause 5.5 of Section-I** shall be used to check whether each Bidder meets the stipulated requirement.

1.3 PRELIMINARY EXAMINATION

- 1.3.1 BESCOM will examine the Bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed and stamped and whether the Bids are otherwise in order.
- 1.3.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total Amount that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total amount shall be corrected. If there is a discrepancy between words and figures, the amount written in words will prevail.

1.4. EVALUATION OF BIDDER'S FULFILMENT OF ELIGIBILITY CRITERIA

Evaluation of Bidder's Eligibility will be carried out based on the information furnished by the Bidder as per the prescribed Formats and related documentary evidence in support of meeting the Eligibility Criteria as specified in **Clause 5.5 of Section-I**. Non-availability of information and related documentary evidence for the satisfaction of Eligibility Criteria may cause the Bid non- responsive.

1.5. EVALUATION OF PRICE BID

Price Bid (s) of the Qualified Bidders in each LOT shall be opened online. The evaluation of Price Bid shall be carried out based on the information furnished in Financial Bid (Price Bid). The Price Bid submitted by the Bidders shall be scrutinized to ensure conformity with the RFP. Any Bid not meeting any of the requirements of this RFP may cause the Bid to be considered "**Non-responsive**" at the sole decision of BESCOM.

1.6. PART-A, PART-B, PART-C & Part-D:

- i. The Price bids for the CAPEX **PART-A, PART-B, PART-C & Part-D** for each LOT shall be evaluated separately and for each LOT, lowest quoted bidder in each category shall be declared as L1 for that particular LOT and CFA will be determined on the basis of discovered rate and prevailing Benchmark Cost for that respective category, whichever is lower.
- ii. The Project Cost shall be calculated up to two decimal places. However, in case of a tie, capacity shall be allocated to the bidder having **the maximum proposed** capacity as per the covering letter.
- iii. Total Project cost shall be considered during evaluation as mentioned in **formats** annexed with this RFP.

1.7. SUCCESSFUL BIDDER(S) SELECTION

- i. Bids qualifying in **Clause 5.5 of Section-I** shall only be evaluated in this stage.
- ii. Project Cost quoted in all Price Bids of Qualified Bidders shall be ranked

from the lowest to the highest for **PART-A, PART-B, PART-C & PART-D** separately for each LOT.

Allocation of Capacity and Empanelment of Vendors for CAPEX Part-A, Part-B, Part-C & Part D and for each LOT.

- 1.8. **PART-A, PART-B, PART-C & PART-D:** Based on the price bid quoted by the bidders, BESCOM shall arrange the bids in the ascending order i.e. L1, L2, L3, ___ (L1 being the lowest quote) for each LOT.
 - 1.8.1. For each of the LOTs, Lowest bidder will be declared as the L1 against each Part/Category. The L1 bidder's quoted capacity shall be allocated to the L1 successful bidder subject to the condition that it should not be less than 10% of aggregated capacity for respective part/category. On acceptance, capacity will be allocated to the L1 bidder. In case L-1 bidder did not accept the maximum bid capacity or 10% of L1 aggregated capacity for the respective part/category, then Submitted Bank Guarantee will be encashed, and L-1 bidder shall be blacklisted from all the Government Tenders for 5 Years.
 - 1.8.2. The bids will be arranged in ascending order Starting from L1, L2, L3........

 The Approved Lowest Rate against each part/category will be the project cost for that particular LOT and category and L1 bidder will be allocated their quoted capacity as on the cover letter. The remaining bidders, i.e. L2, L3, L4....., will be given 14 Days' time to submit the letter of acceptance of L1 Rate. The bidders, who provide their consent to work on L1 Rate, will be allocated their quoted capacity in the order of merit, till the entire capacity is exhausted (Subject to furnishing of the required EMD by the bidder). If quantity/capacity is left unallocated in any category, BESCOM reserves the right to reallocate the left-over capacity to the bidders' subject to their consent and at the sole discretion of BESCOM.
 - 1.8.3. The selection process shall stand completed once the Tender Capacity has been achieved through the summation of the capacity offered by the Successful Bidders.
 - 1.8.4. At any step during the selection of Successful Bidder(s) in accordance with the provision laid down in RFP, BESCOM reserves the right to increase/decrease the Tender Capacity of the capacity indicated to achieve the balance Tender Capacity and select the Successful Bidder with the lowest Project Cost/ lowest evaluated price amongst the remaining Bids.

- 1.8.5. The Letter(s) of Intent (LoI) shall be issued to all such Empanelled Vendors(s) selected as per the provisions laid down in RFP document.
- 1.8.6. Each Empanelled Vendor shall acknowledge the LoI and return duplicate copy with signature of the authorized signatory of the Empanelled Vendor to BESCOM within Fifteen (15) days of issue of LoI.
- 1.8.7. If the Empanelled Vendor, to whom the LoI has been issued does not fulfil any of the conditions specified in Bid document, BESCOM reserves the right to annul/cancel the award of the LoI of such Empanelled Vendor.
- 1.8.8. The vendors have to submit the Performance Bank Guarantee (PGB) of appropriate value as per **Clause No. 10.5** Section-I(**As per Format-4**) along with submission of signed copy of LoI for further issuance of Letter of Allocation.
- 1.8.9. BESCOM at its own discretion, has the right to reject any or all the Bids without assigning any reason whatsoever, at its sole discretion.

1.9. Duration of Empanelment

The Successful Bidders selected above shall be empanelled for upto 24 Months from Date of MNRE Sanction i.e. 05.01.2022 and BESCOM shall be issued Letter of Allocation (LOA) indicating the allocated capacity & Project Cost etc.

1.9.1. The list of the empanelled bidder/firm will be uploaded on BESCOM's Portal/Website.

2.0. INCREASE/DECREASE OF BIDDER ALLOCATED CAPACITY

- 2.1. BESCOM reserves the right to increase/decrease the Bidder(s) Allocated Capacity at the sole discretion of BESCOM
- 2.2. In case capacity is enhanced by BESCOM, Empanelled Vendor shall submit the equivalent amount of PBG to BESCOM within 15 days from the date of issue of LoI, failing which sanctioned capacity shall stands cancelled.

2.3. TRANSFER OF CAPACITY

Capacity can be transferred from PART A, B, C & D or vice-versa and from one LOT to another LOT, in such case lowest rate of that part in that particular LOT shall be the reference price for capacity execution.

Note: It is the discretion of BESCOM to increase/decrease/transfer the Empanelled Vendor allocated capacity on bidder's request.

3.0. NOTIFICATION TO SUCCESSFUL BIDDERS

The name and contact details of Empanelled Vendors shall be notified indicating the allocated capacity and the offered price on BESCOM website https://bescom.karnataka.gov.in/ and also shall be notified individually through letter of allocation.

4.0. PROJECT ALLOCATION AND SANCTION

- 4.1. The identification of the projects (roof tops) at the time of bidding is not mandatory. The Bidders, however, in their own interest are advised to make a preliminary survey of availability of roof tops for which they intend to Bid and as prescribed in the RFP, as well as issue of Grid connectivity, as non-availability of roof tops and non-completion of other formalities after allocation of project will result in forfeiture of PBG amount submitted by them.
- 4.2. The Successful Bidders selected as described in **Clause No. 3 of Section-II** above shall be empanelled for timeline specified in the Work order/letter of allocation or 24 months from Date of MNRE Sanction, whichever is earlier. BESCOM shall issue Letter of Allocation (LOA) indicating the allocated capacity & Project Cost etc.
- 4.3. For identification of projects, BESCOM may provide help. However, the entire responsibility of finding the buildings lies with the Bidder.
- 4.4. Documentation like finalizing the Project report and entering into agreements with the buildings/rooftops owners lies with the Empanelled Vendor within the above-mentioned time frame even for the buildings/rooftops identified by BESCOM for preferential installation.
- 4.5. After the Project Consent Documents have been submitted by the Empanelled Vendor/ Project Developer and accepted by BESCOM, it will issue the Consent Letter(s) for the Project (s) indicating the CFA amount(s) which will be disbursed in line with the provisions of the RFP document. The Empanelled Vendor shall complete the design, engineering, manufacture, supply, storage, civil work, erection, testing & commissioning of each project 180 days from the date of issue of the Consent/Work approval Letter or upto 24 Months from Date of MNRE Sanction i.e. 24 months from 05.01.2022 whichever is earlier.
- 4.6. If the Empanelled Vendor fails to commission the sanctioned project within specified time, no CFA will be disbursed by BESCOM.

5.0. CFA DISBURSEMENT & PAYMENT CLAUSES:

5.1. For PART-A, Part-B, Part-C & Part-D

The vendor shall be allowed to charge only balance of the project cost,

excluding CFA amount, from the consumer. The proportion of admissible CFA shall be disbursed by BESCOM to the empanelled vendor directly after successful commissioning of the project as per MNRE Operational Guidelines issued vide OM No. 318/331/2017- Grid Connected Rooftop Dated 20th August 2020 and their amendments. The admissible CFA would be 40% of the benchmark cost or tender cost, whichever is lower, for capacity up to 3 kW. For project capacity above 3 kWp and up to 10 kWp, the admissible CFA would be 20% of project cost or the MNRE benchmark cost, whichever is lower. For CFA calculation, the project capacity would be decided based on PV array capacity or inverter capacity, whichever is lower. The consumers are allowed to install the capacity higher than 10 KW, however, the quantum of CFA would be limited to 10 KW capacity only. The maximum permissible limit for group housing societies would be up to 500 kW and the admissible CFA would be 20% of the benchmark cost or tender cost, whichever is lower.

The net amount of project cost (i.e. project cost - CFA) shall be paid by the concerned roof top owner to any of the empanelled vendors as per the following methodology:

- 20% payment in advance after signing of agreement.
- 20% payment after installation of structure
- 20% payment after installation of SPV modules and inverters at site
- 20% payment after completing plant installation (including net-metering) and submission of written inspection request to the implementing agency
- Final 20% payment after commissioning of the plant and injection of power to the grid.

It shall be noted that beneficiary/customer shall be solely responsible for financial transaction with the vendor for the net of CFA (Total cost – Admissible CFA) amount. The beneficiary/customer are advised to thoroughly check the documents/claims of the vendors and shall make only online payments wherever required. BESCOM in no way shall be responsible for disputes arising out of payments of agreements between vendor and the beneficiary.

- 5.2. The CFA as calculated under **Clause No. 5 of Section-II** for Parts under CAPEX Model will be released on submission of following documents-
 - 5.2.1. Joint Commissioning Report (JCR) as per Annexure-O.
 - 5.2.2. Copy of Insurance Policies as per Clause No. 2.8 of Section-II
 - 5.2.3. Claim Letter as per the **Annexure M**.
 - 5.2.4. Guarantee certificate on Letter Head of the Vendor.
 - 5.2.5. Geo-coordinates and photos of the site
 - 5.2.6.

- 5.3. The CFA shall be released by BESCOM, only after receipt of the same from MNRE.
- 5.4. The CFA shall be released to the Vendor only after the completion and successful commissioning of the Project(s) as per terms & conditions vide Clause No. 5 of Section-II.
- 5.5. The whole or part of the CFA shall be recovered from the Vendor's PBG or future Payments (to be released), in case of violation of any Terms & Conditions of MNRE/ BESCOM.

6.0. OTHER CONDITIONS

Bidder has to obtain all the necessary approvals/Consents/Clearances required for Erection, Testing, Commissioning and O&M of the project including Grid connectivity. BESCOM shall not have any responsibility in this regard.

7.0. TAX EXEMPTIONS:

Price bids are invited inclusive of Taxes and duties. However, Tax exemptions including certificates of any sort, if available may be dealt with the concerned Department of Govt. of India/ Karnataka by the bidder. BESCOM in no case will be responsible for providing any tax exemptions to the bidder.

8.0. Eligibility of standalone system:

Standalone system is not allowed under this scheme. The system should be Grid-connected Rooftop Solar System.

9.0. Requirement of approvals on makes of the Components:

The Modules and Cells should be manufactured in India and should be complied with the prevailing Approved List of Models and Manufacturers of Solar Photovoltaic Modules (*Requirement for Compulsory Registration*) Order 2019 - Implementation issued vide OM NO. 283/54/2018-GRID SOLAR -Part (I) Dated 10th March 2021 and subsequent amendments Rest of the components can be procured from any source. However, these items should meet the Technical specification and standards mentioned in this RFP. A reference bidders' Declaration format associated with Implementation of ALMM (**Annexure T**) order will also be required to be signed by the bidder as per the format provided vide MNRE OM No. 283/54/2018-GRID SOLAR -Part (I) Dated 2nd June 2021.

10.0. 11. OPERATION OF THE SYSTEM DURING WEEKENDS AND GENERAL HOLIDAYS AND CALCULATION OF CUF

N/A

11.0. LIQUIDATED DAMAGES (LD) FOR DELAY IN PROJECT IMPLEMENTATION

BESCOM will issue the consent letter(s) for the Project (s) indicating the CFA

amount(s) which will be disbursed in line with the provisions of the RFP document. The Bidder shall complete Design, Engineering, Manufacture, Supply, storage, civil work, erection, testing & commissioning of each project within stipulated timeline.

12.0. If the bidder fails to commission the sanctioned project within specified time, the project will get cancelled and CFA will not be disbursed by BESCOM.

13.0. TIME OF COMPLETION OF SANCTIONED CAPACITY

- 13.1 The Empanelled Vendor shall complete the roofs identification, submission of project sanction documents as per the requirement of BESCOM, Design, Engineering, Manufacture, Supply, storage, civil work, erection, testing & commissioning of each project within 180 days from the date of issue of consent /approval letter or 15 Months from date of sanction Order from MNRE to BESCOM i.e. 05.01.2022 (Excluding any Extension any further extension), whichever is earlier.
- 13.2 The period of execution given in time schedule includes the time required for mobilization as well as testing, rectifications if any, re-testing and completion in all respects to the entire satisfaction of the Engineer-in- Charge.

14 UPDATING THE PROJECT PROGRESS ON MONTHLY BASIS

Empanelled Vendor's authorized representative, in whose name power of attorney has been executed and submitted along with the bid, shall update the project progress on biweekly basis in the consent letter. Empanelled Vendor should update the info as per the requirement. Non-updating of the progress shall be considered as no progress and shall attract punitive actions as per the relevant provision of the Contract. However, the decision of Engineer–in - charge shall be final in this regard.

15 INSPECTION AND AUDIT BY THE GOVERNMENT

The Empanelled vendor shall permit the BESCOM to inspect the site, accounts and records relating to the performance and to have them audited by auditors appointed by the BESCOM, if so required by the BESCOM any time.

16 COMMISSIONING / COMPLETION CERTIFICATE:

Application for completion/commissioning certificate:

When the Empanelled Vendor fulfils his obligation under the Contract, he shall be eligible to apply for Completion/Commissioning Certificate. The Engineer- in-Charge shall normally issue the Completion Certificate to the Empanelled Vendor within one month after receiving any application therefore from the Empanelled Vendor after verifying from the completion documents and satisfying himself that the work has been completed in accordance with and as set out in Contract documents. The Empanelled Vendor, after obtaining the Completion Certificate, is

eligible to avail the CFA as per the **Clause No. 5 of Section-II**.

17 DEDUCTIONS FROM THE CONTRACT PRICE:

17.1 All costs, damages or expenses which BESCOM may have paid or incurred, which under the provisions of the Contract, the Empanelled Vendor is liable/will be liable, will be claimed by BESCOM. All such claims shall be billed by BESCOM to the Contractor within 15 (fifteen) days of the receipt of the payment request and if not paid by the Empanelled Vendor within the said period, BESCOM may, then, deduct the amount from any moneys due i.e., PBG or becoming due to the contractor or Empanelled Vendor under the contract or may be recovered by actions of law or otherwise, if the Empanelled Vendor fails to satisfy BESCOM of such claims.

18 CORRUPT OR FRAUDULENT PRACTICES

BESCOM requires that Empanelled Vendors/ Contractors should follow the highest standard of ethics during the execution of contract. In pursuance of this policy BESCOM defines, for the purposes of this provision, the terms set forth as follows:

- 18.1 **"corrupt practice"** means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the bid process or in contract execution; and
- 18.2 **"fraudulent practice"** means a misrepresentation of facts in order to influence a bid process or the execution of a contract to the detriment of the BESCOM / Govt scheme, and includes collusive practice among Bidders (prior to or after Bid submission) designed to establish Bid prices at artificial non- competitive levels and to deprive them of the benefits of free and open competition;
- 18.3 A firm will be declared ineligible/debarred, either indefinitely or for a specific period of time, a GOVT contract if at any time it is found that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing, a Government/ BESCOM schemes.

19 DEBARRED FROM PARTICIPATING IN BESCOM'S TENDER

19.1 **BESCOM** reserves the right to carry out the performance review of each Bidder from the time of submission of Bid onwards. In case it is observed that a bidder has not fulfilled its obligations in meeting the various timelines envisaged, in addition to the other provisions of the RFP, such Bidders may be debarred from participating in BESCOM's any future tender for a period as decided by BESCOM.

SECTION - III TECHNICAL SPECIFICATIONS TECHNICAL SPECIFICATIONS

The proposed projects shall be commissioned as per the technical specifications given below. Any shortcomings will lead to cancelation of CFA in full or part as decided BESOM. Domestic Modules are to be used failing which it will be assumed that system is not matching the requirement of the scheme and bidder's PBG shall be forfeited. Competent Authority's decision will be final and binding on the bidder.

1. DEFINITION

A Roof Top Solar (RTS) Photo Voltaic (PV) system shall consist of following equipment/components:

- 1. Solar Photo Voltaic (SPV) modules consisting of required number of Crystalline PV modules
- 2. Inverter/PCU
- 3. Module Mounting structures
- 4. Energy Meter
- 5. Array Junction Boxes
- 6. DC Distribution Box
- 7. AC Distribution Box

- 8. Protections Earthing, Lightning, Surge
- 9. Cables
- 10. Drawing & Manuals
- 11. Miscellaneous

1. Solar PV modules

- 1.1. The PV modules and Solar Cell used should be made in India.
- 1.2. The PV modules used must qualify to the latest edition of IEC standards or equivalent BIS standards, i.e. IEC 61215/IS14286, IEC 61853-Part I/IS 16170-Part I, IEC 61730 Part-1 & Part 2 and IEC 62804 (PID). For the PV modules to be used in a highly corrosive atmosphere throughout their lifetime, they must qualify to IEC 61701/IS 61701.
- 1.3. The rated power of solar PV module shall have maximum tolerance up to +3%.
- 1.4. The peak-power point current of any supplied module string (series connected modules) shall not vary by +1% from the respective arithmetic means for all modules and/or for all module strings (connected to the same MPPT), as the case may be.
- 1.5. The peak-power point voltage of any supplied module string (series connected modules) shall not vary by + 2% from the respective arithmetic means for all modules and/or for all module strings (connected to the same MPPT), as the case may be.
- 1.6. The temperature co-efficient power of the PV module shall be equal to or better than $-0.45\%/^{\circ}C$.
- 1.7. Solar PV modules of minimum capacity 250 Wp to be used.
- 1.8. The PV Module efficiency should be minimum 16%.
- 1.9. Solar PV modules of minimum fill factor 75%, to be used.
- 1.10. All electrical parameters at STC shall have to be provided
- 1.11. The PV modules shall be equipped with IP 65 or better protection level junction box with required numbers of bypass diodes of appropriate rating and appropriately sized output power cable of symmetric length with MC4 or equivalent solar connectors. The IP level for protection may be chosen based on following conditions:
 - i. An IP 65 rated enclosure is suitable for most outdoor enclosures that won't encounter extreme weather such as flooding.
 - ii. An IP 67 rated enclosure is suitable at locations which may encounter temporary submersion at depths of up to one meter.
 - iii. An IP 68 enclosure is recommended if there may exist situations of submergence for extended periods of time and at substantial depths.

- 1.12. All PV modules should carry a performance warranty of >90% during the first 10 years, and >80% during the next 15 years. Further, module shall have performance warranty of >97% during the first year of installation—degradation of the module below 1 % per annum.
- 1.13. The manufacturer should warrant the Solar Module(s) to be free from the defects and/or failures specified below for a period not less than five (05) years from the date of commissioning:
- 1.14. Defects and/or failures due to manufacturing.
- 1.15. Defects and/or failures due to quality of materials.
- 1.16. Nonconformity to specifications due to faulty manufacturing and/or inspection processes. If the solar Module(s) fails to conform to this warranty, the manufacturer will repair or replace the solar module(s), at the Owners sole option.
- 1.17. PV modules must be tested and approved by one of the NABL accredited and BIS approved test centers.
- 1.18. Modules deployed must use a RF identification tag laminated inside the glass. The following information must be mentioned in the RFID used on each module:
 - i. Name of the manufacturer of the PV module
 - ii. Name of the manufacturer of Solar Cells.
 - iii. Month & year of the manufacture (separate for solar cells and modules)
 - iv. Country of origin (separately for solar cells and module)
 - v. I-V curve for the module Wattage, Im, Vm and FF for the module
 - vi. Unique Serial No and Model No of the module
 - vii. Date and year of obtaining IEC PV module qualification certificate.
 - viii. Name of the test lab issuing IEC certificate.
 - ix. Other relevant information on traceability of solar cells and module as per ISO 9001 and ISO 14001.
 - x. Nominal wattage +3%.
 - xi. Brand Name, if applicable.
- 1.19. Other details as per IS/IEC 61730-1 clause 11 should be provided at appropriate place. In addition to the above, the following information should also be provided:
 - i. The actual Power Output Pmax shall be mentioned on the label pasted on the back side of PV Module.
 - ii. The Maximum system voltage for which the module is suitable to be provided on the back sheet of the module.
 - iii. Polarity of terminals or leads (colour coding is permissible) on junction Box housing near cable entry or cable and connector.

1.20. Unique Serial No, Model No, Name of Manufacturer, Manufacturing year, Make in India logo and module wattage details should be displayed inside the laminated glass.

2. Inverter/PCU

The successful bidders must procure the required capacity and quantity of Inverters under the project from BESCOM empanelled inverter manufacturers only. The list of the BESCOM empanelled vendors is available at BESCOM website. Bidders are advised to go through the list of empanelled vendors published in the BESCOM website at https://bescom.karnataka.gov.in/new-page/EMPANELMENT/en

- 2.1. The Inverter should have a provision of remote monitoring of inverter data through sim card. Required website/mobile app platform, where the user (Consumer) can access the data, should be provided/explained to consumer while installation. Additionally, if inverter has the facility of in-built wi-fi module, that should also be explained to the consumer. On demand, Inverter should also have provision to feed the data to the remote monitoring server using relevant API/ protocols. All the inverter data should be available for monitoring by giving web access.
- 2.2. For CFA calculation, minimum of following two shall be considered:
 - i. Solar PV array capacity in KWp
 - ii. Inverter Capacity in KW

3. Module Mounting Structure (MMS):

- 3.1. Supply, installation, erection and acceptance of module mounting structure (MMS) with all necessary accessories, auxiliaries and spare part shall be in the scope of the work.
- 3.2. Module mounting structures can be made from three types of materials. They are Hot Dip Galvanized Iron, Aluminium and Hot Dip Galvanized Mild Steel (MS). However, MS will be preferred for raised structure.
- 3.3. MMS Steel shall be as per latest IS 2062:2011 and galvanization of the mounting structure shall be in compliance of latest IS 4759. MMS Aluminium shall be as per AA6063 T6. For Aluminium structures, necessary protection towards rusting need to be provided either by coating or anodization.
- 3.4. All bolts, nuts, fasteners shall be of stainless steel of grade SS 304 or hot dip galvanized, panel mounting clamps shall be of aluminium and must sustain the adverse climatic conditions. Structural material shall be corrosion resistant and electrolytically compatible with the materials used in the module frame, its fasteners, nuts and bolts.
- 3.5. The module mounting structures should have angle of inclination as per the site conditions to take maximum insolation and complete shadow-

- free operation during generation hours. However, to accommodate more capacity the angle of inclination may be reduced until the plant meets the specified performance ratio requirements.
- 3.6. The Mounting structure shall be so designed to withstand the speed for the wind zone of the location where a PV system is proposed to be installed. The PV array structure design shall be appropriate with a factor of safety of minimum 1.5. The upper edge of the module must be covered with wind shield so as to avoid build air ingress below the module. Slight clearance must be provided on both edges (upper & lower) to allow air for cooling.
- 3.7. Suitable fastening arrangement such as grouting and calming should be provided to secure the installation against the specific wind speed. The Empanelled Agency shall be fully responsible for any damages to SPV System caused due to high wind velocity within guarantee period as per technical specification.
- 3.8. The structures shall be designed to allow easy replacement, repairing and cleaning of any module. The array structure shall be so designed that it will occupy minimum space without sacrificing the output from the SPV panels. Necessary testing provision for MMS to be made available at site.
- 3.9. Adequate spacing shall be provided between two panel frames and rows of panels to facilitate personnel protection, ease of installation, replacement, cleaning of panels and electrical maintenance.
- 3.10. The structure shall be designed to withstand operating environmental conditions for a period of minimum 25 years.
- 3.11. The Rooftop Structures maybe classified in three broad categories as follows (drawings at **Annexure-X**):

i. Ballast structure

- a. The mounting structure must be Non-invasive ballast type and any sort of penetration of roof to be avoided.
- b. The minimum clearance of the structure from the roof level should be in between 70-150 mm to allow ventilation for cooling, also ease of cleaning and maintenance of panels as well as cleaning of terrace.
- c. The structures should be suitably loaded with reinforced concrete blocks of appropriate weight made out of M25 concrete mixture.

ii. Tin shed

- a. The structure design should be as per the slope of the tin shed.
- b. The inclination angle of structure can be done in two ways
 - b.1. Parallel to the tin shed (flat keeping zero-degree tiling angle), if the slope of shed in Proper south direction
 - b.2. With same tilt angle based on the slope of tin shed to get the maximum output.

- c. The minimum clearance of the lowest point from the tin shade should be more then 100mm.
- d. The base of structure should be connected on the Purlin of tin shed with the proper riveting.
- e. All structure member should be of minimum 2 mm thickness.
 - **iii. RCC Elevated structure:** It can be divided into further three categories:

A. Minimum Ground clearance (300MM - 1000 MM)

- a. The structure shall be designed to allow easy replacement of any module and shall be in line with site requirement. The gap between module should be minimum 30MM.
- b. Base Plate Base plate thickness of the Structure should be 5MM for this segment.
- c. Column Structure Column should be minimum 2MM in Lip section / 3MM in C-Channel section. The minimum section should be 70MM in Web side and 40MM in flange side in Lip section.
- d. Rafter Structure rafter should be minimum 2MM in Lip section / 3MM in C-Channel section. The minimum section should be 70MM in Web side (y-axis) and 40MM in flange side (x-axis).
- e. Purlin Structure purlin should be minimum 2MM in Lip section. The minimum section should be 60MM in Web side and 40MM in flange side in Lip section.
- f. Front/back bracing The section for bracing part should be minimum 2MM thickness.
- g. Connection The structure connection should be bolted completely. Leg to rafter should be connected with minimum 12 diameter bolt. Rafter and purlin should be connected with minimum 10 diameter bolt. Module mounting fasteners should be SS-304 only and remaining fasteners either SS-304 or HDG 8.8 Grade.
- h. For single portrait structure the minimum ground clearance should be 500MM.

B. Medium Ground clearance (1000MM - 2000 MM)

- a. Base Plate Base plate thickness of the Structure should be Minimum 6MM for this segment.
- b. Column Structure Column should be minimum 2MM in Lip section / 3MM in C-Channel section. The minimum section should be 80MM in Web side and 50MM in flange side in Lip section.

- c. Rafter Structure rafter should be minimum 2MM in Lip section / 3MM in C-Channel section. The minimum section should be 70MM in Web side and 40MM in flange side in Lip section.
- d. Purlin Structure purlin should be minimum 2MM in Lip section. The minimum section should be 70MM in Web side and 40MM in flange side in Lip section.
- e. Front/back bracing The section for bracing part should be minimum 2MM thickness.
- f. Connection The structure connection should be bolted completely. Leg to rafter should be connected with minimum 12 diameter bolt. Rafter and purlin should be connected with minimum 10 diameter bolt. Module mounting fasteners should be SS-304 only and remaining fasteners either SS-304 or HDG 8.8 Grade.

C. Maximum Ground clearance (2000MM - 3000 MM)

- a. Base Plate Base plate thickness of the Structure should be minimum 8 MM for this segment.
- b. Column Structure Column thickness should be minimum 2.6MM in square hollow section (minimum 50x50) or rectangular hollow section (minimum 60x40) or 3MM in C-Channel section.
- c. Rafter Structure rafter should be minimum 2MM in Lip section / 3MM in Channel section. The minimum section should be 80MM in Web side and 50MM in flange side in Lip section.
- d. Purlin Structure purlin should be minimum 2MM in Lip section. The minimum section should be 80MM in Web side and 50MM in flange side in Lip section.
- e. Front/back bracing The section for bracing part should be minimum 3MM thickness.
- f. Connection The structure connection should be bolted completely. Leg to rafter should be connected with minimum 12 diameter bolt. Rafter and purlin should be connected with minimum 10 diameter bolt. Module mounting fasteners should be SS-304 only and remaining fasteners either SS-304 or HDG 8.8 Grade.

D. Super elevated structure (More than 3000 MM)

D.1. Base structure

a. Base Plate – Base plate thickness of the Structure should be 10MM for this segment.

- b. Column Structure Column minimum thickness should be minimum 2.9MM in square hollow section (minimum 60x60) or rectangular hollow section (minimum 80x40).
- c. Rafter Structure Rafter minimum thickness should be minimum 2.9MM in square hollow section (minimum 60x60) or rectangular hollow section (minimum 80x40).
- d. Cross bracing Bracing for the connection of rafter and column should be of minimum thickness of 4mm L-angle with the help of minimum bolt diameter of 10mm.
- D.2. Upper structure of super elevated structure
 - a. Base Plate Base plate thickness of the Structure should be minimum 5MM for this segment.
 - b. Column Structure Column should be minimum 2MM in Lip section / 3MM in Channel section. The minimum section should be 70MM in Web side and 40MM in flange side in Lip section.
 - c. Rafter Structure rafter should be minimum 2MM in Lip section / 3MM in Channel section. The minimum section should be 70MM in Web side and 40MM in flange side in Lip section.
 - d. Purlin Structure purlin should be minimum 2MM in Lip section. The minimum section should be 60MM in Web side and 40MM in flange side in Lip section.
 - e. Front/back bracing The section for bracing part should be minimum 2MM thickness.
 - f. Connection The structure connection should be bolted completely. Leg to rafter should be connected with minimum 12 diameter bolt. Rafter and purlin should be connected with minimum 10 diameter bolt. Module mounting fasteners should be SS-304 only and remaining fasteners either SS-304 or HDG 8.8 Grade.
- D.3. If distance between two legs in X-Direction is more than 3M than sag angle/Bar should be provide for purlin to avoid deflection failure. The sag angle should be minimum 2MM thick, and bar should be minimum 12Dia.
- D.4. Degree The Module alignment and tilt angle shell be calculated to provide the maximum annual energy output. This shall be decided on the location of array installation.
- D.5. Foundation Foundation should be as per the roof condition; two types of the foundation can be done- either penetrating the roof or without penetrating the roof.
 - a. If penetration on the roof is allowed (based on the client requirement) then minimum 12MM diameter anchor fasteners with minimum length 100MM can be use with

- proper chipping. The minimum RCC size should be 400x400x300 cubic mm. Material grade of foundation should be minimum M20.
- b. If penetration on roof is not allowed, then foundation can be done with the help of 'J Bolt' (refer IS 5624 for foundation hardware). Proper Neto bond solution should be used to adhere the Foundation block with the RCC roof. Foundation J bolt length should be minimum 12MM diameter and length should be minimum 300MM.

3.12. Material standards:

- Design of foundation for mounting the structure should be as per defined standards which clearly states the Load Bearing Capacity & other relevant parameters for foundation design (As per IS 6403 / 456 / 4091 / 875).
- ii. Grade of raw material to be used for mounting the structures so that it complies the defined wind loading conditions (As per IS 875 III) should be referred as follows (IS 2062 for angles and channels, IS 1079 for sheet, IS 1161 & 1239 for round pipes, IS 4923 for rectangular and square hollow section)
- iii. Test reports for the raw material should be as per IS 1852 / 808 / 2062 / 1079 / 811.
- iv. In process inspection report as per approved drawing & tolerance should be as per IS 7215.
- v. For ascertaining proper welding of structure part following should be referred:
 - a. D.P. Test (Pin Hole / Crack) (IS 822)
 - b. Weld wire grade should be of grade (ER 70 S 6)
- vi. For ascertaining hot dip galvanizing of fabricated structure following should be referred:
 - a. Min coating required should be as per IS 4759 & EN 1461.
 - b. Testing of galvanized material
 - Pierce Test (IS 2633)
 - Mass of Zinc (IS 6745)
 - Adhesion Test (IS 2629)
 - CuSO4 Test (IS 2633)
 - Superior High-Grade Zinc Ingot should be of 99.999% purity (IS 209) (Preferably Hindustan Zinc Limited or Equivalent).
- vii.Foundation Hardware If using foundation bolt in foundation then it should be as per IS 5624.
- 3.13. Design Validation- The Structure design and drawing should be duly verified by a licensed Structural designer before installation for all types

of structure arrangements including the extension made, as per specification.

4. Metering

- 4.1. A Roof Top Solar (RTS) Photo Voltaic (PV) system shall consist of following energy meters:
 - i. Net meter: To record import and export units
 - ii. Generation meter: To keep record for total generation of the plant.
- 4.2. The installation of meters including CTs & PTs, wherever applicable, shall be carried out by the Empanelled Vendor as per the terms, conditions and procedures laid down by the concerned SERC/DISCOMs.

5. Array Junction Boxes:

- 5.1 The junction boxes are to be provided in the PV array for termination of connecting cables. The Junction Boxes (JBs) shall be made of GRP/FRP/Powder Coated aluminum /cast aluminum alloy with full dust, water & vermin proof arrangement. All wires/cables must be terminated through cable lugs. The JBs shall be such that input & output termination can be made through suitable cable glands. Suitable markings shall be provided on the bus-bars for easy identification and cable ferrules will be fitted at the cable termination points for identification.
- 5.2 Copper bus bars/terminal blocks housed in the junction box with suitable termination threads Conforming to IP 65 or better standard and IEC 62208 Hinged door with EPDM rubber gasket to prevent water entry, Single /double compression cable glands should be provided.
- 5.3 Polyamide glands and MC4 Connectors may also be provided. The rating of the junction box shall be suitable with adequate safety factor to interconnect the Solar PV array.
- 5.4 Suitable markings shall be provided on the bus bar for easy identification and the cable ferrules must be fitted at the cable termination points for identification.
- 5.5 Junction boxes shall be mounted on the MMS such that they are easily accessible and are protected from direct sunlight and harsh weather.

6 DC Distribution Box (DCDB):

- 6.1 May not be required for small plants, if suitable arrangement is available in the inverter.
- 6.2 DC Distribution Box are to be provided to receive the DC output from the PV array field.
- 6.3 DCDBs shall be dust & vermin proof conform having IP 65 or better protection, as per site conditions.
- 6.4 The bus bars are made of EC grade copper of required size. Suitable capacity MCBs/MCCB shall be provided for controlling the DC power output

to the inverter along with necessary surge arrestors. MCB shall be used for currents up to 63 Amperes, and MCCB shall be used for currents greater than 63 Amperes.

7 AC Distribution Box (ACDB):

- 7.1 AC Distribution Panel Board (DPB) shall control the AC power from inverter, and should have necessary surge arrestors, if required. There is interconnection from ACDB to mains at LT Bus bar while in grid tied mode.
- 7.2 All switches and the circuit breakers, connectors should conform to IEC 60947:2019, part I, II and III/ IS 60947 part I, II and III.
- 7.3 The isolators, cabling work should be undertaken as part of the project.
- 7.4 All the Panel's shall be metal clad, totally enclosed, rigid, floor mounted, air -insulated, cubical type suitable for operation on $1-\phi/3-\phi$, 415 or 230 volts, 50 Hz (or voltage levels as per CEA/State regulations).
- 7.5 The panels shall be designed for minimum expected ambient temperature of 45 degree Celsius, 80 percent humidity and dusty weather.
- 7.6 All indoor panels will have protection of IP 54 or better, as per site conditions. All outdoor panels will have protection of IP 65 or better, as per site conditions.
- 7.7 Should conform to Indian Electricity Act and CEA safety regulations (till last amendment).
- 7.8 All the 415 or 230 volts (or voltage levels as per CEA/State regulations) AC devices / equipment like bus support insulators, circuit breakers, SPDs, Voltage Transformers (VTs) etc., mounted inside the switchgear shall be suitable for continuous operation and satisfactory performance under the following supply conditions.
 - i. Variation in supply voltage: as per CEA/State regulations
 - ii. Variation in supply frequency: as per CEA/State regulations
- 7.9 The inverter output shall have the necessary rated AC surge arrestors, if required and MCB/ MCCB. RCCB shall be used for successful operation of the PV system, if inverter does not have required earth fault/residual current protection.

8 Protections

The system should be provided with all necessary protections like earthing, Lightning, and Surge Protection, as described below:

8.1 **Earthing Protection**

- i. The earthing shall be done in accordance with latest Standards.
- ii. Each array structure of the PV yard, Low Tension (LT) power system, earthing grid for switchyard, all electrical equipment, inverter, all junction boxes, etc. shall be grounded properly as per IS 3043-2018.

- iii. All metal casing/ shielding of the plant shall be thoroughly grounded in accordance with CEA Safety Regulation 2010. In addition, the lightning arrester/masts should also be earthed inside the array field.
- iv. Earth resistance should be as low as possible and shall never be higher than 5 ohms.
- v. For 10 KW and above systems, separate three earth pits shall be provided for individual three earthings viz.: DC side earthing, AC side Earthing and Lightning arrestor earthing.

8.2 Lightning Protection

- i. The SPV power plants shall be provided with lightning & over voltage protection, if required. The main aim in this protection shall be to reduce the overvoltage to a tolerable value before it reaches the PV or other sub system components. The source of over voltage can be lightning, atmosphere disturbances etc.
- ii. The entire space occupying the SPV array shall be suitably protected against Lightning by deploying required number of Lightning Arrestors (LAs). Lightning protection should be provided as per NFC17-102:2011/IEC 62305 standard.
- iii. The protection against induced high-voltages shall be provided by the use of Metal Oxide Varistors (MOVs)/Franklin Rod type LA/Early streamer type LA.
- iv. The current carrying cable from lightning arrestor to the earth pit should have sufficient current carrying capacity according to IEC 62305. According to standard, the minimum requirement for a lightning protection system designed for class of LPS III is a 6 mm² copper/ 16 mm² aluminum or GI strip bearing size 25*3 mm thick). Separate pipe for running earth wires of Lightning Arrestor shall be used.

8.3 Surge Protection

- i. Internal surge protection, wherever required, shall be provided.
- ii. It will consist of three SPD type-II/MOV type surge arrestors connected from +ve and -ve terminals to earth.

9 CABLES

- 9.1 All cables should conform to latest edition of IEC/equivalent BIS Standards alongwith IEC 60227/IS 694, IEC 60502/IS 1554 standards.
- 9.2 Cables should be flexible and should have good resistance to heat, cold, water, oil, abrasion etc.

- 9.3 Armored cable should be used and overall PVC type 'A' pressure extruded insulation or XLPE insulation should be there for UV protection.
- 9.4 Cables should have Multi Strand, annealed high conductivity copper conductor on DC side and copper/FRLS type Aluminum conductor on AC side. For DC cabling, multi-core cables shall not be used.
- 9.5 Cables should have operating temperature range of -10°C to +80°C and voltage rating of 660/1000 V.
- 9.6 Sizes of cables between array interconnections, array to junction boxes, junction boxes to Inverter etc. shall be so selected to keep the voltage drop less than 2% (DC Cable losses).
- 9.7 The size of each type of AC cable selected shall be based on minimum voltage drop. However; the maximum drop shall be limited to 2%.
- 9.8 The electric cables for DC systems for rated voltage of 1500 V shall conform to BIS 17293:2020.
- 9.9 All cable/wires are to be routed in a RPVC pipe/ GI cable tray and suitably tagged and marked with proper manner by good quality ferule or by other means so that the cable is easily identified.
- 9.10 All cable trays including covers to be provided.
- 9.11 Thermo-plastic clamps to be used to clamp the cables and conduits, at intervals not exceeding 50 cm.
- 9.12 Size of neutral wire shall be equal to the size of phase wires, in a three phase system.
- 9.13 The Cable should be so selected that it should be compatible up to the life of the solar PV panels i.e. 25 years.

10 DRAWINGS & MANUALS:

- 10.1 Operation & Maintenance manual/user manual, Engineering and Electrical Drawings shall be supplied along with the power plant.
- 10.2 The manual shall include complete system details such as array lay out, schematic of the system, inverter details, working principle etc.
- 10.3 The Manual should also include all the Dos & Don'ts of Power Plant along with Graphical Representation with indication of proper methodology for cleaning, Operation and Maintenance etc.
- 10.4 Step by step maintenance and troubleshooting procedures shall also be given in the manuals.
- 10.5 Vendors should also educate the consumers during their AMC period.

11 Miscellaneous:

- 11.1 Connectivity: The maximum capacity for interconnection with the grid at a specific voltage level shall be as specified in the SERC regulation for Grid connectivity and norms of DISCOM and amended from time to time.
- 11.2 Safety measures: Electrical safety of the installation(s) including connectivity with the grid must be taken into account and all the safety rules &

- regulations applicable as per Electricity Act, 2003 and CEA Safety Regulation 2010 etc. must be followed.
- 11.3 Shadow analysis: The shadow analysis report with the instrument such as Solar Pathfinder or professional shadow analysis software of each site should be provided and the consumer should be educated to install the system only in shadow free space. Lower performance of the system due to shadow effect shall be liable for penalty for lower performance.
- 11.4 Firefighting system Portable fire extinguishers/sand buckets shall be provided wherever required as per norms.

Quality Certification, Standards and Testing for Grid-Connected Rooftop Solar PV Systems/Power Plants

	Color DV Modulos / Domolo	
Solar PV Modules/Panels		
IEC 61215 and	Design Qualification and Type Approval for Crystalline	
IS 14286	Silicon Terrestrial Photovoltaic (PV) Modules	
IEC 61701:2011	Salt Mist Corrosion Testing of Photovoltaic (PV) Modules	
IEC 61853- 1:2011 /	Photovoltaic (PV) module performance testing and	
IS 16170-1:2014	energy rating -: Irradiance and temperature	
	performance measurements, and power Rating.	
IEC 62716	Photovoltaic (PV) Modules – Ammonia (NH3) Corrosion	
	Testing (as per the site condition like dairies, toilets etc)	
IEC 61730-1,2	Photovoltaic (PV) Module Safety Qualification – Part 1:	
	Requirements for Construction, Part 2: Requirements	
	for Testing	
IEC 62804	Photovoltaic (PV) modules – Test method for detection	
	of potential-induced degradation. IEC 62804-1: Part 1:	
	Crystalline Silicon	
	Solar PV Inverters	
IEC 62109 or	Safety of power converters for use in photovoltaic power	
IS: 16221	systems – Part 1: General requirements, and Safety of	
	power converters for use in photovoltaic power systems	
	Part 2: Particular requirements for inverters. Safety	
	compliance (Protection degree IP 65 or better for outdoor	
	mounting, IP 54 or better for indoor mounting)	
IS/IEC 61683 latest	Photovoltaic Systems – Power conditioners: Procedure	
(as applicable)	for MeasuringEfficiency (10%, 25%, 50%, 75% & 90-	
	100% Loading Conditions)	
IEC 60068-2	Environmental Testing of PV System - Power	
/IEC62093	Conditioners and Inverters	
(as applicable)		

ISJEC 60947 (Part 1, 2 & 3), EN General safety requirements for connectors, switches, circuit breakers (AC/DC): 1)Low-voltage Switchgear and Control-gear, Part 1: General rules 2)Low-Voltage Switchgear and Control-gear, Part 2: Circuit Breakers 3)Low-voltage switchgear and Control-gear, Part 3: Switches, disconnectors switch-disconnectors and fuse-combination units 4) EN 50521: Connectors for photovoltaic system-Safety requirements and tests Low-voltage fuses - Part 6: Supplementary requirements for fuse-links for the protection of solar photovoltaic energy systems Solar PV Roof Mounting Structure IS 2062/IS Material for the structure mounting Surge Arrestors BFC 17-102:2011/ IEC 62305 IEC 60364-5- (SPD) Lightening Protection Standard IEC 60269-694, [Part 1 & 2)/ IEC 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as applicable) BS EN 50618 General test and measuring method for PVC (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) Earthing / Lightning Farthing / Lightning Farthing / Lightning Farthing / Lightning Farthing / Lightning	IEO (011(,0014/	TTUITE COLUMN TO THE COLUMN TO	
IS/IEC 60947 (Part 1, 2 & 3), EN General safety requirements for connectors, switches, circuit breakers (AC/DC): 1)Low-voltage Switchgear and Control-gear, Part 1: General rules 2)Low-Voltage Switchgear and Control-gear, Part 2: Circuit Breakers 3)Low-voltage switchgear and Control-gear, Part 3: Switches, disconnectors switch-disconnectors and fuse-combination units 4) EN 50521: Connectors for photovoltaic system-Safety requirements and tests Low-voltage fuses - Part 6: Supplementary requirements for fuse-links for the protection of solar photovoltaic energy systems Solar PV Roof Mounting Structure IS 2062/IS Material for the structure mounting Surge Arrestors BFC 17-102:2011/ IEC 62305 IEC 60364-5 Electrical installations of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables IEC 60227/IS 694, General test and measuring method for PVC (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables	IEC 62116:2014/	Utility-interconnected photovoltaic inverters - Test	
IS/IEC 60947 (Part 1, 2 & 3), EN 50521 General safety requirements for connectors, switches circuit breakers (AC/DC): 1)Low-voltage Switchgear and Control-gear, Part 1: General rules 2)Low-Voltage Switchgear and Control-gear, Part 2: Circuit Breakers 3)Low-voltage switchgear and Control-gear, Part 3: Switches, disconnectors switch-disconnectors and fuse-combination units 4) EN 50521: Connectors for photovoltaic system-Safety requirements and tests Low-voltage fuses - Part 6: Supplementary requirements for fuse-links for the protection of solar photovoltaic energy systems Solar PV Roof Mounting Structure IS 2062/IS 4759/AA6063 T6 Surge Arrestors BFC 17-102:2011/ IEC 62305 IEC 60364-5- (SPD) IEC 61643- 11:2011 IEC 61643- 11:2011 Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables IEC 60227/IS 694, IEC 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as applicable) Electric cables for photovoltaic systems BS EN 50618 General safety requirements for connectors, switches, circuit breakers (AC/DC): 1. July worldage Switchgear and Control-gear, Part 2: Circuit Breakers 3) Low-voltage fuses - Part 6: Supplementary requirements and restriction of solar photovoltaic systems - Requirements and test methods Cables General rest and measuring method for PVC (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables	1816169		
circuit breakers (AC/DC): 1)Low-voltage Switchgear and Control-gear, Part 1: General rules 2)Low-Voltage Switchgear and Control-gear, Part 2: Circuit Breakers 3)Low-voltage switchgear and Control-gear, Part 3: Switches, disconnectors switch-disconnectors and fuse- combination units 4) EN 50521: Connectors for photovoltaic system- Safety requirements and tests Low-voltage fuses - Part 6: Supplementary requirements for fuse-links for the protection of solar photovoltaic energy systems Solar PV Roof Mounting Structure IS 2062/IS 4759/AA6063 T6 Surge Arrestors BFC 17-102:2011/ IEC 62305 IEC 60364-5- (SPD) IEC 60364-5- (SPD) IEC 61643- 11:2011 Low-voltage switchgear and Control-gear, Part 2: Corrout Breakers 3)Low-voltage fuses - Part 6: Supplementary requirements for fuse-links for the protection of solar photovoltaic energy systems Solar PV Roof Mounting Structure Material for the structure mounting Surge Arrestors Electrical installations of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables EC 60227/IS 694, IEC 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as applicable) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables			
1)Low-voltage Switchgear and Control-gear, Part 1: General rules 2)Low-Voltage Switchgear and Control-gear, Part 2: Circuit Breakers 3)Low-voltage switchgear and Control-gear, Part 3: Switches, disconnectors switch-disconnectors and fuse-combination units 4) EN 50521: Connectors for photovoltaic system-Safety requirements and tests Low-voltage fuses - Part 6: Supplementary requirements for fuse-links for the protection of solar photovoltaic energy systems Solar PV Roof Mounting Structure IS 2062/IS 4759/AA6063 T6 BFC 17-102:2011/ NFC 102:2011/ IEC 62305 IEC 60364-5- 53/ IS 15086-5 (SPD) IEC 61643- 11:2011 IEC 61643- 11:2011 IEC 61643- 11:2011 IEC 60502/IS 1554 (Part 1& 2)/ IEC 60502/IS 1554 (Part 1& 2)/ IEC 69947 (as applicable) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables	, ,	1	
General rules 2)Low-Voltage Switchgear and Control-gear, Part 2: Circuit Breakers 3]Low-voltage switchgear and Control-gear, Part 3: Switches, disconnectors switch-disconnectors and fuse- combination units 4) EN 50521: Connectors for photovoltaic system- Safety requirements and tests Low-voltage fuses - Part 6: Supplementary requirements for fuse-links for the protection of solar photovoltaic energy systems Solar PV Roof Mounting Structure IS 2062/IS 4759/AA6063 T6 Surge Arrestors BFC 17-102:2011/ IEC 62305 IEC 60364-5- 53/ IS 15086-5 (SPD) IEC 61643- 11:2011 IEC 61643- 11:2011 IEC 60227/IS 694, [Part 1 & 2]/ IEC 60502/IS 1554 (Part 1 & 2]/ IEC 69947 (as applicable) BS EN 50618 General trules 2)Low-voltage Switchgear and Control Cables Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables	•		
2)Low-Voltage Switchgear and Control-gear, Part 2: Circuit Breakers 3)Low-voltage switchgear and Control-gear, Part 3: Switches, disconnectors switch-disconnectors and fuse- combination units 4) EN 50521: Connectors for photovoltaic system- Safety requirements and tests Low-voltage fuses - Part 6: Supplementary requirements for fuse-links for the protection of solar photovoltaic energy systems Solar PV Roof Mounting Structure IS 2062/IS 4759/AA6063 T6 Surge Arrestors BFC 17-102:2011/ NFC 102:2011/ IEC 62305 IEC 60364-5- 53/ IS 15086-5 (SPD) IEC 61643- 11:2011 IEC 61643- 11:2011 IEC 60502/IS 1554 (Part 1 & 2)/ IEC 60927/IS 694, IEC 60927/IS 694, IEC 60947 (as applicable) BS EN 50618 2 Low-voltage switchgear and Control-gear, Part 3: Switches, disconnectors switch-disconnectors and fuse- combination units 4) EN 50521: Connectors for photovoltaic systems Surge Arrestors Surge Arrestors Lightening Protection Standard Lightening Protection Standard	50521		
Circuit Breakers 3)Low-voltage switchgear and Control-gear, Part 3: Switches, disconnectors switch-disconnectors and fuse- combination units 4) EN 50521: Connectors for photovoltaic system- Safety requirements and tests Low-voltage fuses - Part 6: Supplementary requirements for fuse-links for the protection of solar photovoltaic energy systems Solar PV Roof Mounting Structure IS 2062/IS 4759/AA6063 T6 Surge Arrestors BFC 17-102:2011/ IEC 62305 IEC 60364-5- 53/ IS 15086-5 (SPD) IEC 61643- 11:2011 Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables IEC 60227/IS 694, IEC 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as applicable) BS EN 50618 Circuit Breakers 3)Low-voltage switchgear and Control-gear, Part 3: Switches, disconnectors switch-disconnected solar photovoltaic systems Surge Arrestors Surge Arrestors Electrical installations of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables IEC 60227/IS 694, IEC 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as applicable) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables		General rules	
3)Low-voltage switchgear and Control-gear, Part 3: Switches, disconnectors switch-disconnectors and fuse- combination units 4) EN 50521: Connectors for photovoltaic system- Safety requirements and tests Low-voltage fuses - Part 6: Supplementary requirements for fuse-links for the protection of solar photovoltaic energy systems Solar PV Roof Mounting Structure IS 2062/IS 4759/AA6063 T6 Surge Arrestors BFC 17-102:2011/ NFC 102:2011/ IEC 62305 IEC 60364-5- 53/ IS 15086-5 (SPD) IEC 61643- 11:2011 EC 61643- 11:2011 IEC 60502/IS 694, IEC 60227/IS 694, IEC 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as applicable) BS EN 50618 JEC 60164 Surge Switch-disconnectors and fuser combination units 4) EN 50521: Connectors for photovoltaic systems Surge Arrestors Surge Arrestors Surge Arrestors Lightening Protection Standard Surge Arrestors Electrical installations of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables IEC 60227/IS 694, IEC 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as applicable) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables		, ,	
Switches, disconnectors switch-disconnectors and fuse- combination units 4) EN 50521: Connectors for photovoltaic system- Safety requirements and tests Low-voltage fuses - Part 6: Supplementary requirements for fuse-links for the protection of solar photovoltaic energy systems Solar PV Roof Mounting Structure IS 2062/IS 4759/AA6063 T6 Surge Arrestors BFC 17-102:2011/ NFC 102:2011/ IEC 62305 IEC 60364-5- 53/ IS 15086-5 (SPD) IEC 61643- 11:2011 IEC 61643- 11:2011 IEC 60502/IS 694, IEC 60227/IS 694, IEC 60947 (as applicable) BS EN 50618 Switches, disconnectors switch-disconnectors and fuse- combination units 4) EN 50521: Connectors for photovoltaic systems Surge Part 6: Supplementary requirements energy systems Part 5- 53 (part 5- 53: Selection Standard) Surge Arrestors Breat 1:2011/ Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables IEC 60227/IS 694, IEC 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as applicable) BS EN 50618 BS EN 50618 Switches, disconnectors for photovoltaic systems For photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables		Circuit Breakers	
combination units 4) EN 50521: Connectors for photovoltaic system-Safety requirements and tests Low-voltage fuses - Part 6: Supplementary requirements for fuse-links for the protection of solar photovoltaic energy systems Solar PV Roof Mounting Structure IS 2062/IS 4759/AA6063 T6 Surge Arrestors BFC 17-102:2011/ IEC 62305 IEC 60364-5- 53/ IS 15086-5 (SPD) IEC 61643- 11:2011 IEC 61643- 11:2011 IEC 60502/IS 694, [Part 1 & 2)/ IEC 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as applicable) BS EN 50618 Combination units 4		3)Low-voltage switchgear and Control-gear, Part 3:	
4) EN 50521: Connectors for photovoltaic system- Safety requirements and tests Low-voltage fuses - Part 6: Supplementary requirements for fuse-links for the protection of solar photovoltaic energy systems Solar PV Roof Mounting Structure IS 2062/IS 4759/AA6063 T6 Surge Arrestors BFC 17-102:2011/ IEC 62305 IEC 60364-5- Selection and erection of electrical equipment - Isolation, switching and control IEC 61643- 11:2011 IEC 61643- 11:2011 IEC 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as applicable) BS EN 50618 HO Surge Arrestors Surge Arrestors Surge Arrestors Flectrical installations of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables General test and measuring method for PVC (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables		Switches, disconnectors switch-disconnectors and fuse-	
Safety requirements and tests Low-voltage fuses - Part 6: Supplementary requirements for fuse-links for the protection of solar photovoltaic energy systems		combination units	
Safety requirements and tests Low-voltage fuses - Part 6: Supplementary requirements for fuse-links for the protection of solar photovoltaic energy systems		4) EN 50521: Connectors for photovoltaic system-	
IEC 60269-6:2010 for fuse-links for the protection of solar photovoltaic energy systems Solar PV Roof Mounting Structure IS 2062/IS 4759/AA6063 T6		Safety requirements and tests	
Energy systems Solar PV Roof Mounting Structure		Low-voltage fuses - Part 6: Supplementary requirements	
Solar PV Roof Mounting Structure IS 2062/IS 4759/AA6063 T6 Surge Arrestors BFC 17-102:2011/ NFC 102:2011/ IEC 62305 IEC 60364-5- (SPD) (SPD) (SPD) (IEC 61643- 11:2011) IEC 61643- 11:2011 (Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables IEC 60227/IS 694, (Part 1 & 2)/ (Part 1 & 2)/ (Part 1 & 2)/ (Part 1 & 2)/ (SPD)	IEC 60269-6:2010	for fuse-links for the protection of solar photovoltaic	
IS 2062/IS 4759/AA6063 T6 Surge Arrestors BFC 17-102:2011/ NFC 102:2011/ IEC 62305 IEC 60364-5- 53/ IS 15086-5 (SPD) IEC 61643- 11:2011 IEC 605227/IS 694, IEC 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as applicable) BS EN 50618 Material for the structure mounting Material for the structure mounting Surge Arrestors Lightening Protection Standard Lightening Protection Standard Lightening Protection Standard Lightening Protection Standard Standard Lightening Protection Standard Lightening Protection Standard Lightening Protection Standard Lightening Protection Standard Electrical installations of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables General test and measuring method for PVC (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables		energy systems	
Surge Arrestors BFC 17-102:2011/ IEC 62305 IEC 60364-5- Selection and erection of electrical equipment - Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables IEC 60227/IS 694, IEC 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as applicable) BS EN 50618 Surge Arrestors Lightening Protection Standard Electrical installations of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables Electric 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as and including 1100 V, and UV resistant for outdoor installation) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables	1	Solar PV Roof Mounting Structure	
BFC 17-102:2011/ NFC 102:2011/ IEC 62305 IEC 60364-5- 53/ IS 15086-5 (SPD) IEC 61643- 11:2011 BEC 60227/IS 694, IEC 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as applicable) BS EN 50618 Lightening Protection Standard Electrical installations of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices onnected to low-voltage power systems - Requirements and test methods Cables Electric factor installations of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices - Part 11: Surge protective devices onnected to low-voltage surge protective devices on	IS 2062/IS	Material for the structure mounting	
BFC 17-102:2011/ NFC 102:2011 / IEC 62305 IEC 60364-5- 53 / IS15086-5 (SPD) IEC 61643- 11:2011 EC 60227/IS 694, IEC 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as applicable) BS EN 50618 Lightening Protection Standard Electrical equipment - Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables Electric 60227/IS 694, Indicate the protection Standard Electrical equipment - Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables Electric 60227/IS 694, Indicate the protection of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation of buildings - Part 5-53: Selec	4759/AA6063 T6		
IEC 60364-5- (SPD) IEC 61643- 11:2011 IEC 60227/IS 694, [Part 1 & 2)/ IEC 69947 (as applicable) BS EN 50618 Electrical installations of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables General test and measuring method for PVC (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables		Surge Arrestors	
IEC 60364-5- (SPD) IEC 61643- 11:2011 IEC 60227/IS 694, (Part 1 & 2)/ IEC 69947 (as applicable) BS EN 50618 Electrical installations of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables General test and measuring method for PVC (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables	BFC 17-102:2011/	Lightening Protection Standard	
IEC 60364-5- 53/ IS 15086-5 (SPD) IEC 61643- 11:2011 IEC 60227/IS 694, IEC 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as applicable) BS EN 50618 Electrical installations of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables General test and measuring method for PVC (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables	NFC 102:2011/ IEC		
Selection and erection of electrical equipment - Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables IEC 60227/IS 694, IEC 60502/IS 1554 (Part 1 & 2)/ IEC 69947 (as applicable) General test and measuring method for PVC (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables	62305		
Isolation, switching and control IEC 61643- 11:2011 Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables IEC 60227/IS 694, General test and measuring method for PVC (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) BS EN 50618 Isolation, switching and control Low-voltage surge protective devices - Part 11: Surge protection devices - Part 11: Surge p	IEC 60364-5-	Electrical installations of buildings - Part 5-53:	
IEC 61643- 11:2011 Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables IEC 60227/IS 694, IEC 60502/IS 1554 General test and measuring method for PVC (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables	53/ IS15086-5	Selection and erection of electrical equipment -	
protective devices connected to low-voltage power systems - Requirements and test methods Cables IEC 60227/IS 694, IEC 60502/IS 1554 Chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) Applicable Electric cables for photovoltaic systems BS EN 50618 (BT(DE/NOT)258), mainly for DC Cables	(SPD)	Isolation, switching and control	
systems - Requirements and test methods Cables IEC 60227/IS 694, IEC 60502/IS 1554 (Part 1 & 2)/ (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) BS EN 50618 (BT(DE/NOT)258), mainly for DC Cables	IEC 61643- 11:2011	Low-voltage surge protective devices - Part 11: Surge	
Cables IEC 60227/IS 694, General test and measuring method for PVC (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables		protective devices connected to low-voltage power	
IEC 60227/IS 694, General test and measuring method for PVC (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) BS EN 50618 General test and measuring method for PVC (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables		systems - Requirements and test methods	
IEC 60502/IS 1554 chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) applicable) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables			
IEC 60502/IS 1554 chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) applicable) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables	IEC 60227/IS 694,	General test and measuring method for PVC (Polyvinyl	
(Part 1 & 2)/ IEC69947 (as applicable) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables	IEC60502/IS 1554	, , , ,	
applicable) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables	-	, , , , , , , , , , , , , , , , , , , ,	
Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables	` ''		
BS EN 50618 (BT(DE/NOT)258), mainly for DC Cables	applicable)		
		Electric cables for photovoltaic systems	
Forthing /Lightning	BS EN 50618	(BT(DE/NOT)258), mainly for DC Cables	
Farthing /Lightning			
Farthing /Lightning			
Forthing /Lightning			
Partning / Digitining			

IEC 62561/IEC	IEC 62561-1: Lightning protection system components	
60634 Series	(LPSC) - Part: Requirements for connection components	
(Chemical earthing) (as applicable)	IEC 62561-2: Lightning protection system components (LPSC) – Part 2: Requirements for conductors and earth electrodes	
	IEC 62561-7: Lightning protection system components (LPSC) - Part 7: Requirements for earthing enhancing compounds	
Junction Boxes		
	Junction boxes and solar panel terminal boxes shall be of the thermo-plastic type with IP 65 or better	
IEC 60529	protection for outdoor use, and IP 54 or better protection for indoor use	

Note: The formats and annexures listed below are for the required formats and annexures during the entire contract period right from submission of bid to commissioning of SRTPV Plants.

However, at the time of bid submission, Bidders are required to fill and submit only the formats and Annexures that are relevant at the time of bid submission.

SECTION - V FORMATS FOR SUBMITTING RFP

Covering Letter

(The covering letter should be on the Letter Head of the Bidding Company)

Enquiry No.: - BESCOM/DSM/GM /DGM/AGM-5/2021-22/RTS-08 Date: 11.01.2022

From:	(Insert name and address of Bidding Company
	- -
Tel.#: Fax#:	
E-mail address#	

To,
The General Manager (Ele),
DSM Section,
Corporate Office,
BESCOM, Bangalore.

Sub: RFP for the empanelment of vendors for "Design, supply, erection, testing and commissioning including warranty, Comprehensive operation & maintenance of grid connected rooftop solar power plant of various capacities in the BESCOM jurisdiction in 3 LOTs for Part-A/ Part-B/ Part C/ Part-D) under Soura Gruha Yojane.

Dear Sir,

- 1. We, the undersigned....[insert name of the 'Bidder'] having read, examined and understood in detail the RFP Document for Implementation of Grid connected Roof Top Solar System hereby submit our Bid comprising of Price Bid and Techno Commercial Bid. We confirm that neither we nor any of our Parent Company / Affiliate/Ultimate Parent Company has submitted Bid other than this Bid directly or indirectly in response to the aforesaid RFP.
- 2. We give our unconditional acceptance to the RFP, dated 17.01.2022 and RFP Documents attached thereto, issued by BESCOM, as amended. As a token of our acceptance to the RFP documents, the same have been initiated by us and enclosed with the bid. We shall ensure that we execute such RFP as per the provisions of the RFP and provisions of such RFP Documents shall be binding on us.

Bid Capacity: We have bid for the capacity as detailed in below table.

S. No	Category	LOT wise / Part wise Bid Capacity in MWp			Total Bid Capacity in	
•		LOT-1	LOT-2	LOT-3	\mathbf{MWp}	
1.	Part-A					
2.	Part-B					
3.	Part-C					
4.	Part-D					

Bid Bond: We have enclosed a Bid Bond of Rs(Insert Amount), in the
form of bank guarantee no(Insert number of the bank guarantee)
dated[Insert date of bank guarantee] as per Formatfrom
(Insert name of bank providing Bid Bond) and valid up toin
terms of Clauseof this RFP. The offered quantum of power by us is
(Insert total capacity offered) kWp in(Part-A/ Part-B/ Part C/
Part- D).

- 3. We have submitted our Price Bid strictly as per the provisions of this RFP, without any deviations, conditions and without mentioning any assumptions or notes for the Price Bid in the said format(s).
- 4. In case we are a Empanelled Vendor, we shall furnish a declaration at the time of commissioning of the project to the affect that neither we have availed nor we shall avail in future any CFA other than received from BESCOM for implementation of the project.

5. Acceptance:

We hereby unconditionally and irrevocably agree and accept that the decision made by BESCOM in respect of any matter regarding or arising out of the RFP shall be binding on us. We hereby expressly waive any and all claims in respect of Bid process.

We confirm that there are no litigations or disputes against us, which materially affect our ability to fulfil our obligations with regards to execution of projects of capacity offered by us.

6. Familiarity with Relevant Indian Laws & Regulations

We confirm that we have studied the provisions of the relevant Indian laws and regulations as required to enable us to submit this Bid and execute the RFP Documents, in the event of our selection as successful bidder. We further

undertake and agree that all such factors as mentioned in RFP have been fully examined and considered while submitting the Bid.

7. Contact Person

Details of the contact person are furnished as ur

Name	:
Address	:
Phone Nos.	:
Fax No.	:
E-Mail	:

It is confirmed that our Bid is consistent with all the requirements of submission as stated in the RFP and subsequent communications from BESCOM. The information submitted in our Bid is complete, strictly as per the requirements stipulated in the RFP and is correct to the best of our knowledge and understanding. We would be solely responsible for any errors or omissions in our Bid.

We confirm that all the terms and conditions of our Bid are valid for acceptance for a period of 6 month from the Bid deadline. We confirm that we have not taken any deviation so as to be deemed non-responsive.

Dated the day of , 2021

Yours faithfully,

Signature:

Name:

Designation with Seal

Name, Designation and Signature of Authorized Person in whose name Power of

Attorney/Board Resolution/Declaration (Annexure G).

General Particulars of the bidder

S.	Particulars	Details
No.		
1.	Name of the Company	
2.	Registered Office Address	
3.	E-mail ID	
4.	Web site	
5.	Authorized Contact Person(s) with name, designation Address and Mobile Phone No., E- mail address/ Fax No. to whom all references shall be made	
6.	Year of Incorporation	
7.	Have the bidder/Company ever been debarred By any Govt. Dept. / Undertaking for undertaking any work	
8.	Reference of any document information attached by the Bidder other than specified in the RFP.	
9.	Details of the Ownership structure (Details of persons owning 10% or more of the Total Paid up equity of the Bidding Company in the Format as below	Yes/No
10.	Whether company is MSME as on the bidding date	Yes/No
11.	Whether the Company has valid GST Registration Number (Enclose a Copy)	
12.	PAN number (enclosed a copy)	
13.	Bank Account Details	

Please strike-off whichever is not applicable.

Signature:

Name:

Designation with Seal:

PROFORMA FOR BANK GUARANTEE FOR BID BOND/EMD

(To be on non-judicial stamp paper of appropriate value as per Stamp Act relevant to place of execution.)

Ref.:	Date:
	Bank Guarantee No.:

To,
The General Manager (Ele),
DSM Section,
Corporate Office,
BESCOM, Bangalore.

In consideration of the ----- [Insert name of the Bidder] (hereinafter referred to as 'Bidder') submitting the response to RFP inter alia for selection of the Project of the capacity of MW [Insert Capacity of Plant] in response to the RFP No. BESCOM/DSM/GM /DGM/AGM-5/2021- 22/RTS-08 Dated 11.01.2022 by BESCOM considering such response to the RFP of[insert the name of the Bidder] as per the terms of the RFP, the [insert name & address of bank] hereby agrees unequivocally, irrevocably and unconditionally to pay to The General Manager, DSM, Corporate Officer, BESCOM, Bangaloe forthwith on demand in writing from BESCOM or any Officer authorized by it in this behalf, any amount up-to and not exceeding Rupees ------ [Insert amount not less than that derived on the basis of INR. [Insert the amount] Lakhs per MW of cumulative capacity proposed in Group] only, on behalf of M/s. [Insert name of the Bidder].

This guarantee shall be valid and binding on this Bank up to and including [insert date of validity in accordance with **Clause 10.9** of this RFP and shall not be terminable by notice or any change in the constitution of the Bank or the term of contract or by any other reasons whatsoever and our liability hereunder shall not be impaired or discharged by any extension of time or variations or alternations made, given, or agreed with or without our knowledge or consent, by or between parties to the respective agreement.

Our liability under this Guarantee is restricted to [Insert the Value of Amount in INR]. Our Guarantee shall remain in force until [insert date of validity in accordance with **Clause 10.9** of this RFP]. BESCOM shall be entitled to invoke this Guarantee till [Insert date which is [Insert the Number of] days after the date in the preceding sentence].

The Guarantor Bank hereby agrees and acknowledges that the *BESCOM* shall have a right to invoke this BANK GUARANTEE in part or in full, as it may deem fit.

The guarantor bank acknowledged that this Bank Guarantee may be assigned by the *BESCOM*, in whole or in part (whether absolutely or by way of security) to the successor entity (ies) coming into being as a result of any merger or amalgamation or scheme of arrangement or similar re-organization of the BESCOM.

The Guarantor Bank hereby expressly agrees that it shall not require any proof in addition to the written demand by BESCOM, made in any format, raised at the above mentioned address of the Guarantor Bank, in order to make the said payment to BESCOM.

The Guarantor Bank shall make payment hereunder on first demand without restriction or conditions and notwithstanding any objection by ------ [Insert name of the Bidder] and/or any other person. The Guarantor Bank shall not require BESCOM to justify the invocation of this BANK GUARANTEE, nor shall the Guarantor Bank have any recourse against BESCOM in respect of any payment made hereunder.

This BANK GUARANTEE shall be interpreted in accordance with the laws of India and the courts at Bangalore shall have exclusive jurisdiction.

The Guarantor Bank represents that this BANK GUARANTEE has been established in such form and with such content that it is fully enforceable in accordance with its terms as against the Guarantor Bank in the manner provided herein.

This BANK GUARANTEE shall not be affected in any manner by reason of merger, amalgamation, restructuring or any other change in the constitution of the Guarantor Bank.

This BANK GUARANTEE shall be a primary obligation of the Guarantor Bank and accordingly BESCOM shall not be obliged before enforcing this BANK GUARANTEE to take any action in any court or arbitral proceedings against the Bidder, to make any claim against or any demand on the Bidder or to give any notice to the Bidder or to enforce any security held by BESCOM or to exercise, levy or enforce any distress, diligence or other process against the Bidder.

Notwithstanding anything contained hereinabove, our liability under this Guarantee is restricted to Rs. (Rs. only) and it shall remain in force until [Date to be inserted on the basis of **EMD Clause** of this RFP] with an additional claim period

of Ninety (90) days thereafter.

We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only if BESCOM serves upon us a written claim or demand.

Signature
Name
Power of Attorney No.

For
[Insert Name of the Bank]
Banker's Stamp and Full Address. Dated this _______day of ______, 2021

Note: 1. (*) the amount shall be as specified in the Bid document. (#) Complete mailing address of the Head Office of the Bank to be given.

The Performance Bank Guarantee (PBG) shall be executed by any of the Bank from the List of Banks enclosed as per Annexure-B.

2. The Stamp Paper of appropriate value shall be purchased in the name of guarantee issuing Bidder/bank issuing the guarantee.

FORMAT FOR PERFORMANCE BANK GUARANTEE (PBG)

(To be on non-judicial stamp paper of appropriate value as per Stamp Act relevant to place of execution.)

In consideration of the [Insert name of the Bidder] (Hereinafter referred to as selected
Solar Power Developer') submitting the response to RFP inter alia for selection of the Project under
CAPEX Model (Part-A/ Part-B/ Part C/ Part- D/Part- E/Part-F) of the capacity of kWp / MWp
under Roof Top scheme in response to the RFP no dated issued by
BESCOM and Insert the name of State Implementing Agency considering such response to the RFP
of insert the name of the selected Solar Power Developer] (which expression shall
unless repugnant to the context or meaning thereof include its executers, administrators,
successors and assignees) and selecting the Solar Power Project of the Solar Power Developer and
issuing Letter of allocation no to (Insert Name of selected Solar Power
Developer) as per terms of RFP and the same having been accepted. As per the terms of the RFP, the
[insert name & address of bank] hereby agrees unequivocally, irrevocably and
unconditionally to pay to <i>Insert the name of State Implementing Agency</i> at [Insert Name of the Place
from the address of the Insert the name of State Implementing Agency forthwith on demand in
writing from <i>Insert the name of State Implementing Agency</i> or any Officer authorized by it in this
behalf, any amount upto and not exceeding Rupees [total value] only, on behalf of M/s
[Insert name of the selected Solar Power Developer / Project Company] This guarantee
shall be valid and binding on this Bank up to and including and shall not be terminable by
notice or any change in the constitution of the Bank or the term of contract or by any other reasons
whatsoever and our liability hereunder shall not be impaired or discharged by any extension of time
or variations or alternations made, given, or agreed with or without our knowledge or consent, by or
between parties to the respective agreement.
Our liability under this Guarantee is restricted to INR
Our Guarantee shall remain in force until
Agency shall be entitled to invoke this Guarantee till [Insert date which is [Insert the
<i>number</i>] of days after the date in the preceding sentence].

Agency shall have a right to invoke this BANK GUARANTEE in part or in full, as it may deem fit.

The Guarantor Bank hereby expressly agrees that it shall not require any proof in addition to the

The Guarantor Bank hereby agrees and acknowledges that *Insert the name of State Implementing*

The Guarantor Bank hereby expressly agrees that it shall not require any proof in addition to the written demand by *Insert the name of State Implementing Agency*, made in any format, raised at the above mentioned address of the Guarantor Bank, in order to make the said payment to *Insert the name of State Implementing Agency*.

The Guarantor Bank shall make payment hereunder on first demand without restriction or conditions Page **93** of **146**

and notwithstanding any objection by ------[Insert name of the selected bidder]. The Guarantor Bank shall not require *Insert the name of State Implementing Agency* to justify the invocation of this BANK GUARANTEE, nor shall the Guarantor Bank have any recourse against *Insert the name of State Implementing Agency* in respect of any payment made hereunder. This BANK GUARANTEE shall be interpreted in accordance with the laws of India and the courts at [Insert the Name of State/District] shall have exclusive jurisdiction. The Guarantor Bank represents that this BANK GUARANTEE has been established in such form and with such content that it is fully enforceable in accordance with its terms as against the Guarantor Bank in the manner provided herein. This BANK GUARANTEE shall not be affected in any manner by reason of merger, amalgamation, restructuring or any other change in the constitution of the Guarantor Bank. This BANK GUARANTEE shall be a primary obligation of the Guarantor Bank and accordingly *Insert the name of State Implementing Agency* shall not be obliged before enforcing this BANK GUARANTEE to take any action in any court or arbitral proceedings against the selected Solar Power Developer / Project Company, to make any claim against or any demand on the Empanelled Vendor or to give any notice to the selected Solar Power Developer / Project Company or to enforce any security held by *Insert the name of State Implementing Agency* or to exercise, levy or enforce any distress, diligence or other process against the selected Solar Power Developer / Project Company. Notwithstanding anything contained hereinabove, our liability under this Guarantee is restricted to INR...... (INR..... only) and it shall remain in force until [Insert date which is [Insert the number] of days after the date in the preceding sentence]. We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only if *Insert the name of State Implementing Agency* serves upon us a written claim or demand. **Signature** Name Power of Attorney No. For. [Insert the bank name] Banker's Stamp and Full Address. Dated this day of , 2021 Witness:

1	2
Signature	Signature
Name and Address	Name and Address

Notes:

- 1. The Stamp Paper should be in the name of the Executing Bank and of appropriate value.
- 2. The Performance Bank Guarantee (PBG) shall be executed by any of the Bank from the List of Banks enclosed as per Annexure-B.

CHECK LIST FOR BANK GUARANTEES

Sl.	Details of checks	YES/NO.
No.		
a)	Is the PBG on non-judicial Stamp paper of appropriate value, as per applicable Stamp Act of the place of execution	
b)	Whether date, purpose of purchase of stamp paper and name of the purchaser are indicated on the back of Stamp paper under the Signature of Stamp vendor? (The date of purchase of stamp paper should be not later than the date of execution of BG and the stamp paper should be purchased either in the name of the executing Bank or the party on whose behalf the BG has been issued. Also, the Stamp Paper should not be older than six months from the date of execution of BG).	
c)	Has the executing Officer of BG indicated his name, designation and Power of Attorney No. /Signing Power no. on the BG?	
d)	Is each page of BG duly signed / initiated by executants and whether stamp of Bank is affixed thereon? Whether the last page is signed with full particulars including two witnesses under seal of Bank as required in the prescribed Performa?	
e)	Does the Bank Guarantees compare verbatim with the Performa prescribed in the Bid Documents?	
f)	Are the factual details such as Bid Document No. / Specification No., / LoA No. (if applicable) / Amount of BG and Validity of BG/correctly mentioned in the BG	
g)	Whether overwriting/cutting if any on the BG have been properly authenticated under signature & seal of executants?	
h)	Contact details of issuing bank including email id, mobile number etc.	

POWER OF ATTORNEY

(To be on non-judicial stamp paper of appropriate value as per Stamp Act relevant to place of execution.)

(a) Power of Attorney to be provided by the Bidding Company in favour of	its representative
as evidence of authorized signatory's authority.	

Know all men by these presents, We name and address of the registered
office of the Bidding Company as applicable) do hereby constitute, appoint and authorize Mr./Ms
(name & residential address) who is presently employed with us and
holding the position of as our true and lawful attorney, to do in our name
and on our behalf, all such acts, deeds and things necessary in connection with or incidental to
submission of our Bid for implementation of grid connected Roof top solar in response to the RFP
No. BESCOM/DSM/GM /DGM/AGM-5/2021- 22/RTS-08 Date: 11.01.2022 issued by
BESCOM, including signing and submission of the Bid and all other documents related to the Bid,
including but not limited to undertakings, letters, certificates, acceptances, clarifications, guarantees
or any other document which the BESCOM, may require us to submit. The aforesaid attorney is
further authorized for making representations to the BESCOM,, and providing information /
responses to BESCOM,, representing us in all matters before BESCOM, and generally dealing with
BESCOM, in all matters in connection with Bid till the completion of the bidding process as per the
terms of the above mentioned RFP.
We hereby agree to ratify all acts, deeds and things done by our said attorney pursuant to this Power
of Attorney and that all acts, deeds and things done by our aforesaid attorney shall be binding on us
and shall always be deemed to have been done by us.
· · · · · · · · · · · · · · · · · · ·
All the terms used herein but not defined shall have the meaning ascribed to such terms under the
RFP.
Signed by the within named
(Insert the name of the executant's company)
through the hand of
Mr
duly authorized by the Board to issue such Power of Attorney
Dated this day of
Accepted

Signature of Attorney	
(Name, designation and address of the Attorn	ey)
Attested(Signature of the executant)	
(Name, designation and address of the execut Signature and stamp of Notary of the place of	
Common seal of has but the description of the description dated	been affixed in my/our presence pursuant to Board of
Witness:	
1	2
Signature	Signature
Designation	Designation
Name and Address	Name and Address

Notes:

- i. The mode of execution of the power of attorney should be in accordance with the procedure, if any, laid down by the applicable law and the charter documents of the executant(s) and the same should be under common seal of the executant affixed in accordance with the applicable procedure. Further, the person whose signatures are to be provided on the power of attorney shall be duly authorized by the executant(s) in this regard.
- ii. The person authorized under this Power of Attorney, in the case of the Bidding Company / Lead Member being a public company, or a private company which is a subsidiary of a public company, in terms of the Companies Act, 1956, with a paid up share capital of more than Rupees Five crores, should be the Managing Director / whole time director/manager appointed under section 269 of the Companies Act, 1956. In all other cases the person authorized should be a director duly authorized by a board resolution duly passed by the Company.
- iii. Also, wherever required, the executant(s) should submit for verification the extract of the chartered documents and documents such as a Board resolution / power of attorney, in favour of the person executing this power of attorney for delegation of power hereunder on behalf of the executant(s).

FINANCIAL ELIGIBILITY CRITERIA REQUIREMENT

(To be submitted on the letterhead of Bidding Company)

To,

The General Manager (Ele), DSM Section, Corporate Office, BESCOM, Bangalore.

Sub: Bid for Implementation of Grid connected Roof Top Solar System scheme in response to the RFP No: BESCOM/DSM/GM /DGM/AGM-5/2021-22/RTS-08 Date: 11.01.2022

Dear Sir,

We submit our Bid/Bids for the total capacity of kWp in Part-A/ Part-B/ Part C/ Part- D and all LOTs put together for which details of our Financial Eligibility Criteria Requirements are as follows.

We certify that the Financially Evaluated Entity(ies) had an Annual Turnover as follows: The Annual turnover of [*Insert the amount*] per kW of the capacity offered in its Bid in any one of the last 3 financial years preceding the bid deadline subjected to the condition that the bidder should at least have completed one financial year.

Name of	Relationship	Financial year	Year of	Annual	Net worth
Financially	with Bidding		Incorporation	Turnover	as per
Evaluated	Company**			(Rs. Crore)	Clause
Entity*					5.5.2 (in
					Rs. Crore)

^{*} The Financially Evaluated Entity may be the Bidding Company itself.

Yours faithfully

(Signature and stamp (on each page) of Authorized Signatory of Bidding Company.

^{**} The column for "Relationship with Bidding Company" is to be filled in only in case financial capability of Parent Company and/or Affiliate has been used for meeting Qualification Requirements.

	Name:
(Signature and stamp (on each page) of Chartered Accountant/S Company.	tatutory Auditors of Bidding
Name:	

Notes:

i. Audited consolidated annual accounts of the Bidder may also be used for the purpose of financial criteria provided the Bidder has at least 26% equity in each company whose accounts are merged in the audited consolidated accounts and provided further that the financial capability of such companies (of which accounts are being merged in the consolidated accounts) shall not be considered again for the purpose of evaluation of the Bid.

Format for certificate of relationship of Parent Company or Affiliate with the Bidding Company.

To,					
Sub: Bid for Implementati	ion of Grid connected Ro	of Top Solar System.			
Dear Sir,					
Affiliate(s) /Parent Compa Company as provided in thi the Bid Deadline.	We hereby certify that M/s,M/s,M/s,M/sare the Affiliate(s) /Parent Company of the Bidding Company as per the definition of Affiliate/Parent Company as provided in this RFP and based on details of equity holding as on seven (7) days prior to the Bid Deadline.				
The details of equity holding seven (7) days prior to the E			or vice versa as on		
Name of Bidding Company	Name of the Affiliate of the Bidding Company/ Name of the Parent Company of the Bidding Company	Name of the Company having common control on the Affiliate and the Bidding Company	Percentage of Equity Holding of Parent Company in the Bidding Company		
*Strike out whichever is not applicable.					
(Insert Name and Signature of Statutory Auditor or practicing Company Secretary of the Bidder)					

Undertaking from the Financially Evaluated Entity or its Parent Company/ Ultimate Parent Company

(On the Letter Head of the Financially Evaluated Entity or its Parent Company/Ultimate Parent Company)

Name:
Full Address:
Telephone No.:
E-mail
address:
Fax/No.:
To,
Dear Sir,
We refer to the RFP No dated for "Implementation of Grid connected Roof Top Solar Systems".
"We have carefully read and examined in detail the RFP, including in particular, Clause of the RFP, regarding submission of an undertaking, as per the prescribed Format a Annexure of the RFP.
We confirm that M/s (Insert name of Bidding Company/) has been authorized by us to use our financial capability for meeting the Financial Eligibility as specified in Clause of the RFF referred to above.
We have also noted the amount of the Performance Guarantee required to be submitted as per Clauseof the RFP the(Insert the name of the Bidding Company) in the event of it being selected as the Empanelled Vendor.

In view of the above, we hereby undertake to you and confirm that in the event of failure of(Insert name of the Bidding Company) to submit the Performance Guarantee in full or in part at any stage, as specified in the RFP, we shall submit the Performance Guarantee not submitted by(Insert name of the Bidding Company).
We have attached hereto certified true copy of the Board Resolution Whereby the Board of Directors of our Company has approved issue of this Undertaking by the Company.
All the terms used herein but not defined, shall have the meaning as ascribed to the said terms under the RFP.
Signature of Authorized Signatory
Common seal of has been affixed in my/our presence pursuant to Board of Director's Resolution dated
WITNESS
(Signature)
Name
Designation
(Signature)
Name
Designation

CONSORTIUM AGREEMENT

(To be on non-judicial stamp paper of appropriate value as per Stamp Act relevant to place of execution)

THIS Consortium Agreement ("Agreement")	ment") executed on this	day of	2021 between
M/s [insert name of Lead Member]	a Firm / Company incorp	orated under	r the laws of
and having its Registered Office at	(hereinafter called the "Le	ead Member'	", which expression
shall include its successors, executors	and permitted assigns) And	M/s	a Firm / Company
incorporated under the laws ofa	and having its Registered Of	fice at	(hereinafter called
the "Technical Member", which expre	ession shall include its succe	essors, execu	ators and permitted
assigns), which expression shall include	its successors, executors and	permitted as	ssigns) WHEREAS,
each Member individually shall be re	ferred to as the "Member" a	and both the	Members shall be
collectively referred to as the "Members	s" in this Agreement.		

WHEREAS the [Name and Address of *BESCOM*, (hereinafter called Company incorporated under the Company's Act, 1956 has invited response to RFP No. **BESCOM/DSM/GM /DGM/AGM-5/2021-22/RTS-08 Date: 11.01.2022** for design, manufacture, supply, erection, testing and commissioning including warranty, operation & maintenance of Roof Top Solar system in BESCOM jurisdiction.

WHEREAS the RFP documents stipulates that the Lead Member may enter into a Technical Consortium Agreement with another Company / Corporate entity to fulfil the Technical Eligibility Criteria as stipulated in the RFP document. The Members of the Bidding Consortium will have to submit a legally enforceable Consortium Agreement in a format enclosed with the RFP document.

NOW THEREFORE, THIS AGREEMENT WITNESSTH AS UNDER:

In consideration of the above premises and agreements all the Members in this Consortium do hereby mutually agree as follows:

- 1. We, the Members of the Consortium and Members to the Agreement do hereby unequivocally agree that (M/s______), shall act as the Lead Member as defined in the RFP for self and agent for and on behalf of Technical Member _____.
- 2. The Lead Member is hereby authorized by the Technical Member of the Consortium to bind the Consortium and receive instructions for and on their behalf.
- 3. The Lead Member shall be liable and responsible for ensuring the individual and collective commitment of each of the Members of the Consortium in discharging all of their respective obligations. Each Member further undertakes to be individually liable for the performance of its part of the obligations without in any way limiting the scope of collective liability envisaged in this Agreement.

- 4. Subject to the terms of this Agreement, the Technical member shall be responsible for providing technical knowledge for Implementation of Grid connected Roof Top Solar Systems.
- 5. In case of any breach of any commitment by any of the Consortium Members, the Lead Member shall be liable for the consequences thereof.
- 6. This Agreement shall be construed and interpreted in accordance with the Laws of India and courts at Bangalore alone shall have the exclusive jurisdiction in all matters relating thereto and arising there under.
- 7. It is hereby further agreed that in case of being shortlisted, the Members do hereby agree that they shall abide by the terms & conditions of the RFP document.
- 8. It is further expressly agreed that this Agreement shall be irrevocable and shall form an integral part of the RFP submitted to *BESCOM* and shall remain valid till completion of the job assigned to the Contractor.
- 9. The Lead Member is authorized and shall be fully responsible for the accuracy and veracity of the representations and information submitted by the Members respectively from time to time in the response to RFP.
- 10. It is hereby expressly understood between the Members that no Member at any given point of time, may assign or delegate its rights, duties or obligations under this agreement without the explicit permission of BESCOM.

11. This Agreement:

- a) Has been duly executed and delivered on behalf of each Member hereto and constitutes the legal, valid, binding and enforceable obligation of each such Member;
- b) Sets forth the entire understanding of the Members hereto with respect to the subject matter hereof; and
- c) May not be amended or modified except in writing signed by each of the Members and with prior written consent of BESCOM.

IN WITNESS WHEREOF, the Members have, through their authorized representatives, executed these presents on the Day, Month and Year first mentioned above.

For M/s [Lea	ad Member]
(signature, Name & Designation of	the person authorized vide Board Resolution Dated)
Witnesses:	
1) Signature	2) Signature

Name:	Name:
Address:	Address:
For M/s [Ted	chnical Member]
(signature, Name & Designation of	f the person authorized vide Board Resolution
Dated	
Witnesses:	
1) Signature	2) Signature
Name:	Name:
Address:	Address:

(Shareholding Certificate)

Name of the Equity holder	Type and	% of equity	Extent of Voting
	Number of shares	holding	rights
	owned		

(Signature of Authorized Signatory) With Stamp

(Signature of Company Secretary/Director/Chartered Accountant)

Section – VI	
<u>Annexure</u>	
(A to X)	

DOCUMENTS REQUIRED FOR PROJECT SANCTION

Following documents will be required to be submitted for project sanction:

Check List

For issuance of Sanction Order

S. No.	Documents	Yes / NO	Page No.
1.	Sanction Request letter on Letter head (Annexure D)		
2.	Copy of CAPEX Agreement		
3.	NOC/ Acknowledgement from DISCOM		
4.	Copy of Electricity Bill		
5.	Coloured Site Photos with Date & Time stamping		
6.	BOM & SLD		
7.	Solar PV Module Specs Sheet		
8.	Solar PV Module IEC Certificates		
9.	Inverter Specs Sheet		
10.	Inverter IEC Certificates		

Signature

List of Banks

1. SCHEDULED COMMERCIAL BANKS	2. OTHER PUBLIC SECTOR BANKS
SBI AND ASSOCIATES	1. IDBI Bank Ltd.
1. State Bank of India	3. FOREIGN BANKS
2. State Bank of Bikaner & Jaipur	Bank of America NA
3. State Bank of Hyderabad	2. Bank of Tokyo Mitsubishi UFJ Ltd.
4. State Bank of Indore	3. BNP Paribas
5. State Bank of Mysore	4. Calyon Bank
6. State Bank of Patiala	5. Citi Bank N.A.
7. State Bank of Travancore	6. Deutsche Bank A.G
NATIONALISED BANKS	7. The Hong Kong and Shanghai Banking Corpn. Ltd.
1. Allahabad Bank	8. Standard Chartered Bank
2. Andhra Bank	9. Societe Generale
3. Bank of India	10. Barclays Bank
4. Bank of Maharashtra	11. Royal Bank of Scotland
5. Canara Bank	12. Bank of Nova Scotia
6. Central Bank of India	13. Development Bank of Singapore (DBS, Bank Ltd.)
7. Corporation Bank	14. Credit Agricole Corporate and Investment Bank
8. Dena Bank	4. SCHEDULED PRIVATE BANKS
9. Indian Bank	1. Federal Bank Ltd.
10. Indian Overseas Bank	2. ING Vysya Bank Ltd.

11. Oriental Bank of Commerce	3. Axis Bank Ltd.
12. Punjab National Bank	4. ICICI Bank Ltd.
13. Punjab & Sind Bank	5. HDFC Bank Ltd.
14. Syndicate Bank	6. Yes Bank Ltd.
15. Union Bank of India	7. Kotak Mahindra Bank
16. United Bank of India	8. IndusInd Bank Ltd
17. UCO Bank	9. Karur Vysya Bank
18. Vijaya Bank	19. Bank of Baroda

Operation and Maintenance Guidelines of Grid Connected PV Plants for Part A & B, C & D

- 1. For the optimal operation of a PV plant, maintenance must be carried out on a regular basis.
- 2. All the components should be kept clean. It should be ensured that all the components are fastened well at their due place.
- 3. Maintenance guidelines for various components viz. solar panels, inverter, wiring etc. are discussed below:

SOLAR PANELS

Although the cleaning frequency for the panels will vary from site to site depending on soiling, it is recommended that

- i. The panels are cleaned at least once every fifteen days.
- ii. Any bird droppings or spots should be cleaned immediately.
- iii. Use water and a soft sponge or cloth for cleaning.
- iv. Do not use detergent or any abrasive material for panel cleaning.
- v. Iso-propyl alcohol may be used to remove oil or grease stains.
- vi. Do not spray water on the panel if the panel glass is cracked or the back side is perforated.
- vii. Wipe water from module as soon as possible.
- viii. Use proper safety belts while cleaning modules at inclined roofs etc.
- ix. The modules should not be cleaned when they are excessively hot. Early morning is particularly good time for module cleaning.
- x. Check if there are any shade problems due to vegetation or new building. If there are, make arrangements for removing the vegetation or moving the panels to a shade-free place.
- xi. Ensure that the module terminal connections are not exposed while cleaning; this poses a risk of electric shock.
- xii. Never use panels for any unintended use, e. g. drying clothes, chips etc.
- xiii. Ensure that monkeys or other animals do not damage the panels.

CABLES AND CONNECTION BOXES

- i. Check the connections for corrosion and tightness.
- ii. Check the connection box to make sure that the wires are tight, and the water seals are not damaged.
- iii. There should be no vermin inside the box.
- iv. Check the cable insulating sheath for cracks, breaks or burns. If the insulation is damaged, replace the wire
- v. If the wire is outside the building, use wire with weather-resistant insulation.
- vi. Make sure that the wire is clamped properly and that it should not rub against any sharp edges or corners.

vii. If some wire needs to be changed, make sure it is of proper rating and type.

INVERTER

- i. The inverter should be installed in a clean, dry, and ventilated area which is separated from, and not directly above, the battery bank.
- ii. Remove any excess dust in heat sinks and ventilations. This should only be done with a dry cloth or brush.
- iii. Check that vermin have not infested the inverter. Typical signs of this include
- iv. Spider webs on ventilation grills or wasps' nests in heat sinks.
- v. Check functionality, e.g. automatic disconnection upon loss of grid power supply, at least once a month.
- vi. Verify the state of DC/AC surge arrestors, cable connections, and circuit breakers.

SHUTTING DOWN THE SYSTEM

- i. Disconnect system from all power sources in accordance with instructions for all other components used in the system.
- ii. Completely cover system modules with an opaque material to prevent electricity from being generated while disconnecting conductors.
- iii. To the extent possible, system shutdown will not be done during daytime or peak generation.

INSPECTION AND MAINTENANCE SCHEDULE:

Compone	Activity	Description	Interval	By
nt				
PV	Cleaning	Clean any bird	Immediately	Beneficiary
Module		droppings/ dark spots		
		on module		
	Cleaning	Clean PV modules	Fortnightly or as	Beneficiary
		with plain water or mild	per the site	
		dishwashing detergent.	conditions	
		Do not use brushes, any		
		types of solvents,		
		abrasives, or harsh		
		detergents.		
	Inspection	Use infrared camera to	Annual	Technician
	(for plants >	inspect for hot spots;		
	100 kWp)	bypass diode failure		
	17			

Component	Activity	Description	Interval	Ву
PV Array	Inspection	Check the PV modules and rack for any damage. Note down location and serial number of damaged modules.	Annual	User/Technician
	Inspection	Determine if any new objects, such as vegetation growth, are causing shading of the, array and move them if possible.	Annual	User/Technician
	Vermin Removal	Remove bird nests or Vermin from array and rack area.	Annual	User/Technician
Junction Boxes	Inspection	Inspect electrical boxes for corrosion or intrusion of water or insects. Seal boxes if required. Check position of switches and breakers. Check operation of all protection devices.	Annual	Electrician
Wiring	Inspection	Inspect cabling for signs of cracks, defects, loose connections, overheating, arcing, short or open circuits, and ground faults.	Annual	Electrician
Inverter	Inspection	Observe	Quarterly	Electrician
Compone nt	Activity	Description	Interval	Ву
		Instantaneous operational indicators on the faceplate of the inverter to ensure that the amount of power being generated is typical of the conditions. Inspect Inverter housing or shelter for physical maintenance, if required.		

Inverter	Service	Clean or replace any air filters.	As needed	Electrician
		Spot-check monitoring instruments pyranometer etc.) with standard instruments to ensure that they are operational and within specifications.		
Instrumen ts	Validation		Annual	PV Specialist
Transfor mer	Inspection	Inspect transformer oil level, temperature gauges, breather, silica gel, meter, connections etc.	Annual	Electrician
Tracker (if present)	Inspection	Inspect gears, gear boxes, bearings as required.	Annual	Technician
	Service	Lubricate tracker mounting bearings, gearbox as required.	Bi-annual	Technician
Plant	Monitoring	Daily Operation and Performance Monitoring	Daily	Beneficiary
Inverter	Inspection	Observe instantaneous operational indicators on the faceplate of the inverter to ensure that the amount of power being generated is typical of the conditions. Inspect Inverter housing or shelter for physical	Quarterly	Electrician
Inverter	Service	maintenance, if required. Clean or replace any air filters.	As needed	Electrician
Instrumen ts	Validation	Spot – check monitoring instruments(pyranometer etc.) with standard instruments to ensure that they are operational and within specifications.		PV Specialist

Transfor mer	Inspection	Inspect transformer oil level, temperature gauges, breather, silica gel, meter, connections etc.	Annual	Electrician
Tracker	Inspection	Inspect gears, gear boxes, bearings as required.	Annual	Technician
(if present)	Service	Lubricate tracker mounting bearings, gearbox as required.	Bi-annual	Technician
Plant	Monitoring	Daily Operation and Performance Monitoring	Daily	Beneficiary
Spare Parts	Management	Manage inventory of spare parts.	As needed	Site in charge
Logbook	Documentati on	Document all O&M activities in a workbook available to all service personnel	Continuo us	Site in charge

Operation and Maintenance Guidelines of Grid Connected PV Plants

- i. Periodic cleaning of solar modules, preferably once every fortnight or asper site conditions. As this task has to be done by the beneficiary, the vendors shall apprise the beneficiary on the importance and proper technique for cleaning.
- ii. O&M of Solar Power Plant shall be compliant with grid requirements to achieve committed energy generation.
- iii. Periodic checks of the Modules, PCUs and BoS shall be carried out as a part of routine preventive and breakdown maintenance.
- iv. Immediate replacement of defective Modules, Invertors/PCUs and other equipment as and when required.
- v. Supply of all spares, consumables and fixtures as required. Such stock shall be maintained for all associated equipment and materials as per manufacturer/ supplier's recommendations.
- vi. All the equipment testing instrument required for Testing, Commissioning and O&M for the healthy operation of the Plant shall be maintained by the Bidder. The testing equipment must be calibrated once every 2 years from NABL accredited labs and the certificate of calibration must be kept for reference as required.

- vii. If negligence/ mal operation on part of the Bidder's operator results in failure of equipment, such equipment should be repaired/ replaced by the Bidder free of cost.
- viii. If any jobs covered in O&M Scope as per RFP are not carried out by the contractor/ Bidders during the O&M period, the Engineer-In-Charge shall take appropriate action as deemed fit.
 - ix. BESCOM reserves the right to make surprise checks/ inspection visits at its own or through authorized representative to verify the O&M activities being carried out by the Bidder. Failure to adhere to above guidelines will result in penal action including debarring from participation in next tender

Dated XX.XX.XXXX

Sanction Request Letter

(On Letterhead of the Vendor)

To,		
The General Manager (Ele),		
DSM Section,		
Corporate Office,		
BESCOM, Bangalore.		

Sub: Application for approval of project sanction for disbursement of CFA for Installation and Commissioning of Solar PV Plant under XXXX Model in Part X

Ref: 1. Your Allocation Letter XXXX/XXXX dated XX.XX.XXXX

2. Project Sanction documents received vide letter number XXX dated XX.XX.XXXX

Dear Sir,

Letter No. XX/XXX/2019-20/XXX

In reference to the above allocation letter dated XX.XX.XXXX, allocating us an aggregate capacity of XX kWp (allocated capacity in the category) Solar PV Project under XXXX model under Part X, we request you to kindly issue this consent letter for installation and commissioning of solar PV projects in BESCOM area under the grid connected rooftop scheme as per the following details:

Total allocated capacity	Project Cost (Rs/kWp)	Capacity Sanctioned (kWp)	CFA Amount
1.			
2.			
3.			

We shall complete the Installation & Commissioning of the sanctioned projects as per the terms and conditions of the RFP document and work order /Letter of allocation / work approval letter issued by the BESCOM.

Please find the check list of documents attached for sanction of projects

S.No	Documents	Yes/ No	Page No.
1.	Covering letter on Letterhead		

2.	Copy of CAPEX Agreement/ RESCO Agreement (PPA)	
3.	NOC/ Acknowledgement from DISCOM	
4.	Copy of Electricity Bill	
5.	Coloured Site Photos with Date & Time Stamping and Geo-coordinates	
6.	BOM & SLD	
7.	Solar PV Module Specs Sheet	
8.	Solar PV Module IEC Certificates	
9.	Inverter Specs Sheet	
10.	Inverter IEC Certificates	
11.	DCR Undertaking (individually for each project)	

Thanking You

Yours Faithfully, (Name of Authorized signatory of the Vendor) (Designation)

<u>Quality Certification, Standards and Testing for Grid-connected Rooftop Solar PV</u> <u>Systems/Power Plants</u>

Quality certification and standards for grid-connected rooftop solar PV systems are essential for the successful mass-scale implementation of this technology. It is also imperative to put in place an efficient and rigorous monitoring mechanism, adherence to these standards. Hence, all components of grid-connected rooftop solar PV system/ plant must conform to the relevant standards and certifications given below:

Solar PV Modules/Pa	onels
Solai I V Wiodules/12	meis
IEC 61215/ IS	Design Qualification and Type Approval for Crystalline Silicon
14286	Terrestrial Photovoltaic (PV) Modules
IEC 61701	Salt Mist Corrosion Testing of Photovoltaic (PV) Modules
IEC 61853- Part 1/	Photovoltaic (PV) module performance testing and energy rating:
IS 16170: Part 1	Irradiance and temperature performance measurements, and power rating
IEC 62716	Photovoltaic (PV) Modules – Ammonia (NH3) Corrosion Testing (As per
	the site condition like dairies, toilets)
IEC 61730-1,2	Photovoltaic (PV) Module Safety Qualification – Part 1: Requirements
	for Construction, Part 2: Requirements for Testing
IEC 62804	Photovoltaic (PV) modules - Test methods for the detection of
	potential-induced degradation. IEC TS 62804-1: Part 1: Crystalline
	silicon (mandatory for applications where the system voltage is > 600
	VDC and advisory for installations where the system voltage is < 600
	VDC)
IEC 62759-1	Photovoltaic (PV) modules – Transportation testing, Part 1:
	Transportation and shipping of module package units
Solar PV Inverters	
IEC 62109-1, IEC	Safety of power converters for use in photovoltaic power
62109-2	systems –
	Part 1: General requirements, and Safety of power converters for use in
	photovoltaic power systems
	Part 2: Particular requirements for inverters. Safety compliance
	(Protection degree IP 65 for outdoor mounting, IP
	54 for indoor mounting)

IEC/IC (1692	Dhatavaltaia Cristania Davian anditionana Ducas duna fan
IEC/IS 61683	Photovoltaic Systems – Power conditioners: Procedure for
(as applicable)	Measuring Efficiency (10%, 25%, 50%, 75% & 90-100% Loading
	Conditions)
BS EN 50530	Overall efficiency of grid-connected photovoltaic inverters:
(as applicable)	This European Standard provides a procedure for the measurement of the
(as applicable)	accuracy of the maximum power point tracking (MPPT) of inverters,
	which are used in grid- connected photovoltaic systems. In that case the
	inverter energizes a low voltage grid of stable AC voltage and constant
	frequency. Both the static and dynamic MPPT efficiency is considered.
	requency. Both the state and dynamic ivit i refrictency is considered.
IEC 62116/ UL	Utility-interconnected Photovoltaic Inverters - Test Procedure
1741/ IEEE 1547 (as	of Islanding Prevention Measures
applicable)	
IEC 60255-27	Measuring relays and protection equipment – Part 27:
	Product safety requirements
IEC 60068-2 (1, 2,	Environmental Testing of PV System – Power Conditioners
14, 27, 30 & 64)	and Inverters
	a) IEC 60068-2-1: Environmental testing - Part 2-1: Tests - Test A: Cold
	b) IEC 60068-2-2: Environmental testing - Part 2-2: Tests -
	Test B: Dry heat
	c) IEC 60068-2-14: Environmental testing - Part 2-14: Tests - Test N:
	Change of temperature
	d) IEC 60068-2-27: Environmental testing - Part 2-27: Tests -
	Test Ea and guidance: Shock
	e) IEC 60068-2-30: Environmental testing - Part 2-30: Tests - Test Db:
	Damp heat, cyclic (12 h + 12 h cycle)
	f) IEC 60068-2-64: Environmental testing - Part 2-64: Tests -
	Test Fh: Vibration, broadband random and guidance
IEC $61000 - 2,3,5$	Electromagnetic Interference (EMI) and Electromagnetic
(as applicable)	Compatibility (EMC) testing of PV Inverters
Fuse	
IS/IEC 60947 (Part	General safety requirements for connectors, switches, circuit
1, 2 & 3), EN	breakers (AC/DC):
50521	a) Low-voltage Switchgear and Control-gear, Part 1: General rules
	b) Low-Voltage Switchgear and Control-gear, Part 2: Circuit
	Breakers
	c) Low-voltage switchgear and Control-gear, Part 3: Switches,
	disconnectors, switch-disconnectors and fuse-combination units
	d) EN 50521: Connectors for photovoltaic systems – Safety requirements
	and tests

Fuse-links for the protection of solar photovoltaic energy systems Surge Arrestors IEC 62305-4	IEC 60269-6	Low-voltage fuses - Part 6: Supplementary requirements for
Surge Arrestors IEC 62305-4 Lightening Protection Standard IEC 60364-5-53/ Electrical installations of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation, switching and control IEC 61643- Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods IEC 60227/IS 694, General test and measuring method for PVC (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) V, and UV resistant for outdoor installation IEC 69947 IEC 69947 IEC 69947 IEC 625618 Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables IEC 62561 IEC 62561-1: Lightning protection system components (LPSC) - Part 1: Requirements for connection components (IEC 62561-2: Lightning protection system components (LPSC) - Part 2: Requirements for conductors and earth electrodes IEC 62561-7: Lightning protection system components (LPSC) - Part 7: Requirements for earthing enhancing compounds Junction Boxes Junction Boxes Junction boxes and solar panel terminal boxes shall be of the thermo-plastic type with IP 65 protection for outdoor use, and IP 54 protection for indoor use Specification (with Import & Export/Net energy measurements) Specification (with Import & Export/Net energy measurements) Solar PV Roof Mounting Structure S	IEC 00209-0	
IEC 62305-4 Lightening Protection Standard IEC 60364-5-53/ Electrical installations of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation, switching and control IEC 61643- Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods	C A	Tuse-miks for the protection of solar photovoltaic energy systems
IEC 60364-5-53/ Electrical installations of buildings - Part 5-53: Selection and erection of electrical equipment - Isolation, switching and control IEC 61643- Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods IEC 60227/IS 694, IEC 60502/IS 1554 (chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) IEC 69947 BS EN 50618 Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables Earthing /Lightning IEC 62561 Series (Chemical earthing) IEC 62561-2: Lightning protection system components (LPSC) - Part 1: Requirements for connection components IEC 62561-2: Lightning protection system components (LPSC) - Part 2: Requirements for conductors and earth electrodes IEC 62561-7: Lightning protection system components (LPSC) - Part 7: Requirements for earthing enhancing compounds Junction Boxes IEC 60529 Junction boxes and solar panel terminal boxes shall be of the thermo-plastic type with IP 65 protection for outdoor use, and IP 54 protection for indoor use Energy Meter IS 16444 or as specified by the DISCOMs Solar PV Roof Mounting Structure		
IS 15086-5 (SPD) erection of electrical equipment - Isolation, switching and control IEC 61643- 11:2011 Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods IEC 60227/IS 694, IEC 60502/IS 1554 (chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) IEC 69947 Earthing / Lightning IEC 62561 Series (Chemical earthing) Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables Earthing / Lightning		
Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods Cables	IEC 60364-5-53/	Electrical installations of buildings - Part 5-53: Selection and
Cables IEC 60227/IS 694, IEC 60502/IS 1554 (Part 1 & 2)/ IEC69947 BS EN 50618 Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables Earthing /Lightning IEC 62561 Series (Chemical earthing) IEC 62561-2: Lightning protection system components (LPSC) - Part 1: Requirements for conductors and earth electrodes IEC 62561-7: Lightning protection system components (LPSC) - Part 7: Requirements for earthing enhancing compounds Junction Boxes IEC 60529 Junction boxes and solar panel terminal boxes shall be of the thermo-plastic type with IP 65 protection for outdoor use, and IP 54 protection for indoor use Energy Meter IS 16444 or as specified by the DISCOMs Solar PV Roof Mounting Structure	` '	
Cables IEC 60227/IS 694, General test and measuring method for PVC (Polyvinyl chloride) insulated cables (for working voltages up to and including 1100 V, and UV resistant for outdoor installation) V, and UV resistant for outdoor installation) EC 69947	IEC 61643-	
IEC 60227/IS 694, IEC 60502/IS 1554 (Part 1 & 2)/ IEC69947 BS EN 50618 Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables Earthing /Lightning IEC 62561 Series (Chemical earthing) IEC 62561-2: Lightning protection system components (LPSC) - Part 1: Requirements for conductors and earth electrodes IEC 62561-7: Lightning protection system components (LPSC) - Part 7: Requirements for earthing enhancing compounds Junction Boxes IEC 60529 Junction boxes and solar panel terminal boxes shall be of the thermo-plastic type with IP 65 protection for outdoor use, and IP 54 protection for indoor use Energy Meter IS 16444 or as specified by the DISCOMs Solar PV Roof Mounting Structure	11:2011	connected to low-voltage power systems - Requirements and test methods
Chloride insulated cables (for working voltages up to and including 1100	Cables	
Part 1 & 2)/ EC69947 V, and UV resistant for outdoor installation)	IEC 60227/IS 694,	General test and measuring method for PVC (Polyvinyl
BS EN 50618 Electric cables for photovoltaic systems (BT(DE/NOT)258), mainly for DC Cables Earthing /Lightning IEC 62561 Series (Chemical earthing) IEC 62561-1: Lightning protection system components (LPSC) - Part 1: Requirements for connection components IEC 62561-2: Lightning protection system components (LPSC) - Part 2: Requirements for conductors and earth electrodes IEC 62561-7: Lightning protection system components (LPSC) - Part 7: Requirements for earthing enhancing compounds Junction Boxes IEC 60529 Junction boxes and solar panel terminal boxes shall be of the thermo-plastic type with IP 65 protection for outdoor use, and IP 54 protection for indoor use Energy Meter IS 16444 or as specified by the DISCOMs Solar PV Roof Mounting Structure	IEC 60502/IS 1554	chloride) insulated cables (for working voltages up to and including 1100
Earthing /Lightning IEC 62561 Series (Chemical earthing) IEC 62561-1: Lightning protection system components (LPSC) - Part 1: Requirements for connection components IEC 62561-2: Lightning protection system components (LPSC) - Part 2: Requirements for conductors and earth electrodes IEC 62561-7: Lightning protection system components (LPSC) - Part 7: Requirements for earthing enhancing compounds Junction Boxes IEC 60529 Junction boxes and solar panel terminal boxes shall be of the thermo-plastic type with IP 65 protection for outdoor use, and IP 54 protection for indoor use Energy Meter IS 16444 or as specified by the DISCOMs Solar PV Roof Mounting Structure	(Part 1 & 2)/	V, and UV resistant for outdoor installation)
mainly for DC Cables	IEC69947	
IEC 62561 Series (Chemical earthing) IEC 62561-1: Lightning protection system components (LPSC) - Part 1: Requirements for connection components IEC 62561-2: Lightning protection system components (LPSC) - Part 2: Requirements for conductors and earth electrodes IEC 62561-7: Lightning protection system components (LPSC) - Part 7: Requirements for earthing enhancing compounds Junction Boxes IEC 60529 Junction boxes and solar panel terminal boxes shall be of the thermo-plastic type with IP 65 protection for outdoor use, and IP 54 protection for indoor use Energy Meter IS 16444 or as specified by the DISCOMs A.C. Static direct connected watt-hour Smart Meter Class 1 and 2 — Specification (with Import & Export/Net energy measurements) Solar PV Roof Mounting Structure	BS EN 50618	Electric cables for photovoltaic systems (BT(DE/NOT)258),
IEC 62561 Series (Chemical earthing) IEC 62561-1: Lightning protection system components (LPSC) - Part 1: Requirements for connection components IEC 62561-2: Lightning protection system components (LPSC) - Part 2: Requirements for conductors and earth electrodes IEC 62561-7: Lightning protection system components (LPSC) - Part 7: Requirements for earthing enhancing compounds Junction Boxes IEC 60529 Junction boxes and solar panel terminal boxes shall be of the thermo-plastic type with IP 65 protection for outdoor use, and IP 54 protection for indoor use Energy Meter IS 16444 or as specified by the DISCOMs Solar PV Roof Mounting Structure		mainly for DC Cables
Requirements for connection components IEC 62561-2: Lightning protection system components (LPSC) - Part 2: Requirements for conductors and earth electrodes IEC 62561-7: Lightning protection system components (LPSC) - Part 7: Requirements for earthing enhancing compounds Junction Boxes Junction boxes Junction boxes and solar panel terminal boxes shall be of the thermo-plastic type with IP 65 protection for outdoor use, and IP 54 protection for indoor use Energy Meter IS 16444 or as A.C. Static direct connected watt-hour Smart Meter Class 1 and 2 — Specified by the DISCOMs Solar PV Roof Mounting Structure Struct	Earthing /Lightning	
IEC 62561-2: Lightning protection system components (LPSC) - Part 2: Requirements for conductors and earth electrodes IEC 62561-7: Lightning protection system components (LPSC) - Part 7: Requirements for earthing enhancing compounds Junction Boxes IEC 60529 Junction boxes and solar panel terminal boxes shall be of the thermo-plastic type with IP 65 protection for outdoor use, and IP 54 protection for indoor use Energy Meter IS 16444 or as specified by the DISCOMs Solar PV Roof Mounting Structure	IEC 62561 Series	IEC 62561-1: Lightning protection system components (LPSC) - Part 1:
IEC 62561-2: Lightning protection system components (LPSC) - Part 2: Requirements for conductors and earth electrodes IEC 62561-7: Lightning protection system components (LPSC) - Part 7: Requirements for earthing enhancing compounds Junction Boxes IEC 60529 Junction boxes and solar panel terminal boxes shall be of the thermo-plastic type with IP 65 protection for outdoor use, and IP 54 protection for indoor use Energy Meter IS 16444 or as specified by the DISCOMs Solar PV Roof Mounting Structure	(Chemical earthing)	Requirements for connection components
IEC 62561-7: Lightning protection system components (LPSC) - Part 7: Requirements for earthing enhancing compounds Junction Boxes IEC 60529 Junction boxes and solar panel terminal boxes shall be of the thermo-plastic type with IP 65 protection for outdoor use, and IP 54 protection for indoor use Energy Meter IS 16444 or as specified by the DISCOMs Solar PV Roof Mounting Structure		IEC 62561-2: Lightning protection system components (LPSC) - Part 2:
Requirements for earthing enhancing compounds		Requirements for conductors and earth electrodes
Junction Boxes IEC 60529 Junction boxes and solar panel terminal boxes shall be of the thermo-plastic type with IP 65 protection for outdoor use, and IP 54 protection for indoor use Energy Meter IS 16444 or as specified by the Specification (with Import & Export/Net energy measurements) Solar PV Roof Mounting Structure		IEC 62561-7: Lightning protection system components (LPSC) - Part 7:
IEC 60529 Junction boxes and solar panel terminal boxes shall be of the thermo-plastic type with IP 65 protection for outdoor use, and IP 54 protection for indoor use Energy Meter IS 16444 or as A.C. Static direct connected watt-hour Smart Meter Class 1 and 2 — specified by the Specification (with Import & Export/Net energy measurements) DISCOMs Solar PV Roof Mounting Structure		Requirements for earthing enhancing compounds
thermo-plastic type with IP 65 protection for outdoor use, and IP 54 protection for indoor use Energy Meter IS 16444 or as specified by the DISCOMs Solar PV Roof Mounting Structure thermo-plastic type with IP 65 protection for outdoor use, and IP 54 protection for indoor use A.C. Static direct connected watt-hour Smart Meter Class 1 and 2 — Specification (with Import & Export/Net energy measurements)	Junction Boxes	
IP 54 protection for indoor use Energy Meter IS 16444 or as specified by the Specification (with Import & Export/Net energy measurements) DISCOMs Solar PV Roof Mounting Structure	IEC 60529	Junction boxes and solar panel terminal boxes shall be of the
Energy Meter IS 16444 or as specified by the DISCOMs Solar PV Roof Mounting Structure A.C. Static direct connected watt-hour Smart Meter Class 1 and 2 — Specification (with Import & Export/Net energy measurements)		thermo-plastic type with IP 65 protection for outdoor use, and
IS 16444 or as specified by the DISCOMs A.C. Static direct connected watt-hour Smart Meter Class 1 and 2 — Specification (with Import & Export/Net energy measurements) Solar PV Roof Mounting Structure		IP 54 protection for indoor use
specified by the Specification (with Import & Export/Net energy measurements) DISCOMs Solar PV Roof Mounting Structure	Energy Meter	
DISCOMs Solar PV Roof Mounting Structure	IS 16444 or as	A.C. Static direct connected watt-hour Smart Meter Class 1 and 2 —
Solar PV Roof Mounting Structure	specified by the	Specification (with Import & Export/Net energy measurements)
	DISCOMs	
10 00 c0 r0	Solar PV Roof Mounti	ing Structure
IS 2062/IS 4/59 Material for the structure mounting	IS 2062/IS 4759	Material for the structure mounting

Note: Equivalent standards may be used for different system components of the plants. In case of clarification following person/agencies may be contacted.

- i. Ministry of New and Renewable Energy (Govt. of India)
- ii. National Institute of Solar Energy
- iii.The Energy & Resources Institute
- iv. TUV

PROJECT REPORT FORMAT

Format for Summary Project Report for Grid Connected Rooftop Solar Plants

- 1. Name of Bidder:
- 2. RFP no. BESCOM/DSM/GM /DGM/AGM-5/2021- 22/RTS-08 Date: 11.01.2022
- 3. Project details (Site location & Address):
- 4. Brief about the Rooftop Solar Power Generation System:
- 5. Details of the beneficiary:
- 6. Specifications of the Components and Bill of Material/ Quantities:

S. No.	Component	Specifications	Quantity	Make
A	Solar PV module			
A.1	Aggregate Solar PV			
	capacity (kWp)			
В	Grid Tie inverter (Type and			
	Capacity)			
B.1	Aggregate Inverter			
	capacity (kVA)			
С	Module mounting structure			
D	Array Junction Box			
Е	AC Distribution Board			
F	Cable (All type)			
G	Earthing Kit			
	(maintenance free)			
Н	Meters			
I	Online monitoring			
	system			
J	Any other component			
K	Transformer			

- 7. Unit cost of solar power generation:
- 8. Expected output/annum:
- 9. Respective drawings for layout, electrical wiring connections, earthing, components etc.
- 10. Connectivity details with grid and metering arrangement (with sketch diagram)
- 11. Copy of electricity bill of the beneficiary and consumer number
- 12. Any other information.
- 13. Documentary proof regarding beneficiary type as per of the RFP document.

DECLARATION of AUTHORIZATION

(To be or	non-judicial	stamp	paper	of	appropriate	value	as	per	Stamp	Act relevant	to
place of ex	xecution.)										

I/ We
The aforesaid undertaking is further authorized for making representations to the BESCOM and providing information / responses to BESCOM representing us in all matters before BESCOM and generally dealing with BESCOM in all matters in connection with Bid till the completion of the bidding process as per the terms of the above mentioned RFP.
We hereby agree to ratify all acts, deeds and things done by our said undertaking pursuant to this undertaking and that all acts, deeds and things done by our aforesaid undertaking shall be binding on us and shall always be deemed to have been done by us.
All the terms used herein but not defined shall have the meaning ascribed to such terms under the RFP.
Signed by
Phone : E-mail: Address : Sincerely

Quarterly O&M report

Month and year: Name of the bidder:

RFP ref no.: BESCOM/DSM/GM /DGM/AGM-5/2021- 22/RTS-08 Date: 11.01.2022

Project Capacity:
Address of the site:

Part A

Component	Activity	Description	Date	Name / Signatu re	*Rem arks
PV Module	Cleaning	Immediately clean any bird droppings/dark spots on module.			
	Cleaning	Clean PV modules with plain water or mild dishwashing detergent.			
	Inspection (for plants> 100 kWp)	Infrared camera inspection for hot spots; bypass diode failure.			
PV Array	Inspection	Check the PV modules and rack for any damage.			
	Inspection	If any new objects, such as vegetation growth etc., are causing shading of the array. Remove if any.			
	Vermin Removal	Remove bird nests or vermin from array and rack area.			
Junction Boxes	Inspection	Inspect electrical boxes for corrosion, intrusion of water or vermin. Check position of switches and breakers. Check status of all protection devices.			

Wiring	Inspection	Inspect cabling for signs of cracks, defects, lose connections, corrosion, overheating, arcing, short or open circuits, and ground faults.		
Inverter	Inspection	Observe instantaneous operational indicators on the faceplate. Inspect Inverter housing or shelter for any physical maintenance. Check for connection tightness.		
Inverter	Service	Clean or replace any air filters.		
Instruments	Validation	Verify monitoring instruments (pyranometer etc.) with standard instruments to verify their operation within tolerance limits.		
Transformer	Inspection	Inspect transformer oil level, temperature gauges, breather, silica gel, meter, connections etc.		
Plant	Monitoring	Daily Operation and Performance Monitoring.		
Spare Parts	Manageme nt	Manage inventory of spare parts.		
Logbook	Documenta tion	Maintain daily log records.		
Tracker (if any)	Inspection	Inspect gears, gear boxes, bearings, motors.		
	Service	Lubricate bearings, gear as required.		

^{*}Provide details of any replacement of systems/components, damages, plant/inverter shut down (planned/forced), breakdown, etc under remarks.

The same may be inspected by BESCOM or its authorized representative at any time 5 years of O&M period. The Register will have the information about the daily generation, Inverter downtime if any, Grid outages.

Annexure I

		(Tax Invoice	e on Con	npany le	tter F	Iead with	n GST No.)		
Invoi	ice No.:					Place	of Supply:		
Invo	ice Date:								
				Bill T	O				
Nam	e, contact no. and	d Address of th	e consum	ners					
				_	1		T		
Sl	Item and	HSN/SAC	Qty	Rate		CGST	SGS	ST	Amt
No	Description	1201 (10110	Q -3		%	Amt	%	Amt	
				1					
T									
ota									
1									X
1							Total		
Total	l in Words						amount	Х	[
							Admissibl		
							e CFA @	Y	
							40%		
Term	ns and Condition	S					Amount		
							billed to	Do (v. v.)	
							consumer, excluding	KS. (X-y)	
							CFA		
							Total		
							Total		
						Authoria	zed Signature		

Annexure J

Project Completion Report for Grid-Connected Rooftop

Financial year *:
Approval No. *:

Proposal Title :	
Installed by agency:	
Title of the Project*:	SPV Capacity
	(kWp)*:
Category of the	Name of the
organization/	contact person*
beneficiary*:	:
Address of contact person*:	
State*:	District/City*:
Mobile*:	Email*:
Aadhaar Card Number (For	Latitude:
Residential) Copy to be attached.	
	Longitude:
Other info	
Electricity Distribution Company	Sanction Load
Name:	
Electricity consumer account no. as	
per electricity bill :	
Technology Description	on & System Design /Specification
	on & System Design /Specification andards is mandatory – Attach Copies)
(Compliance to BIS/ IEC St	
(Compliance to BIS/ IEC St 1. Solar PV Module: Power of each PV Module / Nos.(Wp)* / Make	
(Compliance to BIS/ IEC St 1. Solar PV Module: Power of each PV Module /	
(Compliance to BIS/ IEC St 1. Solar PV Module: Power of each PV Module / Nos.(Wp)* / Make	andards is mandatory – Attach Copies)
(Compliance to BIS/ IEC St 1. Solar PV Module: Power of each PV Module / Nos.(Wp)* / Make Cumulative Capacity of	andards is mandatory – Attach Copies) Tilt Angle of
(Compliance to BIS/ IEC St 1. Solar PV Module: Power of each PV Module / Nos.(Wp)* / Make Cumulative Capacity of Modules(kWp):	Tilt Angle of Modules:
(Compliance to BIS/ IEC St 1. Solar PV Module: Power of each PV Module / Nos.(Wp)* / Make Cumulative Capacity of Modules(kWp): Solar cell technology: Module efficiency (in	andards is mandatory – Attach Copies) Tilt Angle of
(Compliance to BIS/ IEC St 1. Solar PV Module: Power of each PV Module / Nos.(Wp)* / Make Cumulative Capacity of Modules(kWp): Solar cell technology: Module efficiency (in Percentage):	Tilt Angle of Modules: Azimuth
(Compliance to BIS/ IEC St 1. Solar PV Module: Power of each PV Module / Nos.(Wp)* / Make Cumulative Capacity of Modules(kWp): Solar cell technology: Module efficiency (in	Tilt Angle of Modules: Azimuth RFID passed
(Compliance to BIS/ IEC St 1. Solar PV Module: Power of each PV Module / Nos.(Wp)* / Make Cumulative Capacity of Modules(kWp): Solar cell technology: Module efficiency (in Percentage): Indigenous or imported	Tilt Angle of Modules: Azimuth
(Compliance to BIS/ IEC St 1. Solar PV Module: Power of each PV Module / Nos.(Wp)* / Make Cumulative Capacity of Modules(kWp): Solar cell technology: Module efficiency (in Percentage): Indigenous or imported 2. Inverters:	Tilt Angle of Modules: Azimuth RFID passed
(Compliance to BIS/ IEC St 1. Solar PV Module: Power of each PV Module / Nos.(Wp)* / Make Cumulative Capacity of Modules(kWp): Solar cell technology: Module efficiency (in Percentage): Indigenous or imported 2. Inverters: Type of inverter:	Tilt Angle of Modules: Azimuth RFID passed
(Compliance to BIS/ IEC St 1. Solar PV Module: Power of each PV Module / Nos.(Wp)* / Make Cumulative Capacity of Modules(kWp): Solar cell technology: Module efficiency (in Percentage): Indigenous or imported 2. Inverters: Type of inverter: Power of each PCU/	Tilt Angle of Modules: Azimuth RFID passed
(Compliance to BIS/ IEC St 1. Solar PV Module: Power of each PV Module / Nos.(Wp)* / Make Cumulative Capacity of Modules(kWp): Solar cell technology: Module efficiency (in Percentage): Indigenous or imported 2. Inverters: Type of inverter:	Tilt Angle of Modules: Azimuth RFID passed

Capacity/Power of PCU/inverters		Type of Charge	
(kVA):		Controller / MPPT	
Inverter efficiency (Full load):			
(in percentage)			
Grid connectivity level phase	Single Phase/	Grid connectivity	230 V/ 415 V
	Three Phase	level Voltage	
3. Mounting Structures			
Туре		Surface Finish	
Material		Wind Speed	
		Tolerance	
4. Cables:			
DC Cable Make & Size		Length:	
AC Cable Make & Size		Length:	
(Inverter to ACDB)			
AC Cable Make & Size		Length:	
(ACDB to Electric Panel)			
Conductor	Multi strand	Insulation/sheath	PVC /XLPE
	high		Insulated
	conductivity		
	Copper		
5. JUNCTION BOX & DISTRIBU	TION BOARDS		
Туре	weatherproof,	Nos.:	
	dust & vermin		
	proof		
Make			
6. EARTHING & LIGHTNING P	ROTECTION		
EQUIPMENT EARTHING			
AC (Nos.)		Earth Resistance	
DC (Nos.)		Earth Resistance	
LIGHTNING ARRESTORS (LA)			
Type			
LA (Nos.)		Earth Resistance	

(Signature of Vendor) With Stamp

Annex: Copy of System test & Earth test reports (annexed)

Commissioning Test ReportkW

Inverter Testing (DC) Side: Nos. of Inverter: Nos.

Inverter S. No.	Capacity	String 1: Voc	String 2: Voc	Remark

<u>Inverter Testing (AC) Side – Single / Three Phase</u>

Inverter S. No.	Capacity	R – Y/ P-N	Y – B	B - R	R - N	Y - N	B - N	Remark

ACDB & Meter Panel Testing – Single / Three Phase

	R – Y/ P-N	Y – B	B - R	R – N	Y - N	B - N	Remark
ACDB I/C (V)							
ACDB O/G (V)							
Meter Panel I/C							
Meter Panel							
O/G							

Earthing Pit Details: Nos. of Earth Pit: Nos.

	Earthing AC	Earthing DC	Earthing LA	Remark
Earth Test Value (Ohm)				

Sign	•••••
	Site Engineer

Annexure K

	Check List	
	Documents against Completion of Project	
Name of Vendor:	Allocated Capacity : kWp	
Allocation letter No.:		
Consent letter No.:		
Name of Beneficiary:	Installed Capacity: kW	

S.	Documents	Yes / NO	Page No.
No.			
1.	Claim letter for CFA		
2.	Solar System Warrantee Certificate for 5 / 25 years		
3.	Copy of Inspection report		
4.	Copy of PR Test report		
5.	Copy of Completion report - Annexure J		
6.	Copy of Solar System (Electrical side) testing report		
7.	Copy of Joint Completion certificate (JCR)		
8.	Solar PV module & Solar Inverter Serial No.		
9.	Solar PV module & Solar Inverter test sheet		
10.	Solar PV module & Solar Inverter warranty certificates		
11.	Solar PV plant Insurance Cover		
12	PV Syst, Stadd Pro, Final BOM, As built drawing		
13	Net Metering Installation report		

Signature

INTIMATION TO DISCOM FOR IMPLEMENTATION OF GRID CONNECTED ROOFTOP SOLAR PV PLANT UNDER SCHEME

To,		Date:
The	General Manager (Ele),	
	M Section,	
Cor	porate Office,	
	SCOM, Bangalore.	
1.	Name of SPD/Implementing	BESCOM
	Agency	
2	Name of the Consumer*	
Site	Details*	
3	Address of the Rooftop Project	H No:
	Site:*	Street Name:
		Village Name:
		District Name:
		State:
		Pin Code:
4	Phone / Mobile no. *	
5	Email Id:	
6	Electricity Consumer No. *	
7	Category (Please) *	Residential
8	Installed Plant Capacity (kWp)*	
9	Connected load (kVA)*	
10	Voltage level at interconnection*	= 415 V = 11 kV □ above 11 kV
11	Nearest Transformer Details	Location: Capacity:
12	Details of Inverter with Anti-	
	Islanding	Make: Capacity:
	Protection*	● Single phase □ 3-Phase
	Phase (Φ): (Please)	● Inside Inverter □ Outside Inverter
	Galvanic Isolation (Please)	
14	Both AC and DC components of th	T
15	CEIG Inspection required*	□Yes □ No
16	If, Yes, Inspection date *	
	(Attach copy of CEIG Certificate)	
18	Bank Account details	Account No.

Branch

Bank

19	Date of Grid Synchronization*	
20	Net metering and grid	Applied on:
	connectivity	Fees Deposited On:
	(Attach acknowledgment from	
	DISCOM, if received)	

^{*}to be provided mandatorily

It is certified that the information furnished above is true to the best of my knowledge.

Consumer / Authorised Signatory of Implementing Agency on behalf of consumer

(CFA Claim Letter on Company letter Head)

Ref No	Date:
 To,	
The General Manager (Ele),	
DSM Section,	
Corporate Office,	
BESCOM.	
Sub: Claim Letter for release of CFA for Solar Power Plant of kWp capacity	installed at
Ref:	
BESCOM Allocation Letter No	
2. BESCOM Consent Letter No	
Dear Sir,	
This is in reference to BESCOM allocation and consent letter, We,	•
As per the sanction order, (Name of Company) is entitled Rs, post successful installation, commissioning and inspection of the repower Plant.	
Therefore, kindly release the CFA of Rs (Rs In words) at the ea	arliest.
Thanks, and regards,	
(Signature)	
Signed and Stamp	

(On non-judicial stamp paper of appropriate value)

INDEMNITY BOND

This Indemnity bond is m	ade this	day	by M/s
having its registered office	at		as vendor which expression
shall include its successors and permitted assigns) in favour of BESCOM, (which expression sl			OM, (which expression shall
include its successor and as	signs).		
	is required to release (0 1 0	ets vide its sanctions letters in for erection, operation and
S. No. Name	& Address of Consumer	s CA No.	Capacity of Plant

And whereas by virtue of clause No...... of the said contract, the vendor is required to establish an Insurance Cover for third party liability, however same has not been established and therefore, executing an Indemnity bond in favour of BESCOM for the purpose of performance of the contract (hereinafter called the CFA)

Now, therefore, this indemnity bond witnesses this as follows:

- 1. The contractor undertakes to keep BESCOM harmless against any past, future unforeseen loss or damage due to any event/act occurred up to the period of commissioning that may be caused due to non-establishment of Insurance Cover under the contract against which the CFA has been released by BESCOM.
- 2. This indemnity bond is irrevocable. The vendor to execute the project in part / full as per the terms and conditions of the contract, shall be deemed to be a breach of contract and the vendor shall forthwith return the CFA with interest @ 18% upon demand from BESCOM without demur, reservation or protest and without reference to any arbitrator / tribunal or any other authority whatsoever.
- 3. Now, the condition of this bond is that if the contractor shall duly and punctually comply with the terms and conditions of this bond to the satisfaction of BESCOM, then the above bond shall be void, but otherwise, it shall remain in full force and virtue.

In witness where of the vendor has here—unto set its hand through its authorized representative under the common seal of the company, the day, month and year first above mentioned.

Witness I

For and on behalf of M/s

Authorized Representative

Signature Signature Name Name Address Address

Witness II

Authorized Representative

Signature Name

Address

(Bond should be duly notarized)

Note: *Indemnity Bonds are to be executed by the authorized persons and (i) In case of contracting Company under common seal of the Company or (ii) having the power of attorney issued under common seal of the company with authority to execute Indemnity Bonds, (iii) In case, (ii) the original Power of Attorney if it is specifically for our contract or a Photostat copy of the Power of Attorney if it is a General Power of Attorney and such documents should be attached to Indemnity Bond.

Joint Inspection Report

It is to certify that a Grid Connected Solar PV Power Plant has been installed with following details:

1. Name of the beneficiary:		
2. Address of installation with pin		
3. Electricity consumer number: _		
4. Solar PV module capacity (DC)		
5. Inverter capacity (AC) (Nomina		kW
6. Date of installation:		
7. Date of commissioning (after in		<u></u>
8. Date of Joint inspection:		
9. Metering arrangement:	(Net meter	/Gross meter/Net billing)
The above system is as per BIS/MNR	-	checked for its performance on
DISCOM		EMPANELLED AGENCY
CONSUMER		
Name _		
Designation		
Designation		
Date		
Sign _		
Seal		
It is to certify that the above system has	s been purchased with following	g details:
1. Total project cost ₹		
2. CFA amount ₹		
3. Amount paid by beneficiary ₹		
3. Thirount paid by beneficiary C		
	EMPANELLED AGENCY	CONSUMER
Name		
Designation		
Date		
Sign		
Soal		

Page **138** of **146**

DASHBOARD COMPONENTS

SITE LIST

Column	Description
Site Name	Consumer Name or CA no. where solar rooftop
	PV plant is installed
Address, Zip code	Location and Division details
Peak Power	Displays the peak power from solar array

DASHBOARD

Column	Description
Site Selection Menu	Typically, a list of all the solar plants installed in
	the licensed area
Overview Bar	Displays the current power generated in AC from
	inverter/s, Energy today and Monthly total
	energy
Site Summary	Display the relevant details of the plant
Power & Energy Displays the power and energy graph	
	shows the power and energy over a period of
	time and enables the download of the graphs in
	all major formats, such as xls, png and jpg
Weather	Displays the local weather conditions, like
	minimum and maximum temperature, clouds
	conditions
Solar Radiation (Irradiation)	Displays the daily or monthly peak sun hours
	from NASA, IMD or MNRE database

PLANT DETAILS

Column	Description	
Plant Capacity	Installed Capacity (in kWp)	
Module details	Make and electrical Specification	
Module Serial No.	RFID	
Last Measured	10-15 mins reading (data fetching frequency)	
Current (Amp)	Module output current/Inverter input current	
Voltage (V)	Module output voltage/Inverter AC voltage	
V DC	Inverter DC voltage	
Energy (Wh)	Inverter energy	

Annexure R

Reference Bidders' Declaration Format associated with Implementation of ALMM Order

(on the letter head of the bidder)

Declaration

To Whomsoever this may concern

Reference: (RFP no. and description)

- 1. We hereby declare that we are fully aware of the binding provisions of the ALMM order and the Lists thereunder, while quoting the rate in the tender no. [tender number] floated by [name if tendering authority]
- 2. We understand that the List I (Solar PV Modules) of ALMM Order, Annexure I of the O M, issued by MNRE on 10th March 2021 will be updated by MNRE from time to time. We also understand that the Modules to be procured for this project, shall be from the List I of the ALMM order applicable on the date of invoicing of such modules.
- 3. We further understand and accept that we shall be liable for penal action, including but not limited to blacklisting and invocation of Performance Bank Guarantee, if we are found not complying with the provisions of ALMM Order, including those mentioned above.

1 (001110)
Designation:
Organization:
Date:

(Signature and Stamp)

Name:

Annexure U

<u>Standard Operating Procedure (SOP) for Installation and Metering Connection of Grid</u> <u>Connected Solar Rooftop PV Systems by DISCOMs</u>

ACTIVITY	RESPONSIBILITY	TIMELINE (Max Working Days)	
Submission of Application	CONSUMER	Zero Date	
Acknowledgment of	DISCOM	02	
Application by DISCOM			
Site Verification / Technical	DISCOM	15	
Feasibility & issuance of Letter			
of Approval (LOA) /			
Termination			
In-Principle Approval for CFA	DISCOM	10	
Execution of Metering	DISCOM & CONSUMER	15-20	
Agreement			
Installation of Rooftop Solar	DISCOM, Empanelled Vendor	90-180	
System	& CONSUMER		
Meter Procurement Intimation	CONSUMER	15	
		(prior intimating DISCOM on	
		system readiness)	
Submit Work Completion	CONSUMER & Empanelled	90-180	
Report / Certificate	Vendor	(from LOA) (depending upon	
		capacity)	
Inspection by CEIG (if	CEIG	15 -20	
applicable)			
Issuance of Safety Certificate	CEIG (if applicable)	5-10	
Intimation to Install Meter	CONSUMER	7-10	
Inspection by DISCOM,	DISCOM [3]	15 - 20	
Installation of Meter [2] and		(after CEIG approval)	
Commissioning of the System			
Inspection for Release of CFA	DISCOM	07-10	
[4			
Release of CFA	DISCOM	05-10	
Billing Process	DISCOM	30	
		(After synchronization with	
		Grid)	

Format for Bid Security Declaration

(To be submitted separately for each Project Group) (To be stamped on non – judicial stamp paper as per the stamp act of the state where the document is made) Ref: _____ Declaration No.: (Insert Name of Project Group) Date: **Subject: Declaration of bid security requirement.** We, _____(insert name of the Bidder) hereby provide this undertaking to BESCOM, in respect to our response to RfP vide RfP No. ______dated_____. We undertake that we will abide by the provisions of the RfP for the activities pertaining to submission of response to RfP, during the bid validity period. We undertake not to withdraw or modify our bid during the bid validity period, in line with provisions of the RfP. In case we withdraw or modify our response to the RfS during the bid validity period, or violate other provisions of the RfP which make the bid nonresponsive under Clause 4.2 of the RfP, we, _____ (insert name of the bidder) including our Parent, Ultimate Parent, and our Affiliates shall be suspended/debarred from participating in upcoming tenders issued by any department of [Insert the name of State] Government for a period of 5 years from the date of default as notified by [*Insert the name of Implementing Agency*].

(Name and Signature of the Authorized Signatory

Annexure W

Undertaking/Self- Declaration for domestic content requirement fulfilment (On a plain Paper)

This is to certify that I					-	
forKW [Ca			-			ver Plant Name] at
			_	_	under	sanction
number	dated		• • • • • • • • • • • • • • • • • • • •	[sanct	tion date	e] issued
by	[DISCOM Na	me].				
It is hereby undertake domestically manufactu Modules are follows:						
 PV Module Capa Number of PV Module Sr No of PV Module Mak PV Module Mak Purchase Order Module Or	Modules: odule e: Number: Date: er's name					
The above undertaking is supplying the above-men		ertificate issued	by PV Mod	lule manu	ıfacturer/suj	oplier while
I,	information giver ound incorrect at from the consum ny company, as p	above is true any stage then er can be with per law, for wi	and correct the due Cen held and approng declarate	and nothing and real Finant or opriate of the tion. Suppose the tion.	ing has been noted Assistation Assistation and the conting documents and the conting documents are seen as a seen as	n concealed ance (CFA) tion may be uments and
		Pho	I/S Name Designation ne			

Annexure X

Agreement between Vendor and beneficiary for additional cost

This agreement is signed between two parties i.e., M/s (Name of Vendor) registered at address, who is an empanelled vendors in the tender floated by BESCOM for implementation of grid connected rooftop solar (GCRTS) PV projects in the BESCOM of name of state/Name of Discom, hereby referred to in as the 'Vendor' or 'first party' AND (Name of Consumer, residing at......), hereby referred to in as the 'customer' or 'second party'.

Both the parties mentioned above, by mutual consent, are entering into an agreement for installation of grid connected rooftop solar project under Phase-II of grid connected rooftop solar programme of MNRE, being implemented by Name of implementing agency in the state/operational area of name of state. The second party has satisfied itself that the first party is an empanelled vendor in the tender floated by Name of Implementing agency and rooftop solar project ofkW capacity will be installed by first party at the residence of second party, under the tender floated by Name of Implementing agency.

Both the parties referred above, do hereby declare that they are aware of the fact that the L-1 price discovered in the tender floated by Name of Implementing agency is Rs. /kW. However, the second party has agreed to pay additional cost to the first party for desired customization in the project which is in the form of (mention the customizations). Due to these customizations, the per KW cost of the rooftop project comes out to be (Rs.).

The first party hereby declares that the invoice raised to the second party for amount mentioned above, is on actual basis after taking into account the cost of any customization and no other extra/hidden charges are being charged to the second party. The second party hereby declares that they are aware of the provisions of the scheme and do hereby consent to pay the additional cost of customization to the first party for the desired customizations. MNRE and the implementing agency shall not be, in any case, be held responsible for any dispute arising out of this agreement/financial transactions.

This agreement is entered intoday of the mo	onth ofin year
For First Party	For Second Party
(Name of Company)	(Name of Consumer)